•	STATE WELL REPORT  Permit #: _N/A					
		52-18.06 -48-14.40				
	(Landowner if borehole is not for a water well) Speakitude: 30°52'18.06 Longitude: 088 48'14640'					
	Owner Name: Fulcrown Construction  Mailing Address: 805 Trione Ave Method of Lat/Long (check one): Conventional Survey					
	USGS quad, Hand-held GPS_V, Survey-grade GPS  Lighte ALA 3652C  City State Zip Code  USGS quad, Hand-held GPS_V, Survey-grade GPS  NE_ 14_ SE_ 14, Sec_ 17_ T_2S_ R_SW  V4_ Miles_E_ of bendale					
	Telephone No. (251) 380 - 8375 (Distance) (Direction) (Nearest Town)					
	Well / Borehole Data  Date drilling started: 11-21-16 Date drilling completed: 11-24-16 Hole depth: 295 Hole diameter: 938  Location of the source of any surface water used for drilling: 14  Method of dosing and volume of Chlorine used in drilling and development: 15-25-16  Location of the source of any surface water used for drilling: 14  Method of dosing and volume of Chlorine used in drilling and development: 15-25-16  Location of the source of any surface water used for drilling: 16-25-16  Method of dosing and volume of Chlorine used in drilling and development: 16-25-16  Location of the source of any surface water used for drilling: 16-25-16  Method of dosing and volume of Chlorine used in drilling and development: 16-25-16  Location of the source of any surface water used for drilling: 16-25-16  Method of dosing and volume of Chlorine used in drilling and development: 16-25-16  Location of the source of any surface water used for drilling: 16-25-16  Method of dosing and volume of Chlorine used in drilling and development: 16-25-16  Location of the source of any surface water used for drilling: 16-25-16  Method of dosing and volume of Chlorine used in drilling and development: 16-25-16  Location of the source of any surface water used for drilling: 16-25-16  Method of dosing and volume of Chlorine used in drilling and development: 16-25-16  Location of the source of any surface water used for drilling: 16-25-16  Location of the source of any surface water used for drilling: 16-25-16  Method of dosing and volume of Chlorine used in drilling and development: 16-25-16  Location of the source of any surface water used for drilling and development: 16-25-16  Location of the source of any surface water used for drilling and development: 16-25-16  Method of the source of the sour					
-	Logs run (circle all applicable). No log run Electric Gamma Ray Density Sonic Neutron Other:  Name of organization running log(s):					
	Purpose of borehole (circle one) Water Well Geotechnical/Geological Investigation Ground Source Heat Pump					
	Seismic Survey Other (describe)  If drilling is not related to water well construction, skip the remainder of this block					
	Purpose of Well (circle all applicable): Home Industrial Public Supply Irrigation Fish Culture Commercial Other (describe): Dallar General Store	al				
	If a flowing well, method of flow regulation: Valve Other (describe)					
	Static Water Level: 85 feet [above or below] land surface Date measured: 11-2+16 (circle one)					
	Method of measurement (circle one): Steel tape Electric tape Air line Other (describe):					
Well depth: 255 Well grouted to a depth of: 252 feet Type of grout (circle one) Neat Cement Bentonite Mix						
	Casing length: 251 feet Casing diameter: 4 inches Type of casing: 51ec/ Screen length: 20 feet Screen diameter: 21 inches Type of screen: WP					
	Screen slot size: 7006 inches Setting depth: From 275 feet to 295 feet					
	Type of completion (circle all applicable): Gravel packed Underreamed Open hole Natural Development					
1	Other (describe): K pucker					
-	Top of lap pipe or reduction in casing: 230 / feet  If telescoped or more than one screen, describe on next page					
<b>!</b>	If telescoped or more than one screen, describe on next page  Lught have a MSDH # - (not sure Othis time, Form: OLWR-SWR-1A (4/13)  SAN 1 3-2-17	A OF				

Permit #: NA 4" Well		F-149	e Only:
The sketch below only required for water wells  If well telescopes, show depths on sketch.	Description of formations encountered and boreholes, unless specifically exem	must be provid pted by regulat	ed for all well ions
Ground Level	Description of Formations Encountered	From (depth)	To (depth)
	topso:/	Ground level	ユ
3 32/3 "cenent	orangeclas	2	25
2 8	blue clay	75	157
5) (5	Stay corrise sand	157	170
<del>{</del>       }	blue clas	170	240
<i>}</i>   15	gray medium sond	240	295
11 11		<u> </u>	
(1-1)			
12 12 2 Kackers			
\$ <b>111</b>			
- 20' 20's wepsives		ļ	
1,006			
ω.ρ.			
			_
more than one screen, show location of each on sketch			
etch the property layout and include the following:  1) the well location  2) any permanent structures on the property that may aid  3) any roads, power lines, or other items that may aid in l			
4) north arrow	are brokers, and are men		

Landowner Name:					
I HEREBY CERTIFY that the well/borehole was drilled, constructed, and completed in accordance with all applicable equirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, f applicable, and state laws.					
Tosh Lucher 0-640 Print Name of Responsible Licensee and License No.	12-17-14	Signature of Licensee			
Print Name of Responsible Licensee and License No.	Date	Form: OLWR-SWR-1A-W 13			

•		
·	TATE WELL REPORT	
County: Geerse	Part 2	For Office H. O. I.
Permit # N/A 4"Well Pum	p Installer's Completion Report	For Office Use Only:
Driller: Lyman Well MISSISS	ippi Department of Environmental Quality Office of Land and Water Resources	Well #: E-149
Date completed: 12 - 8 - 16	P.O. Box 2309	
Copy information from block on Part 1	Jackson, MS 39225-2309 (601)961-5210	Aquifer:
	(601) 360-0535 (fax)	
This part of the report must be completed by a lic	ensed water well contractor or a licensed pur	mp installer. A copy of Part !
of the report must be attached and both parts file Well Owner Information	Well I	vithin 30 days of well completion. ocation
Owner Name: Full Land Construct	1700 January 30 52 1/8 66 11	egitude: <b>058<sup>2</sup>48</b> 114,4011
Mailing Address: 805 Trione Av		· - <del></del>
1	,	): Conventional Survey,
Bundale, MS	1	PS, Survey-grade GPS
Dophse ALA 36 City State Zi	10 Code 16 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	7 T 28 R 84/
Telephone No. (251) 380 - 8375	$\frac{\cancel{4}  \text{Miles}  \cancel{E}  \text{of}}{\cancel{(Distance)}}  \text{of}$	Berda I C (Negrest Town)
Tetaphore III.		(Nedrest Town)
	Pump Type (circle one)	
Submersible Turbine Air Lift Centrifugal Flo		
Date Pump Installed: 12-8-14	Rated Pump Capacity: 17	Gallons Per Minute
Is This Pump (circle one): New Repaired R	<del> </del>	
	Power Type (circle one)	
Hectric Diesel Gasoline Hattiral Car. Fractor		
forse Power Rating of Motor Se	etting Depth 147 feer Number o	of Stages
Pump T	est Data for Non-Flowing Well	The Control of the Co
Date Well Tested: 13-8-16	Duration of Pump Test (minimu	m 4 hours): hours
Static Water Level (A): 85 Feet Below Lai	nd Surface Pumping Water Level (B): 🗾	C Feet Below Land Surface
1 2	V Land Surface Test Pumping Rate: 2	· ·
Method of measurement (circle one): Steel tape 4		· ·
Pump	Test Data for Flowing Well	
Measured shut in head:feet.	-	
Well yieldedGPM with a drawdown o	of feet after ho	ours of pumping
	Meter Installation	
Meter Manufacturer:		
		_ <b>i</b>
Meter Model Number/Name:  Totalizer Register Unit and Multiplier Factor (AF v.		
Totalizer Register Unit and Multiplier Factor (AF x		
Installation Date: Meter insta		
	eplacement	$\int_{\mathcal{C}} dx dx$
Important: By submitting the above information y For agricultural wells, a l	ou are certifying that this meter was installed list of approved meters is on the MDEQ websi	to manufacturer standards.
EREBY CERTIFY that the above statements are tr		to manufacturer standards. ite.  e of Pump Installer
·		And My
Tosk Ladrer 0-640 Print Name of Pump Installer and License No. (If ap	13-13-16 An	
rint name or rump installer and License No. (If ap	plicable) Date Signature	Form: OLWR-SWR-IB (4/13)