		WELL REPORT	150
County: <u>GEEFGE</u> Permit #: Driller: <u>CEAST WHER WEI SWE</u> , Date drilling completed: <u>12-4-18</u>	D Mississippi Departu Office of La P Jackso ((60)	Part 1 riller's Log ment of Environmental Quality nd and Water Resources 2.0. Box 2309 on, MS 39225-2309 601)961-5210 1)360-0535 (fax)	For Office Use Only: Well #:
State Law requires that this report Department at the above address w	be prepared by the ithin 30 days of co	license holder responsible for t mpletion of drilling of the well	he work and filed with the or borehole.
Well Owner Informati (Landowner if borehole is not for Owner Name: EVERETTE LASC Mailing Address: EVERETTE BOC Lucedale, MS 39452 City State Telephone No. (LCI) 947-52	ion a water well) A A Zip Code	Well or Bore Latitude: <u>3^c 49'52.56</u> ^c Lor Method of Lat/Long (<i>check one</i> USGS guad Hand-held G	Phole Location ngitude: 088°46'58.50" e): Conventional Survey
Date drilling started: 12-3-18 Date	drilling completed:	ng: <u>N/A</u>	SFT Hole diameter: <u>2"</u>

9

Method of dosing and volume of Chlorine used in drilling and development:
Logs run (circle all applicable). No log run Electric Gamma Ray Density Sonic Neutron Other:
Name of organization running log(s):
Purpose of borehole (circle one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump DEC 2 6 2018
Seismic Survey Other (describe) UEU 2010
If drilling is not related to water well construction, skip the remainder of this block M/R
Purpose of Well (circle all applicable): Home Industrial Public Supply Irrigation Fish Culture
Other (describe):
If a flowing well, method of flow regulation: Valve Other (<i>describe</i>)
Static Water Level: 105feet [above or below] and surface Date measured: 12-4-18
Method of measurement (circle one): Steel tape Electric tape Air line Other (describe):
Well depth: 308 FT Well grouted to a depth of: 10 feet Type of grout (circle one): Neat Cemept Bentonite Mix
Casing length: <u>A93</u> feet Casing diameter: <u>2</u> inches Type of casing: <u>PVC</u>
Screen length: 15feet Screen diameter: 2inches Type of screen: PUC
Screen slot size: <u>, 006</u> inches Setting depth: From <u>293</u> feet to <u>308</u> feet
Type of completion (circle all applicable): Gravel packed Underreamed Open hole Natural Development
Other (describe):
Top of lap pipe or reduction in casing: <u>NA</u> feet
If telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A (4/13)

County: JOC	Ksen
Permit #:	

For	Office Use Only:
Well #:	EISS

The sketch below only required for water wells

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

lf well telescopes, show depths on sketch.	HIP DVI CHVICH MITTER APACTICANY COUNT		••••
Ground Level	Description of Formations Encountered	From (depth)	To (depth)
	TOU DIL		-q-
	prange clay	1 72-1	-27-
	Drange Coatse Sand	12-12-1	$-\frac{1}{20}$
	Lange Clay	- 21	30-
	Blue clay 1	-20	200
	Gray Coarse Sand	283	508
	· · · · · · · · · · · · · · · · · · ·		
		<u> </u>	
		+	
,			
	·		
f more than one screen, show location of each on sketch			<u></u>
I more than one screet, show location of each on alcoun			
4) north arrow	Mulbold Kar Ling Kar	DEC	EIVE 26 2018 OLW
andowner Name: <u>EVEREHE</u> <u>COLSON</u> HEREBY CERTIFY that the well/borehole was drilled requirements of the Mississippi Department of Enviro f applicable, and state laws. Tack Ridadell D-472	I, constructed, and completed in accordar nomental Quality and the Mississippi Depar 12/5/18	4	licable h regulation

	DIALE V	VELL REPORT	
County: GEOLAC	1	Part 2	For Office Use Only:
Permit #:	Pump Install	er's Completion Report	
Driller Oast Water Uellsvc.	Mississippi Depart	ment of Environmental Quality and and Water Resources	Well #:
Date completed: 12-4-18		P.O. Box 2309	
		ion, MS 39225-2309	Aquifer:
<u>Copy information from block on Part 1</u>		(601)961-5210 1) 360-0535 (fax)	
This part of the report must be complete		• • •	un installer A conv of Part 1
of the report must be attached and both	parts filed with the	Department at the above address w	within 30 days of well completion.
Well Owner Informati	ion	· Well L	
Owner Name: Everette COLS	500	Latitude: 30° 49' 52.56 Lon	gitude: 08846 58.50"
Mailing Address: Everette. R.	oad	Method of Lat/Long (check one): Conventional Survey,
······································			PS, Survey-grade GPS
Lucedole Me 2011	50		34 TZS R8W
Lucedale, Ms 39452 City State Zip Code			
Telephone No. (601) 947-52		(Distance) (Direction)	(Nearest Town)
	•	ype (circle one)	
Submersible Turbine Air Lift Centrif			
Date Pump Installed: 12-4-18		Rated Pump Capacity:	7.5 Gallons Per Minute
Is This Pump (circle one): New Re	paired Replacem	ent	·
	Power T	ype (circle one)	
Electric Diesel Gasoline Natural Gas	s Tractor PTO W	indmill Other (<i>describe</i>):	
Horse Power Rating of Motor: 2.44	Setting De	pth: LOOFT DP feet Number	of Stages: 3
	· · · · · · · · · · · · · · · · · · ·	a for Non Flowing Well	
Date Well Tested: 12-4-18	•	Duration of Duran Test (mining	num 4 hours): <u>6 1/2</u> hours
Static Water Level (A): 105 Fee			N/A Feet Below Land Surface
Drawdown [(B) - (A)]:	_Feet Below Land St	rface Test Pumping Rate:	7.5 REALING ENVILE
Method of measurement (circle one): S	iteel tape Electric	tape Air line Other (describe):	
	Pump Test D	ata for Flowing Well	
Measured shut in head:feet	t.	NA	BY OLW
Well yielded GPM with a	drawdown of	feet_after	hours of pumping
		feet after	hours of pumping
Well yieldedGPM with a	Mete	r Installation	
Well yieldedGPM with a GPM	Mete	r Installation	
Well yieldedGPM with a Meter Manufacturer: Meter Model Number/Name:	Mete	r InstallationA Meter Serial Number: Type of Meter:	
Well yielded GPM with a general sector of the sector	Mete Factor (AF x .001, g	r Installation A Meter Serial Number: Type of Meter: gal x 1000, etc):	
Well yieldedGPM with a Meter Manufacturer: Meter Model Number/Name:	Mete Factor (AF x .001, g	r Installation A Meter Serial Number: Type of Meter: gal x 1000, etc):	
Well yielded GPM with a general sector of the sector	Mete Factor (AF x .001, g Meter installed by	r Installation A Meter Serial Number: Type of Meter: gal x 1000, etc): /:	
Well yielded GPM with a general structure of the second structur	Mete Factor (AF x .001, g Meter installed by epaired Replace	r Installation Meter Serial Number: Type of Meter: gal x 1000, etc): r: ment certifying that this meter was insta	alled to manufacturer standards.
Well yielded GPM with a general structure of the second structur	Mete Factor (AF x .001, g Meter installed by epaired Replace	r Installation Meter Serial Number: Type of Meter: gal x 1000, etc): r:	alled to manufacturer standards.
Well yielded GPM with a general structure of the second structur	Mete Factor (AF x .001, g Meter installed by epaired Replace information you are unal wells, a list of c	r Installation A Meter Serial Number: Type of Meter: gal x 1000, etc): r: ment certifying that this meter was insta approved meters is on the MDEQ w	alled to manufacturer standards.
Well yielded GPM with a general set of the set of	Mete Factor (AF x .001, g Meter installed by epaired Replace information you are unal wells, a list of c	r Installation A Meter Serial Number: Type of Meter: gal x 1000, etc): r: ment certifying that this meter was insta approved meters is on the MDEQ w	alled to manufacturer standards.
Well yielded GPM with a general set of the set of	Meter Factor (AF x .001, g Meter installed by epaired Replaced information you are wrail wells, a list of a ements are true to)-472	r Installation A Meter Serial Number: Type of Meter: yal x 1000, etc): r: ment certifying that this meter was insta approved meters is on the MDEQ to the best of my knowledge: 12/5/18	alled to manufacturer standards.

•