	State W	Vell Report	
County: Deoice		Driller's Log	For Office Use Only:
Permit #: 0 - 780	Mississippi Department of Environmental Quality		Aquifer:
	Office of Land and Water Resources P.O. Box 10631		Well #: F- 136
0	Jackson, MS 39289-0631		
Date drilling completed: 6-23-07	(601)	961-5210	L. S. Elevation:
	(601)35	4-6938 (fax)	E-log #:
State Law requires that this report Department at the above address	within 30 days of com	ense holder responsible for to pletion of drilling of the well	he work and filed with the or borehole.
Information on Well ( (Landowner if borehole is not fo	)wner	Well or Bo	rehole Location
		Latitude: 88 . 38 . 882	"Longitude: 30 · 5/ · 850 "
Owner Name Kuble Cal	uan		3/
Mailing Address: 1188 Here	ochian Kd	Method of Lat/Long (circle on	e): Conventional Survey,
3		USGS quad, Hand-held	GPS, Survey-grade GPS
1 11	2000	1W 1/2 SW 1/4 Sec 24	Twn 25 Rng 74)
City Stat	0,10	NW	
	7	Distance Direction Miles	Nearest Town
Telephone No. (601) 766 - \$52	27		
	Well / Bore	hole Data	
Date drilling started: 6-23 Date dri			2
Location of the source of any surface wate Method of dosing and volume of Chlorine	r used for drilling: used in drilling and devel	opment: 4500 Clibra	1 2000 water
Logs run (circle all applicable): No log run Name of organization running log(s):	Electric Gamma Ray		
Purpose of borehole (check one): Water We	ell_Geotechnical/Geole	ogical Investigation Ground	Source Heat Pump
Seismic S	urveyOther (describe)	)	
If drilling is not related	to water well construction	n, skip the remainder of this blo	ck
Purpose of Well (check one): Home In	dustrial Public Supply	Irrigation Fish Culture _	Other:
If a flowing well, method of flow regulation			
Static Water Level:feet abo	ove or below (oircle one) la	and surface Date measured:	6-23-07
Method of Measurement (circle one) ste	eel tape electric tape	air line other:	
Well depth: 80 Well grouted to a dep	oth of 10 feet Type	of grout (circle one): Neat Ceme	ent Bentonite Mix
Casing length: 70 feet Casing	g diameter: 2	_inches Type of casing:	Sch 40 Plastic
Screen length: 10 feet Scree			
Screen slot size: 6 inches	Setting depth: From	o feet to E	feet
Type of completion (circle all applicable)	Gravel packed Underr	reamed Telescoped Open h	ole Natural Development
	Other (describe):		
Top of lap pipe or reduction in casing:			

JUL 18 2007

BY: OLWR

The sketch below only required	l for	water wells
--------------------------------	-------	-------------

If well telescopes,	show	depths	on	sketch.
Ground Level		_		

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
inte sand	0	20
yellow clay	20	40
White some	40	80
		<del> </del>

If more than one screen, show location of each on sketch

4) a north arrow.			1	
			inest	
		e Julio		
		Herry coduce		
		100		
		SALTER		
		2000		
5			1100/2	
J			1 wy 63	
Name: _ Kuble	0			

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations if applicable, and state

Print Name of Responsible Licensee and License No.

laws.

Date

## STATE WELL REPORT Part 2 For Office Use Only: **Pump Installer's Completion Report** Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources P.O. Box 10631 136 Jackson, MS 39289-0631 Date completed: \_\_ (601)961-5210 Elevation: (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Viruble Cockuan Latitude: 88-38-882 Longitude: 30 51 850 Owner Name: Method of Lat/Long (check one): Conventional Survey\_\_\_\_, USGS quad\_\_\_\_, Hand-held GPS\_\_\_, Survey-grade GPS\_\_\_ NW 45W 4 Sec 24 T25 R 7W Distance Direction Nearest Town Telephone No. (601) 766 - 9527 ? Miles west of Lucdale, wy Pump Type Power Type Circle one Circle one Air Lift Jet . Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): Horse Power Rating of Motor: Other (specify): 6-23-07 as Set line Date Pump Installed: \_\_\_\_ Setting Depth; Rated Pump Capacity: 10 Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: 6-23-07 Air Line Electric Measuring Line Steel Tape Static Water Level (A): Feet Below Land Surface Other (specify): \_ Pumping Water Level (B): 40 Feet Below Land Surface Drawdown [(B) - (A)]: \_\_\_\_\_ Feet Below Land Surface For flowing well, measured shut in head: \_\_\_\_\_feet Test Pumping Rate: Gallons Per Minute Well yielded GPM with a drawdown of feet after \_48 Duration of Pump Test (minimum 4 hours): 48 hours of pumping

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer BY OLV/P
Form: OLWR-SWR-1B

1 8 2007