

CODED

MISSISSIPPI DEPARTMENT OF NATURAL RESOURCES

Bureau of Land and Water Resources

COUNTY WELL LOCATED
COCA

WELL NUMBER
G 95

DATE WELL COMPLETED
5-20-88

PERMIT NUMBER
408

NAME OF DRILLING FIRM
FRY FOSTER'S WATER WELL

Lucedale, MS

P.O. Box 10631
Jackson, Mississippi 39209
WATER WELL DRILLERS LOG

NAME & MAILING ADDRESS OF LANDOWNER
Hubie Parker **Well #2**

RT. 1, BOX 12

Lucedale, MS

WELL LOCATION: SEC **26** TOWNSHIP **T20** RANGE **R6**

DISTANCE **4** Miles DIRECTION **South** of NEAREST TOWN **Lucedale**

OTHER LANDMARK
Tipton Taylor Park

WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc.

PUMP DATA

PUMP TYPE (Circle One):
 Submersible Turbine, Jet, Flowing Well,
Other (Describe) _____

POWER TYPE (Circle One):
 Electric Tractor, Diesel, Gasoline, Butane,
Other (Describe) _____

Pump Capacity (GPM)	No. of Stages	Setting Depth
80	20	118' FT.

PUMP TEST

Well yielded **125** GPM with
a drawdown of **25** ft.
after **48** hours of pumping

WELL DATA

Well Depth	Casing Diameter (In.)	Casing Length (Ft.)
118'	4 1/2"	98'
Type of Casing	Hole Depth	Depth to Static Water Level
PVC	118'	55'

TYPE OF COMPLETION: (Circle One or More):
 Gravel Packed, Underreamed, Telescoped,
 Natural Development, Open Hole, Other
(Describe) _____

Top of Lap Pipe or Reduction in Casing

FEET IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE

LOG DATA

TYPE OF LOG RUN (Circle One):
 No Log Run, Electric, Gamma Ray, Density, Sonic, Neutron,
Other (Describe) _____

Name of Organization Running Log

SCREEN DATA

Diameter - Inches	Length - Feet	Slot Size - Inches
4 1/2"	20'	#16
Screen Type	Depth to Bottom - Feet	
PVC Sanded	118'	

GEOLOGIC DATA (Office Use Only)

Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test

Driller's Remarks

RECEIVED

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO	FORMATIONS (Continued)	FROM	TO
Top Soil	0	5	JUL 01 1988 Department of Natural Resources Bureau of Land & Water Resources		
Clay	5	20			
Sand	20	40			
Shale Clay + Sand	40	60			
Sand	60	80			
Coarse Sand	80	118			

IF MORE SPACE IS NEEDED, USE BACK