State Well Report						
	Part 1 – Driller's Log					
Permit #: O - 780   Mississippi Departmen	Mississippi Department of Environmental Quality					
Office of Land	Office of Land and Water Resources					
	P.O. Box 10631					
	Jackson, MS 39289-0631 (601)961-5210					
(001)	54-6938 (fax)	E-log #:				
State Law requires that this report be prepared by the lic Department at the above address within 30 days of comp	ense holder responsible for top pletion of drilling of the well	he work and filed with the or borehole.				
Information on Well Owner (Landowner if borehole is not for a water well)	Well or Bo	rehole Location				
	Latitude: 88 ° 33 , 538" Longitude: 30 ° 50 , 181 "					
Owner Name Youdall Dees	37-					
Mailing Address: Lott 4	Method of Lat/Long (circle one): Conventional Survey,					
Daving Chung level & USGS quad, Mand-held GPS, Survey-grade GPS						
Curedale ms 39452	5 W1/4 5E 1/4 Sec 26	_Twn 25 Rng Ca				
City State Zip Code	NW NE 26					
2.p code	Distance Direction  Miles West	Nearest Town				
Telephone No. ( <u>208)</u> 990 – 1908						
Well / Borehole Data						
Date drilling started: 8-24-57 Hole depth: 150 Hole diameter: 2						
Location of the source of any surface water used for drilling: Acusta, wo Method of dosing and volume of Chlorine used in drilling and development: 2000 water 400 Chlorine						
Logs run (circle all applicate): No log run Electric Gamma Ray Density Sonic Neutron Other:						
Purpose of borehole (check one): Water WellGeotechnical/Geological Investigation Ground Source Heat Pump						
Seismic Survey Other (describe)  If drilling is not related to water well construction, skip the remainder of this block						
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:						
If a flowing well, method of flow regulation: Valve Other (describe)						
Static Water Level:feet above of below (circle one) land surface Date measured:8-24-07						
Method of Measurement (circle one) steel tape electric tape air line other:						
Well depth: 150 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix						
Casing length: 140 feet Casing diameter: 2 inches Type of casing: 5th 40 flootic						
Screen length: 10 feet Screen diameter: 2 inches Type of screen: 5ch 80 Plaste						
Screen slot size: 6 inches Setting depth: From 0 feet to 150 feet  10 FT Screen 140 FT Casing						
Type of completion (circle all applicable); Gravel packed Underreamed Telescoped Open hole Natural Development						
Other (describe):						
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page						

Form: OLWR-SWR-1A
RECEIVED
SEP 1 0 2007

BY: OLWR

## The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground Level.

<u>Description of formations encountered must be provided for all</u> wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
led Sand		75
		+73
	-	
		-
	1	
		-
	-	-
		-

If more than one screen, show location of each on sketch

) N 1 (m.)	4) a nor	th arrow.							property and the well;
HUZZ									
									Hwy 613
			_	_					
						0		comer L	
		0	Λ Λο	\		mlx	CAVIN	coner R	
downer N	ame:	Lanc	lall	1)e	es	 	Cur		4

Print Name of Responsible Licensee and License No.

8-24-07

Mississippi Department of Environmental Quality and the Mississippi Department of Mealth regulations, if applicable, and state

Signature of Licensee

SEP 1 0 2007

Date

BY OIWE

	STATE WE	ELL REPORT			
-					
County: Deorge	Beorge Part 2				
Permit #: 0 - 780	Pump Installer's Mississippi Departmen	For Office Use Only: Aquifer:			
Driller. W. Joel Pierce	Office of Land a P.O. I	0 1511			
Date completed: 8-24-07	Jackson, N (601)	Well#: G - 154			
Copy information from block on Part 1	(601)35	Elevation:			
This part of the report must be completed report must be attached and both parts file					
Well Owner Informat			l Location		
Owner Name: Cauchall I	Sees	Latitude: 88 - 33 - 529	30-50 -181		
Mailing Address: 6 4 4					
	0001	Method of Lat/Long (check one): Conventional Survey,  USGS quad, Hand-held GPS, Survey-grade GPS			
Down Chur					
City State	39452 Zip Code	3w 1/4 SE 1/4 Sec 20	0 T 25 R 6W		
	2.7 0000	Distance Direction Nearest Town			
Telephone No. (228) 990 - 190	8	2 Miles West of Agnola, us			
L					
Pump Type Circle one		1	wer Type ircle one		
Air Lift Jet	Submersible	Diesel Engine Gasolii	ne Engine Natural Gas		
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO		
Centrifugal Rotary	Flowing Well	Windmill Other	(specify):		
Other (specify):		Horse Power Rating of Motor	: 1hp		
Date Pump Installed: 8-24-07		Setting Depth: 40 FT	It line feet		
Rated Pump Capacity: 10	Gallons Per Minute	Number of Stages:			
Pump Test Data		Method of Me	easuring Water Level		
Date Well Tested: 8-24-07			firele one		
Static Water Level (A):5Feet	Below Land Surface	Air Line Electric Mea	suring Line Steel Tape		
Pumping Water Level (B): 40 Feet	Below Land Surface	Other (specify):			
Drawdown [(B) - (A)]: Feet	Below Land Surface	For flowing well, measured si	nut in head:feet		
Test Pumping Rate: 10	Gallons Per Minute	Well yielded	GPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):	<u>48</u> hours	feet after_	hours of pumping		
		$\triangle$	DEOFWED		
I HEREBY CERTIFY that the above staten	nents are true to the best o	of my knowledge.	HEUEIVED		
Joel View	0-780		eu SEP 1 0 2007		
Print Name of Pump Installer and License N	No. (if applicable)	Signature of Pump In	nstaller PV OI WP		

Form: OLWR-SWR-1B