State W	Vell Report	
County: Part 1 - I	Oriller's Log For Office Use Only:	
Permit # O - 780 Mississippi Department	et of Environmental Quality Aguifer	
Office of Land a	and Water Resources	
	1S 39289-0631 961-5210 L. S. Elevation:	
(001)	4.6020.(6)	
State Law requires that this report be prepared by the license holder responsible for the work and filed with the		
Department at the above address within 30 days of comp	netion of arilling of the well or borehole.	
(Landowner if borehole is not for a water well)	Well or Borehole Location	
	Latitude: 30 . 53 , 468, Longitude 88 . 32, 044	
Owner Name Story Ward	<u> </u>	
Mailing Address: 112 Ward Kim Vin Rd	Latitude: 30 · 53 · 468, Longitude 88 · 32 · 044  Method of Lat/Long (circle one): Conventional Survey,	
	USGS quad, Hand-held GPS, Survey-grade GPS	
[ 1 1 h 2 2 20-163	1 30 1/4 Sec 2 Twn 25 Rng 6 W	
City State Zin Code	SA) AIE	
p 0000	Distance Direction Nearest Town  5 Miles Nearl of Acual	
Telephone No. (601) 508-6002	Willes That of Agusta	
Well / Bore	hole Data	
Date drilling started: 6-3-09 Date drilling completed: 6-3-0	Hole depth: /36 Hole diameter: 2	
Location of the source of any surface water used for drilling:  Method of dosing and volume of Chlorine used in drilling and development:  2000 Water Gapl chlorine		
And the desing and volume of Chlorine used in drilling and development: 2000 water 400 chlorine		
Logs run (circle all applicable). No log run Electric Gamma Ray Density Sonic Neutron Other:		
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump		
Seismic Survey Other (describe)		
If drilling is not related to water well construction, skip the remainder of this block		
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:		
If a flowing well, method of flow regulation: Valve Other (describe)		
Static Water Level:feet above of below circle one) land surface Date measured:6 - 3 - 09		
Method of Measurement (circle one) steel tape electric tape air line other:		
Well depth: 130 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix		
Casing length: 120 feet Casing diameter: 2 inches Type of casing: 5ch 40 Plastic		
Screen length: 10 feet Screen diameter: 2 inches Type of screen: 5ch 40 Plaster		
Screen slot size: 10 inches Setting depth: From feet to feet		
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development		
Other (describe):		
Top of lap pipe or reduction in casing:feet. If tele		

Form: OLWR-SWR-1A

**RECEIVED** 

JUL 0 2 2009

BY: OLWR

BY: OLWR

The sketch below only required for water wells	Description of formations encounter wells and boreholes, unless specific	Description of formations encountered must be provided for all yells and boreholes, unless specifically exempted by regulations	
If well telescopes, show deaths on sketch.  Ground Level	Description of Formations Encountered	From (depth) Ground Level	To (depth)
	Red Sar	nd 0	10
	Jellow do	10	40
	untile cla	40	60
	welte sand	60	130
	N we find to		
Landowner Name: <u>Steg Ward</u>	3 Hadoly		
		Form: OLWR-SWR-	
certify that the well/borenole was drilled, constructed,	and completed in accordance with all applie	able requirements o	f the
ississippi Department of Environmental Quality and	and completed in accordance with all applicate the Mississippi Department of Health regular $(6-3-09)$	able requirements of signs, if applicable, a	f the

ť

## STATE WELL REPORT

## Permit #: 0 - 780 Driller: Joel Plain Date completed: 6 - 3 - 09 Copy information from block on Part 1

## Part 2

## Pump Installer's Completion Report Mississippi Department of Environmental Quality

Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601)361-5210
(601)354 6038 (for)

For Office Use Only:		
Aquifer:		
Vell#: _	G170	
Elevation:		

(601)354-6938 (fax) This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Location Well Owner Information Owner Name: USGS quad\_\_\_\_, Hand-held GPS\_\_\_, Survey-grade GPS 5 Miles Mitty of Agula Telephone No. (601) 508 - 600 Z Pump Type **Power Type** Circle one Circle one Air Lift Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Windmill Rotary Flowing Well Other (specify): Horse Power Rating of Motor: Other (specify): 6-3-09 Date Pump Installed: Setting Depth: 10 Rated Pump Capacity: Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Level Circle one 6-3-09 Date Well Tested: Kir Ling Electric Measuring Line Steel Tape Static Water Level (A): Feet Below Land Surface Other (specify): Pumping Water Level (B): 60 \_\_Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface For flowing well, measured shut in head: \_\_\_ 10 10 Test Pumping Rate: \_\_\_ Gallons Per Minute Well yielded GPM with a drawdown of Duration of Pump Test (minimum 4 hours): \_ hours of pumping I HEREBY CERTIFY that the above statements are true to the best of my knowledg Print Name of Pump Installer and License No. (if applicable Signature of Pump Installer

Form: OLWR-SWR-1B

RECEIVED

JUL 0 2 2009

BY: OLWR