
State W	ell Report			
<i>t</i> )	riller's Log			
Mississinni Departmer	t of Environmental Quality Aquifer: (5/89			
	nd Water Resources Box 2309 Well #:			
1 10 1 1 1	200			
	, MS 39225 061- 5210 L. S. Elevation:			
Data dellina assumbated: / * 1 / /	I- 5228 (fax) E-log #:			
State Law requires that this report be prepared by the lic Department at the above address within 30 days of com	ense nolder responsible for the work and fueu with the			
Information on Well Owner	Well or Borehole Location			
(Landowner if borehole is not for a water well)	2 10 10 00 2/11/6			
July Dungan	Latitude: 30 °52 '052" Longitude: 88 ° 36 '446'			
Owner Name John Purcon	Method of Lat/Long (circle one): Conventional Survey,			
Mailing Address: ZII I WW COILYC				
	USGS quad, Hand-held GPS, Survey-grade GPS			
	SE 1stat 1/2 Sec Trun 25 Rng Ga)			
Luckele NV 39452	<\s\/			
City State Zip Code	Distance Direction Nearest Town  5 Miles Of Grande of March 1988			
Telephone No. (601) 310 - 25/1	_5 Miles / Day of Magney Mus			
Telephone No. (807) 370 0 371				
Well / Boro	• 1			
Date drilling started: 1-5-12 are drilling completed: 1-5-				
Location of the source of any surface water used for drilling:  Method of dosing and volume of Chlorine used in drilling and deve	cula, MS			
Method of dosing and volume of Chlorine used in drilling and deve	opment: 2000 wath 4gal alle			
Logs run (circle all applicable): to log run Electric Gamma Ray				
Name of organization running log(s):	Delisity Solite reducti Suici.			
Purpose of borehole (check one): Water Well V Geotechnical/Geo	logical Investigation Ground Source Heat Pump			
Seismic SurveyOther (describe	2)			
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
6 17				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 70 feet Casing diameter: 2				
Screen length: 10 feet Screen diameter: 2	inches Type of screen: Sth 40 Macle			
Screen slot size: /O inches Setting depth: From	feet tofeet			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:feet. If I	· · · · · · · · · · · · · · · · · · ·			
	Form: OLWR-SWR-1A (04/08)			



f well telescopes, show depths on sketch.  Ground Level	Description of Formations Encountered From (depth) T	i (dep
	A. Anta	15
	Van dug S	
	- Julity Sond 15	80
	Comment of the commen	
		·
	,	
		:
		<u>:</u>
If more than one screen, show location of each on s	cetch	
4) a north arrow.	the well location: 2) any permanent structures on the property that may relines, or other items that may and in locating the property and the well-	
4) a north arrow.	Turned the property and	
4) a north arrow.	M	
Landowner Name: John Duncar	Twink of the control	
Landowner Name: John Duncar	Cooks Cover (  63  Form: OLWR-SWR-  and and completed in accordance with all applicable requirements of	LA (C) of the
Landowner Name: John Duncar	Form: OLWR-SWR- ed, and completed in accordance with all applicable requirements of the Mississippi Department of Health regulations, if applicable.	LA (C) of the
Landowner Name: John Duncar	Cooks Cover (  63  Form: OLWR-SWR-  and and completed in accordance with all applicable requirements of	LA (C)

## STATE WELL REPORT Part 2 For Office Use Only: **Pump Installer's Completion Report** 780 Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources P.O. Box 10631 6189 Jackson, MS 39289-0631 Well#: (601)961-5210 Elevation: (601)354-6938 (fax) Copy information from block on Part I This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Latitude: 30-52-652 Longitude: 88-36 440 Mailing Address: Method of Lat/Long (check one): Conventional Survey\_ USGS quad\_\_\_\_, Hand-held GPS\_\_\_\_, Survey-grade GPS\_\_\_\_ Distance Nearest Town Telephone No. (601) 310-2511 5 Miles North of Agrida Pump Type **Power Type** Circle one Circle one Air Lift Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): Other (specify): Horse Power Rating of Motor: Date Pump Installed: \_ /- 5-/7 Setting Depth: 10 Rated Pump Capacity: Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Level Circle one 1-5-12 Date Well Tested: Air Line Electric Measuring Line Static Water Level (A): \_\_\_\_\_\_ Feet Below Land Surface Steel Tape Other (specify): Pumping Water Level (B): 60 Feet Below Land Surface Drawdown [(B) - (A)]: \_ Feet Below Land Surface For flowing well, measured shut in head: \_\_\_\_ 10 Test Pumping Rate: Gallons Per Minute Well yielded GPM with a drawdown of Duration of Pump Test (minimum 4 hours): hours of pumping



JAN 2 6 2012

Form: OLWR-SWR-1B