

County: George County  
 Permit #: 0-780  
 Driller: W. Joel Pierce  
 Date drilling completed: 3-10-07

**State Well Report**  
**Part 1 - Driller's Log**

Mississippi Department of Environmental Quality  
 Office of Land and Water Resources  
 P.O. Box 10631  
 Jackson, MS 39289-0631  
 (601)961-5210  
 (601)354-6938 (fax)

For Office Use Only:  
 Aquifer: \_\_\_\_\_  
 Well #: L-158  
 L. S. Elevation: 6202  
 E-log #: \_\_\_\_\_

*State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.*

Information on Well Owner (Landowner if borehole is not for a water well)	Well or Borehole Location
Owner Name: <u>Bo Boudin</u>	Latitude: <u>88° 33' 56"</u> Longitude: <u>30° 49' 59"</u>
Mailing Address: <u>Lot 12 Glenwood Acres</u>	Method of Lat/Long (circle one): Conventional Survey, <u>Hand-held GPS</u>
<u>Lumbale MS 39452</u>	USGS quad: <u>SW 1/4 SW 35 Twn 135 Rng 6W</u>
City State Zip Code	Distance: <u>3</u> Miles Direction: <u>WEST</u> of <u>Acrida, MS</u>
Telephone No. <u>(228) 869-2483</u>	

**Well / Borehole Data**

Date drilling started: 3-9-07 Date drilling completed: 3-10-07 Hole depth: 330 Hole diameter: 4 inch

Location of the source of any surface water used for drilling: Acrida MS  
 Method of dosing and volume of Chlorine used in drilling and development: 4 gal Chlorin 2000 water

Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: \_\_\_\_\_  
 Name of organization running log(s): \_\_\_\_\_

Purpose of borehole (check one): Water Well  Geotechnical/Geological Investigation \_\_\_\_\_ Ground Source Heat Pump \_\_\_\_\_  
 Seismic Survey \_\_\_\_\_ Other (describe) \_\_\_\_\_

*If drilling is not related to water well construction, skip the remainder of this block*

Purpose of Well (check one): Home  Industrial \_\_\_\_\_ Public Supply \_\_\_\_\_ Irrigation \_\_\_\_\_ Fish Culture \_\_\_\_\_ Other: \_\_\_\_\_

If a flowing well, method of flow regulation: Valve \_\_\_\_\_ Other (describe) \_\_\_\_\_

Static Water Level: 15 feet above of below (circle one) land surface Date measured: 3-10-07

Method of Measurement (circle one) steel tape electric tape air line other: \_\_\_\_\_

Well depth: 330 Ft Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix

Casing length: 320 feet Casing diameter: 4 inches Type of casing: Sch 40 Plastic

Screen length: 10 feet Screen diameter: 4 inches Type of screen: Sch 80 Plastic

Screen slot size: 8 inches Setting depth: From 0 feet to 330 feet

Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development  
 Other (describe): 320 casing 10 Ft screen

Top of lap pipe or reduction in casing: \_\_\_\_\_ feet. *If telescoped or more than one screen, describe on next page*

**RECEIVED**  
**APR 05 2007**  
**BY: OLWR**



