

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

Office of Land and Water Resources

P. O. Box 10631
Jackson, MS 39289-0631
WATER WELL DRILLERS LOG

COUNTY WELL LOCATED George	
WELL NUMBER G 2102	CODED
DATE WELL COMPLETED 3-10-95	

PERMIT NUMBER
NAME OF DRILLING FIRM Pierce

NAME & MAILING ADDRESS OF LANDOWNER Dot Sanford Mixon L Rd. Lucedale, Ms			
WELL LOCATION	SEC	TOWNSHIP	RANGE
	20	2 S	6 E
DISTANCE	DIRECTION	NEAREST TOWN	
4 Miles	S	Hwy 26	
OTHER LANDMARK			
WELL PURPOSE <input checked="" type="checkbox"/> Home <input type="checkbox"/> Irrigation, Municipal, Industrial, Fish Pond, etc.			

PUMP DATA		
PUMP TYPE (Circle One): Submersible, Turbine, <input checked="" type="radio"/> Jet, Flowing Well, Other (Describe) _____		
POWER TYPE (Circle One): <input checked="" type="radio"/> Electric, Tractor, Diesel, Gasoline, Butane, Other (Describe) _____ H/P 1		
Pump Capacity (GPM)	No. of Stages	Setting Depth
10	2	60 FT.
PUMP TEST		
Well yielded 8 GPM with a drawdown of 10 ft. after 1 hours of pumping		

WELL DATA		
Well Depth 230'	Casing Diameter (In.) 2"	Casing Length (Ft.) 220'
Type of Casing Plastic	Hole Depth 230'	Depth to Static Water Level 50
TYPE OF COMPLETION: (Circle One or More): <input checked="" type="checkbox"/> Gravel Packed, <input type="checkbox"/> Underreamed, <input type="checkbox"/> Telescoped, <input checked="" type="checkbox"/> Natural Development, <input type="checkbox"/> Open Hole, <input type="checkbox"/> Other (Describe) _____		
WELL GROUTED TO A DEPTH OF 12 FEET Type Grout (circle one): Cement, <input checked="" type="checkbox"/> Bentonite, or Mix		

LOG DATA	
TYPE OF LOG RUN (Circle One): <input checked="" type="radio"/> No Log Run, <input type="radio"/> Electric, Gamma Ray, Density, Sonic, Neutron, Other (Describe) _____	
Name of Organization Running Log	

GEOLOGIC DATA (Office Use Only)			
Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test

SCREEN DATA		
Diameter - Inches 2"	Length - Feet 10'	Slot Size - Inches 006
Screen Type Plastic	Depth to Bottom - Feet 230	

Driller's Remarks	
Top of Lap Pipe or Reduction in Casing	
FEET	IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO
top soil	0	10
clay	10	20
good sand	20	25
clay	25	200
good sand	200	230

FORMATIONS (Continued)	FROM	TO
RECEIVED		
MAY 02 1995		
Dept. of Environmental Quality Office of Land & Water Resources		
IF MORE SPACE IS NEEDED, USE BACK		