Diale v	ven Report			
County: Part 1 -	Driller's Log	For Office Use Only:		
Permit #: 0 - 780 Mississippi Departme	Mississippi Department of Environmental Quality			
Office of Land	Office of Land and Water Resources P.O. Box 10631			
Iackson I	MS 39289-0631	Well#: H1.24		
	)961-5210	L. S. Elevation:		
	(601)354-6938 (fax)			
State Law requires that this report be prepared by the lie	cense holder responsible for t	E-log #:		
Department at the above address within 30 days of com Information on Well Owner	pletion of drilling of the well	or borehole.		
(Landowner if borehole is not for a water well)	Well or Bor			
er Name Pt ( nursen Latitude: 30 ° 50 '581		" Longitude: 88 · 31 · 315,		
Mailing Address: 5100 Ha 613 Method of Lat/Long (circle or				
0	USGS quad, Hand-held GPS, Survey-grade GPS			
Lundale no 39452	NW 4 5E 4 Sec 30			
City State Zip Code	Distance Direction	Nearest Town		
Telephone No. (601) 947-2261  Distance Direction Nearest Town  Miles Of Agusta, 110				
Well / Borehole Data				
Date drilling started: 7-7-69 Date drilling completed: 7-7-69 Hole depth: 136 Hole diameter: 4				
Location of the source of any surface water used for drilling:  Method of dosing and volume of Chlorine used in drilling and development:  4 Gal Culo 2000 Units				
Logs run (circle all applicable): No log run Electric Gamma Ray Name of organization running log(s):	Density Sonic Neutron (	Other:		
Purpose of borehole (check one): Water Well Geotechnical/Geol	ogical Investigation Ground	Source Heat Pump		
Seismic Survey Other (describe)				
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: feet above of below (Orcle one) land surface Date measured: 7-7-09				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 130 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 10 feet Casing diameter: 4 inches Type of casing: Sch lo Plastic				
Screen length: 20 feet Screen diameter: 4 inches Type of screen: 5ch 40 Plaste				
Screen slot size: 10 inches Setting depth: From 0 feet to 130 feet				

Gravel packed Underreamed Telescoped Open hole

\_feet. If telescoped or more than one screen, describe on next page

Other (describe): \_

Type of completion (circle all applicable):

Top of lap pipe or reduction in casing:

Form: OLWR-SWR-1A

Natural Development

**RECEIVED** 

AUG 0 3 2009

BY: OLWR

BY: OLWR

The sketch below only required for water wells	wells and boreholes, unless specifically	exempted by reg	<u>ulations</u>
If well telescopes, show depths on sketch.			
Ground Level	Description of Formations Encountered	From (depth) Ground Level	To (depth
		3.04.10 20.01	
	A A	0	<u> </u>
	led Done	0	10
	white same	10	70
	Yellow clay	70	90
	white some	90	130
			<del> </del>
			+
			ļ
			<del> </del>
			<del>                                     </del>
:			<u> </u>
Sketch the property layout and include the following: 1) the wel aid in locating the well; 3) any roads, power lines, 4) a north arrow.	or other items that may aid in locating the pro-	peny and the we	ii;
Landowner Name: Pt Museux	S Hunderly Form		

Date

Print Name of Responsible Licensee and License No.

## STATE WELL REPORT Part 2 For Office Use Only: Pump Installer's Completion Report Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources P.O. Box 10631 Well#: Jackson, MS 39289-0631 (601)961-5210 Elevation: (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Location Well Owner Information Latitude: 16 - 50 - 581 Longitude: 98 - 3/-Owner Name: Method of Lat/Long (check one): Conventional Survey\_ Mailing Address: , Hand-held GPS Distance Direction Miles notile of Telephone No. (60) Pump Type Power Type Circle one Circle one Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Electric Motor Hand Piston Turbine Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): Other (specify): Horse Power Rating of Motor: 7-7-09 Date Pump Installed: Setting Depth: 100 15 Rated Pump Capacity: Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Level Circle one 7-7-09 Date Well Tested: Air Line Electric Measuring Line Steel Tape Static Water Level (A): Feet Below Land Surface Other (specify): Pumping Water Level (B): 80 \_Feet Below Land Surface Drawdown [(B) - (A)]: \_ Feet Below Land Surface For flowing well, measured shut in head: \_\_\_ 100 Test Pumping Rate: \_\_\_ Gallons Per Minute Well yielded \_ 100 GPM with a drawdown of Duration of Pump Test (minimum 4 hours): \_ \_hours of pumping

Form: OLWR-SWR-1B

RECEIVED

AUG 0 3 2009

BY: OLWR