State V	Well Report			
	Driller's Log For Office Use Only:			
Mississippi Departm	ent of Environmental Quality Aquifer:and Water Resources			
77: 1	D. Box 2309 Well #: H 145			
	on, MS 39225 L. S. Elevation:			
i ligie drilling commieted: / // // / []	1)301- 3210 161- 5228 (fax)			
State I am negatives the state are set to a second that the	E-log#:			
Department at the above address within 30 days of con	icense holder responsible for the work and filed with the npletion of drilling of the well or borehole.			
Information on Well Owner Well or Borehole Location				
(Landowner if borehole is not for a water well)	Latitude: 30 ° 49 ° 36 " Longitude: 89 ° 29 ° 22 "			
Owner Name Mohent Roberson	· I			
Mailing Address: 2160 Hay 612	Method of Lat/Long (circle one): Conventional Survey,			
O	USGS quad, Hand-held GPS, Survey-grade GPS			
Cucedale MS 39452	50 45 K 1/4 Sec 33 Twn 25 Rng 5 W			
City State Zip Code	NE SW Distance Direction Nearest Town			
Telephone No. (228) 623 - 6969	Distance Direction Nearest Town 3 Miles East of Agrade, ms			
Wall / Do	rehole Data			
	_			
Date drilling started: $1-22$ Date drilling completed: $1-2$	·			
Location of the source of any surface water used for drilling: Aquala, us Method of dosing and volume of Chlorine used in drilling and development: 490 Bleach 2000 water				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe)				
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 5 feet above or below (circle one) land surface Date measured: 1-22-14				
Method of Measurement (circle one) steel tape electric tape other:				
Well depth: 65 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Entonite Mix				
Casing length: 55 feet Casing diameter: I inches Type of casing: Sch 40 Plaste				
Screen length: 10 feet Screen diameter: 2 inches Type of screen: 5th 40 Placth				
Screen slot size: 10 inches Setting depth: From 055 feet to 65 feet				
	erreamed Telescoped Open hole Natural Development			
Other (describe):				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page				

Form: OLWR-SMECETR/ED

BY: OLWR

TTO I C 2018

BY: OLWA

The sketch below only required for water wells	<u>Description of</u> wells and bore	Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations			
f well telescopes, show depths on sketch.	-				
Ground Level	Description of Fo	rmations Encountered	From (depth) Ground Level	To (depth)	
	-		Ground Zever		
		Tand	0	65	
				 	
				1	
		A.P. Marie		 	
				—	
			ļ	 	
				1	
			 	-	
				 	
			<u>. </u>		
	N			\frac{1}{2}	
		1617		Aguel	
downer Name: Robert Albus	ы3 о и	W		Agree	
ify that the well/borehole was drilled, constructed, ssippi Department of Environmental Quality and t		nce with all applicable r		the	
oel (eur 0-780	1-22-14	Sel Pien	. R	ECE	
Name of Responsible Licensee and License No.	Date	Signature of License	:		

	CTATE W	ELL DEDAD	т -		
Hen e	STATE WELL REPORT		.1	For (Office Use Only:
County: HOLL		Part 2 's Completion Repoi	t	Aquifer:	
Permit #: 0 - 180	Mississippi Department of Environmental Quality		1		1 1 0 0
Driller:		and Water Resources Box 2309		Well #:\	1145
Date completed: 1-22-14		n, MS 39225)961-5210	1	Elevation: _	
Copy information from block on Part 1	,	51-5228 (fax)	ŀ		
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.					
Well Owner Information		in the goove duaress		Location	npiewn.
Owner Name: Robert Roll	atros	Latitude: 30-9	<i>14-36</i> 1	ongitude:_	88-29-27
Mailing Address: 2160 Hay 6	12	Method of Lat/Lor	g (check one)	: Conventi	onal Survey,
		USGS quad,	Hand-held G	PS <u>/</u> , Sur	vey-grade GPS
City State	3945Z	5W 1/2 5E	_ 1/4 Sec_ <u></u>	3 т <i>Ә</i>	5 R 5W
Telephone No. (228) 623-6	969	Distance I	Direction of	Aguila	est Town
				,	
Ритр Туре		1	Powe	r Type	
Air Lift Set	Submersible	Diesel Engine	Circ Gasoline	cle one Engine	Natural Gas
Bucket Piston	Turbine	Electric Motor	Hand		Tractor PTO
Centrifugal Rotary	Flowing Well	Windmill	Other (sp	ecify):	
Other (specify):	· ·	Hama Barran Batim		/	
Date Pump Installed: 1-22-1	14	Horse Power Ratin Setting Depth:			l feet
	Gallons Per Minute	Number of Stages:			
Pump Test Data Date Well Tested: /- 22 - 14		Met	hod of Meas	_	r Level
_		Air Line E	Circ lectric Measu	le one ring Line	Steel Tape
Static Water Level (A): 5 Feet	Below Land Surface	Other (specify):			
Pumping Water Level (B): 30 Feet 1	Below Land Surface	Caler (speelty).			
Drawdown [(B) - (A)]: Feet	Below Land Surface	For flowing well, n	neasured shut	in head:	feet
Test Pumping Rate: /U	Gallons Per Minute	Well yielded	10	GPM with a	drawdown of
Duration of Pump Test (minimum 4 hours):	hours		feet after	48	hours of pumping
This is for (circle one): New Well	Replacement of Exi	sting Pump R	Lepair of Exist	ing Pump	
					RECEIVE
I HEREBY CERTIFY that the above statem	ents are true to the best of	f mv knowledge.	$\alpha \Lambda$		
JOEI Vieur 0-	780	Jal	Il cei	ul_	
Print Name of Pump Installer and License N	lo. (if applicable)	Signature	of Pump Insta	ller Form: OL\	VR-SWA-YC (0Z.00)



Map of: George County, MS

Notes	HIAS	

mapquest



Enter y our mobile number

SEND ME THE LINK



©2014 MapQuest, Inc. Use of directions and maps is subject to the MapQuest Terms of Use. We make no guarantee of the accuracy of their content, road conditions or route usability. You assume all risk of use. View Terms of Use

