State W	Vell Report		
County: Deorge Couly Part 1-1	For Office Use Only:		
Permit #: 0 - 780 Mississippi Departmen	Mississippi Department of Environmental Quality		
Office of Land a	Office of Land and Water Resources		
	P.O. Box 10631		
1 Data drilling assurable 1	AS 39289-0631 961-5210	L. S. Elevation:	
(001)	4-6938 (fax)	E-log #:	
	, ,		
State Law requires that this report be prepared by the lic Department at the above address within 30 days of comp	ense holder responsible for t	he work and filed with the	
and maddi on well ()wher	Well or Bo	rehole Location	
(Landowner if borehole is not for a water well)			
Owner Name Pulled Cochron		" Longitude: 88 ° 41 ' 11 "	
Method of Lat/Long (circle on			
	USGS quad, Hand-held		
Lucedali nes 39452		_ <sub>Twn</sub> 35 <sub>Rng</sub> 7W	
City State Zip Code	Distance Direction	Negreet Town	
Telephone No. (601) 770-0977	Distance Direction  Miles West	of Barton, ws	
Well / Bore			
Date drilling started: $8-16-07$ Date drilling completed: $8-16-0$	7 Hole depth: 200 FT	Hole diameter: 2	
Location of the source of any surface water used for drilling:	mile des		
Location of the source of any surface water used for drilling:  Method of dosing and volume of Chlorine used in drilling and developments.	opment: 4gal cheory	2000 water	
Logs run (circle all applicable). No log run Electric Gamma Ray Name of organization running log(s):	Density Sonic Neutron	Other:	
Purpose of borehole (check one): Water Well_Geotechnical/Geolo	ogical Investigation Ground	Source Heat Pump	
Seismic Survey Other (describe)  If drilling is not related to water well construction	skin the very gived on of this blo	a.L.	
Purpose of Well (check one): Home Industrial Public Supply_		Other:	
If a flowing well, method of flow regulation: Valve Ot			
Static Water Level:			
Method of Measurement (circle one) steel tape electric tape air line other:			
Well depth: 200 H Well grouted to a depth of 10 feet Type	of grout (circle one): Neat Ceme	nt Bentonite Mix	
Casing length: 190 feet Casing diameter: 2	_inches Type of casing:	Sch to Plaste	
Screen length: 10 feet Screen diameter: 2	_inches Type of screen:	Sch 80 11	
Screen slot size:inches Setting depth: From	O feet to 20	feet	
Type of completion (circle all applicable): Gravel packed Underr	earned Telescoped Open h		
Other (describe):			
Top of lap pipe or reduction in casing:feet. If tele	escoped or more than one screen	ı, describe on next page	

Forn: OLWR-SWR-1A

SEP 1 0 2007

ı			
	STATE WI	ELL REPORT	
Permit #: 0-780  Driller: W. Sce   Pierce	Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality		For Office Use Only:  Aquifer:  Well #: K - 103
Date completed: 8-16-07	(601)	961-5210 4-6938 (fax)	Elevation:
Copy information from block on Part 1  This part of the report must be completed	` ′	, ,	installer. A copy of Part 1 of the
report must be attached and both parts fil	ed with the Department a	t the above address within 30 d	ays of well completion.
Well Owner Informa		Wel	ll Location
Owner Name: Thelif Cot	man	Latitude:	Longitude:
Mailing Address: Please Blue	ff Kd	Method of Lat/Long (check or	ne): Conventional Survey,
	) U	USGS quad, Hand-held	GPS, Survey-grade GPS
City State	39452 Zip Code	Distance Direction	TRNearest Town
Telephone No. ( <u>601)</u> 770 ~ 0	<u> 197</u>	5 Miles West o	_
Pump Type		l .	wer Type
Pump Type Circle one		l .	wer Type Grele one
	Submersible	C	
Circle one	Submersible Turbine	C	firele one
Air Lift Jet	_	Diesel Engine Gasolin  Electric Motor Hand  Windmill Other	Tractor PTO  (specify):
Air Lift  Bucket  Piston	Turbine	Diesel Engine Gasolin  Electric Motor Hand	Tractor PTO  (specify):
Circle one  Air Lift  Bucket  Piston  Centrifugal  Rotary	Turbine Flowing Well	Diesel Engine Gasolin  Electric Motor Hand  Windmill Other	Tractor PTO (specify):
Circle one  Air Lift  Bucket  Piston  Centrifugal  Rotary  Other (specify):	Turbine Flowing Well	Diesel Engine Gasolin  Electric Motor Hand  Windmill Other  Horse Power Rating of Motor	Tractor PTO (specify):
Circle one  Air Lift  Bucket  Piston  Centrifugal  Rotary  Other (specify):  Date Pump Installed:  S-16-0	Turbine Flowing Well  7  Gallons Per Minute	Diesel Engine Gasolin  Electric Motor Hand  Windmill Other  Horse Power Rating of Motor  Setting Depth: 20 Je  Number of Stages: 2	Tractor PTO (specify):
Circle one  Air Lift  Bucket  Piston  Centrifugal  Rotary  Other (specify):  Date Pump Installed:  Rated Pump Capacity:  Pump Test Data	Turbine Flowing Well  Gallons Per Minute	Diesel Engine Gasolin  Electric Motor Hand  Windmill Other  Horse Power Rating of Motor  Setting Depth: 20 Je  Number of Stages: 2	Tractor PTO (specify):
Circle one  Air Lift  Bucket  Piston  Centrifugal  Rotary  Other (specify):  Date Pump Installed:  Rated Pump Capacity:  15	Turbine Flowing Well  Gallons Per Minute	Diesel Engine Gasolin  Electric Motor Hand  Windmill Other  Horse Power Rating of Motor  Setting Depth: 20 Je  Number of Stages: 2  Method of Me	Tractor PTO  (specify):  :
Circle one  Air Lift  Bucket  Piston  Centrifugal  Rotary  Other (specify):  Date Pump Installed:  Rated Pump Capacity:  Pump Test Data  Date Well Tested:  Date Well Tested:  Date One  Pump Test Data	Turbine Flowing Well  Gallons Per Minute Below Land Surface	Diesel Engine Gasolin  Electric Motor Hand  Windmill Other  Horse Power Rating of Motor  Setting Depth: 20 Je  Number of Stages: 2  Method of Me	Tractor PTO  (specify):
Circle one  Air Lift  Bucket  Piston  Centrifugal  Rotary  Other (specify):  Date Pump Installed:  Rated Pump Capacity:  Pump Test Data  Date Well Tested:  Static Water Level (A):  Service one  Piston  Rotary  Pump Test Data  Feet	Turbine Flowing Well  Gallons Per Minute  Below Land Surface  Below Land Surface	Diesel Engine Gasolin  Electric Motor Hand  Windmill Other  Horse Power Rating of Motor  Setting Depth: 20 Je  Number of Stages: 2  Method of Me  Co  Air Line Electric Mea	Tractor PTO  (specify):  :
Circle one  Air Lift  Bucket  Piston  Centrifugal  Rotary  Other (specify):  Date Pump Installed:  Rated Pump Capacity:  Pump Test Data  Date Well Tested:  Static Water Level (A):  Pumping Water Level (B):  ZO  Feet	Turbine Flowing Well  Gallons Per Minute  Below Land Surface Below Land Surface Below Land Surface	Diesel Engine Gasolin  Electric Motor Hand  Windmill Other  Horse Power Rating of Motor  Setting Depth: 20 Je  Number of Stages: 2  Method of Me  Co  Air Line Electric Mea	Tractor PTO  (specify):  Life  Like  feet   asuring Water Level  fircle one  asuring Line  Steel Tape

I HEREBY CERTIFY that the above statements are true to the best of my knowledge. SEP 1 0 2007 ieu Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer Form: OLWR-SWR-1B

The	sketch	below only	renuived	for	water wells
	21101010	OULUIT OILLY	. CYMLIEU	ıvı	water wells

f well telescopes,	show	depths	on	sketch.
Ground Level		_		

<u>Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations</u>

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
0		
Brown Sorul	0	30
Brun Clay	30	150
		_
grey Sand	150	200
		<u> </u>
		<del> </del>
		<del> </del>
		ļ
<u> </u>		L

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures aid in locating the well; 3) any roads, power lines, or other items that may aid in locating 4) a north arrow.	the property and the well:
	/ Huz 63
GRAD Elevator de	
1 Jan 1 de la	
Phund Bluff	
Les Contractes de la contracte de la	
Landowner Name: William Collian	5
	Form: OI WR-SWR-14

Form: OLWR-SWR-1A	
I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the	_
I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Dep	D
laws.	
laws. Joel View 0-720 8-16-07 ()00 View SEP 102007	
Print Name of Responsible Licensee and License No. Date Signature of Licensee BY: O   W	D