	Driller's Log	For Office Use Only:	
Permit # 0 - 770 Mississippi Department of Environmental Quality Aquifer:		Aquifer:	
Office of Land	Office of Land and Water Resources		
	riller: W. Gael (Pierce P.O. Box 10631		
Doto deilling	Jackson, MS 39289-0631		
()	961-5210	L. S. Elevation:	
(601)354-6938 (fax)		E-log #:	
State Law requires that this report be prepared by the lic	ense holder remansible for	de a word and GL 1 and a	
Department at the above address within 30 days of com	nletion of drilling of the well	ne work and filed with the	
into matter on well Owner	Department at the above address within 30 days of completion of drilling of the well or borehole.  Information on Well Owner  Well or Borehole Location		
(Landowner if borehole is not for a water well)			
Owner Name Carrey Roles	1	" Longitude: 30 ° 46 '964"	
Mailing Address: 294 Barton Acrola Rd Method of Lat/Long (circle one			
	NE USGS quad Hand-held		
Conedal no 39452 SW 1/4 Sw 1/4 Sec 14 Twn 35 Rng 600			
City State Zip Code	Distance Direction	Negrest Town	
Telephone No. (601) - 947- 7643  Distance Direction Negrest Town  Miles west of Agence, we have  Locaphably further NE of him			
Well / Bore	hole Data	ie of him	
Date drilling started: 9-38 Date drilling completed: 9-38	Hole depth: 90	Hole diameter: 2	
Location of the source of any surface water used for drilling:  Method of dosing and volume of Chlorine used in drilling and development:  4901 Chlorine 2000 Walts			
Logs run (circle all applicable) (No log run Electric Gamma Ray Density Sonic Neutron Other:			
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump			
Seismic Survey Other (describe)			
If drilling is not related to water well construction, skip the remainder of this block			
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other: Other:			
If a flowing well, method of flow regulation: Valve Other (describe)			
Static Water Level:			
Method of Measurement (circle one) steel tape electric tape air line other:			
Well depth: Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix			
Casing length: 80 feet Casing diameter: 2 inches Type of casing: Sch 40 Plastic			
Casing length: 80 feet Casing diameter: 2 inches Type of casing: Sch 40 Plastic  Screen length: 10 feet Screen diameter: 2 inches Type of screen: Sch 80 (1)			
Screen slot size: 6 inches Setting depth: From 0 feet to SO feet			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):			

Top of lap pipe or reduction in casing: \_\_\_\_\_\_\_feet. If telescoped or more than one screen, describe on next page

State Well Report

## The sketch below only required for water wells

If well telescopes, show depths on sketch.
Ground Level\_\_\_\_\_

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
0.1.4	7	
Weel Sarel	2	50
Red Gond	9	20
(11 to Gam)	50	90
WIND INVE	00	10
		ļ
		<u> </u>
HILE THE TOTAL CONTROL OF THE TOTAL CONTROL OT THE TOTAL CONTROL OF THE		<del>                                     </del>
·		<del> </del>
		<del> </del>
		<del> </del>
	<del> </del>	<del></del>
		-
	ļ	<u> </u>
		<u> </u>

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: I) the aid in locating the well; 3) any roads, power lin 4) a north arrow.	well location; 2) any permanent structures on the property that may nes, or other items that may aid in locating the property and the well;
	cold
mell Holley	Boston PRECEIVED  OCT 0 2 2007  BY: OLWA
Landowner Name: Cours Rady	Form: OLWR-SWP-1

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

## STATE WELL REPORT

## County: Stores Permit #: 0 - 780 Driller: W. Scel Pierce Date completed: 9-28-07 Copy information from block on Part 1

## Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601)961-5210

(601)354-6938 (fax)

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the

For Office Use Only:		
Aquifer:		
well#: <u>レー</u> 人		
Elevation:		

report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Latitude: 88-33.452 Longitude: 3046 869 Owner Name: CMMI Method of Lat/Long (check one): Conventional Survey\_\_\_ USGS quad\_\_\_\_, Hand-held GPS\_\_\_, Survey-grade GPS\_\_\_ 3W 1/ 1W 1/ Sec /4 T 35 R 6W Distance Direction 4 Miles West of Agrula us Telephone No. (60/) 947-7043 Pump Type **Power Type** Circle one Circle one Air Lift Submersible Gasoline Engine Diesel Engine Natural Gas **Bucket** Electric Motor Piston Turbine Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): \_\_ Other (specify): \_\_\_ Horse Power Rating of Motor: 9-28-07 Date Pump Installed: Setting Depth: 10 Rated Pump Capacity: Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Le Circle one 9-28-07 Date Well Tested: Air Line Electric Measuring Line Steel Tape Static Water Level (A): \_\_\_\_\_ Feet Below Land Surface Other (specify): \_\_\_ Pumping Water Level (B): 40 Feet Below Land Surface Drawdown [(B) - (A)]: \_\_\_\_\_ Feet Below Land Surface For flowing well, measured shut in head: \_\_\_\_ Test Pumping Rate: \_\_\_\_\_\_ Gallons Per Minute Well yielded /O GPM with a drawdown of 2 feet after <u>48</u> hours of pumping Duration of Pump Test (minimum 4 hours): 48