

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
Office of Land and Water Resources

P. O. Box 10631
Jackson, MS 39289-0631
WATER WELL DRILLERS LOG

COUNTY WELL LOCATED <i>George</i>	
WELL NUMBER <i>L 2103</i>	CODED
DATE WELL COMPLETED <i>2-28-97</i>	

PERMIT NUMBER <i>0408</i>
NAME OF DRILLING FIRM <i>Fall Eagle Well Serv.</i>
<i>194 Depot Rd Grenada MS 39452</i>

NAME & MAILING ADDRESS OF LANDOWNER <i>Alton Fisher</i>			
<i>Po Box 1294</i>			
<i>Easton Escamph MS</i>			
WELL LOCATION	SEC <i>12</i>	TOWNSHIP <i>T3</i>	RANGE <i>R6</i>
DISTANCE <i>2 1/2</i> Miles		DIRECTION <i>West</i>	NEAREST TOWN <i>Agricola</i>
OTHER LANDMARK <i>West 2 1/2 Baptist Church.</i>			
WELL PURPOSE Home, Irrigation, Municipal, Industrial, Fish Pond, etc <i>for</i>			

PUMP DATA		
PUMP TYPE (Circle One): Submersible, Turbine, <u>Jet</u> Flowing Well, Other (Describe) _____		
POWER TYPE (Circle One): Electric, Tractor, Diesel, Gasoline, Butane, Other (Describe) <u>H/P</u>		
Pump Capacity (GPM) <i>10</i>	No of Stages <i>2</i>	Setting Depth <i>65'</i> FT.
PUMP TEST Well yielded <u>10</u> GPM with a drawdown of <u>0</u> ft. after <u>1/2</u> hours of pumping		

WELL DATA		
Well Depth <i>80'</i>	Casing Diameter (In) <i>2"</i>	Casing Length (Ft) <i>70'</i>
Type of Casing <i>PVC</i>	Hole Depth <i>80</i>	Depth to Static Water Level <i>55'</i>
TYPE OF COMPLETION: (Circle One or More): Gravel Packed, Underreamed, Telescoped, Natural Development, Open Hole, Other (Describe) <u>air lift</u>		
WELL GROUTED TO A DEPTH OF <u>20</u> FEET Type Grout (circle one): Cement, Bentonite, or Mix		

LOG DATA	
TYPE OF LOG RUN (Circle One): Electric, Gamma Ray, Density, Sonic, Neutron, Other (Describe) _____	
Name of Organization Running Log	

GEOLOGIC DATA (Office Use Only)			
Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test.

SCREEN DATA		
Diameter - inches <i>2"</i>	Length - Feet <i>10'</i>	Slot Size - inches <i>#8</i>
Screen Type <i>wrapped PVC</i>	Depth to Bottom - Feet <i>80'</i>	

Driller's Remarks	
Top of Lap Pipe or Reduction in Casing	
FEET	IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO
<i>top soil</i>	<i>0</i>	<i>5</i>
<i>sand</i>	<i>5</i>	<i>20</i>
<i>hard</i>	<i>20</i>	<i>40</i>
<i>mud sand</i>	<i>40</i>	<i>65</i>
<i>hard</i>	<i>65</i>	<i>80</i>

RECEIVED

APR 22 1997

Dept. of Environmental Quality
Office of Land & Water Resources

IF MORE SPACE IS NEEDED, USE BACK