1	State Well Report			
County: Dearl	Part 1 - Driller's Log	For Office Use Only;		
Permit #: 0 - 780	Mississippi Department of Environmental Quality	Aquiter:		
	Office of Land and Water Resources	Well #: M-176		
Driller: W. Gael Fresco	P.O. Box 10631	114.1.		
Date drilling completed: 325-08	Jackson, MS 39289-0631	L. S. Elevation:		
	(601)961-5210 (601)354-6938 (fax)	E-log #:		
	(001)004-0000 (tak)	J-10g 4.		
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.				
Information on Well C	Owner Well or Bo	rehole Location		
(Landowner if borehole is not for	Latitude: 88 °25 '57'	" Longitude 30 45 589		
Mailing Address: 115 Wird was chuld Method of Lat Long (circle o		ne): Conventional Survey, 35		
LISCS cure Hand half		GPS, Survey-grade/GPS		
Candali mo	38450 SE 416 4 Sec 30	V _{Twn} 35 V _{Rng} 50		
City Stat	e Zip Code Distance Direction	4W		
Telephone No. (601) 770 - 30		of Hours, as		
	Well / Borehole Data			
2 14				
Date drilling started: Date dri	lling completed: 3-25-08 Hole depth: 100	Hole diameter: 2		
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development: 2000 Walth 490 Chlorine				
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic SurveyOther (describe)				
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: ValveOther (describe)				
Static Water Level: 5 feet above oxoelow (circle one) land surface Date measured: 3-25-08				
Method of Measurement (circle one) steel tape electric tape air line other;				
Well depth: 160 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Sentonite				
Casing length: 45 10 feet Casing diameter: 2 inches Type of casing: Self 40 float				
"	- · · · · · · · · · · · · · · · · · · ·	1		
"	en diameter:inches Type of screen:	5ch 80 11		
"	en diameter:inches Type of screen:			

Other (describe): _

Top of lap pipe or reduction in casing: _

Form: OLWR-SWR-1A

RECEIVED

feet. If telescoped or more than one screen, describe on next page

APR 17 2008

BY: OLWR

BY: OLWR

If well telescopes, show depths on sketch.		exempted by reg	***********
Ground Level	Description of Formations Encountered	From (depth) Ground Level	To√det
		Crount Lever	
	not God	0	15
1		:	:
! }	Yellow Clay	/5	20
	white sand	20	100
		ian	
	-		
; {			
:			
€ 1			
÷			
If more than one screen, show location of each on s	Lagrand and the second	····	
Hayer	<u> </u>		
Huzel		tour Nd	
		More Ma	
andowner Name: Mutchell Holfeel		Form: OLW	<u>L</u>
andowner Name: Methell Bolfet lettify that the well/borehole was drilled, constructed ississippi Department of Environmental Quality an	ed, and completed in accordance with all applicable d the Mississippi Department of Health regulation.	Form: OLW/requirements of	LL R-SWF
andowner Name: Nathell Hospital ertify that the well/borehole was drilled, constructe ississippi Department of Environmental Quality an ws.	ed, and completed in accordance with all applicable d the Mississippi Department of Health regulation.	Form: OLW/requirements of	LL R-SWI
andowner Name. Methell Bolfet lettify that the well/borehole was drilled, constructe ississippi Department of Environmental Quality an	ed, and completed in accordance with all applicable d the Mississippi Department of Health regulation.	Form: OLW/requirements of	LC R-SWinter The nd star

STATE WELL REPORT				
ounty: Beoref Part 2 For Office Us				
Pump Installer's	Completion Report			
	at of Environmental Quality Aquifer:			
Driller: W. Sce Tierae P.O. 1	30x 10631			
Data completed:	001 5010			
, , , , , , , , , , , , , , , , , , , ,	4-6938 (fax)			
This part of the report must be campleted by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the				
report must be attached and both parts filed with the Department at the above address within 30 days of well completion.				
Owner Name: Nationation tollifeld	Latitude: 88 25 573 Longitude: 30 45 - 589			
2 4 4 2 /	Method of Lat/Long (check one): Conventional Survey			
Mailing Address: 115 melway cheh 14	1			
20.162	USGS quad Hand-held GPS Survey-grade GPS			
City State Zip Code	5E 1/4 NW 1/4 Sec 30 T 35 R 5W			
City State Zip code	Distance Direction Nearest Town			
Telephone No. (601) 770 - 3012	3 Miles East of Korull, ws			
B. T.	Power Type			
Pump Type Circle one	Circle one			
Air Lift Submersible	Diesel Engine Gasoline Engine Natural Gas			
Bucket Piston Turbine	Electric Motor Hand Tractor PTO			
Centrifugal Rotary Flowing Well	Windmill Other (specify):			
Other (specify):	Horse Power Rating of Motor:			
Date Pump Installed: 3-25-08	Setting Depth: 50 Let lin feet			
Rated Pump Capacity: (5) Gallons Per Minute	Number of Stages: 3			
10 calloan and				
Pump Test Data	Method of Measuring Water Level			
	Circle one			
Date Well Tested: 3-25-08	Air Line Electric Measuring Line Steel Tape			
Static Water Level (A): Feet Below Land Surface	Other (specify):			
Pumping Water Level (B):Feet Below Land Surface	Other (specify).			
Drawdown [(B) - (A)]: Feet Below Land Surface	For flowing well, measured shut in head:feet			
Test Pumping Rate: Gallons Per Minute	Well yielded 10 GPM with a drawdown of			
Duration of Pump Test (minimum 4 hours):hours	2 feet after 48 hours of pumping			
I HEREBY CERTIFY that the above statements are true to the best of my knowledge				
Lallin - 0780 Jallin				
Print Name of Purm Installer and License No. (if amplicable) Signature of Pump Installer				
The second of th	Form: OLWR-SWR-1E			

RECEIVED

APR 17 2008

BY: OLWR