	State W	ell Report			
County: Deorge	Part 1 – Driller's Log		For Office Use Only:		
county 2	Mississippi Department of Environmental Quality		Aquifer:		
Permit #:		nd Water Resources	Well #: $M - 189$		
Driller: Mik & Wall		Box 10631			
Date drilling completed: 12-29-08	•	1S 39289-0631 961-5210	L. S. Elevation:		
Date drilling completed: /2-2 1-08	, ,	4-6938 (fax)	E-log #:		
	(001)55	, 0,50 (IMA)			
State Law requires that this repor Department at the above address					
Information on Well O		Well or Bo	rehole Location		
(Landowner if borehole is not for		· · · · · · · · · · · · · · · · · · ·	WLongitude 088 • 26 944 64		
Mailing Address: 200 West	1010		Method of Lat/Long (circle one): Conventional Survey,		
		USGS quad, Hand-held GPS, Survey-grade GPS			
Phickson	<u>al 3661</u> 1	NW 45E 4 Sec /3	Twn T35 Rng R5 W		
City Stat	State Zip Code Distance Direction		of Ugricula		
Telephone No. ()			0		
	Well / Bore	hole Data			
in a4 .6			711		
Date drilling started: /2-29-68 Date dri		_	Hole diameter. / /2		
Location of the source of any surface water	r used for drilling: 10	ONG			
Method of dosing and volume of Chlorine used in drilling and development:					
Logs run (circle all applicable): No log run Name of organization running log(s):	Electric Gamma Ray	Density Sonic Neutron	Other:		
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump					
Seismic SurveyOther (describe)					
If drilling is not related to water well construction, skip the remainder of this block					
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:					
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level: 20 feet above or below (circle one) land surface Date measured:					
Method of Measurement (circle one) steel tape electric tape air line other:					
Well depth: 8 / Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix					
Casing length: 77 feet Casing diameter: 4 inches Type of casing: VC 40					
Screen length: 10 feet Screen diameter: 4 inches Type of screen: 10 Curappel					
Screen slot size: 8 inches Setting depth: From 77 feet to 87 feet					
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development					

Top of lap pipe or reduction in casing:

Form: OLWR-SWR-1A

feet. If telescoped or more than one screen, describe on next page

RECEIVED

JAN 27 2009

BY: OLWR

if well telescopes, show depths on sketch. Ground Level

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
A VIDE DE WALL VA	Ground Level	
Cles	0	13
e pril a	2	6
complet ale	6	40
same + clay	40	45
Daha	45	87
		-
1		
		1
	1	1
	+	
		-
		1

If more than one screen, show location of each on sketch

etch the property layout and aid in locating the 4) a north arrow	he well; 3) any roads,	g: 1) the well location power lines, or other	n; 2) any permanent structures o items that may aid in locating the	n the property that may ne property and the well;
	Twee I	7	612	
	<u> </u>	h. 01 4	D. Darmer &	
lowner Name: Mik		erry Chape	<u> </u>	

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

sytogle 0408 12-29-08 Michae

Print Name of Responsible Licensee and License No.

RECEIVED

JAN 27 2009

BY: OLWR

Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Dox 10631 Jackson, MS 3928-0633 (601)961-5210 (601)961-5210 (601)961-9710 (601)961	STATE WELL REPORT						
Convinionmention from Mock on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filted with the Department at the above address within 30 days of well completion. Well Location Owner Name: Milliand Condition Mailing Address: Do 6 West Bond Dr. Mailing Address: Do 6 West Bond Dr. Milling Address: Do 6 West Bond Dr. Milling Address: Do 6 West Bond Dr. Method of Lat/Long (check one): Conventional Survey	Permit #:	Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631		Aquifer:			
Telephone No. () State Zip Code Distance Direction Nearest Town Telephone No. () State Pamp Type Circle one Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Rotary Flowing Well Other (specify): Date Pump Itself Data Date Well Tested: Pamp Test Data Pamp Test Data Date Well Tested: Static Water Level (A): 20 Feet Below Land Surface Pumping Water Level (B): 45 Feet Below Land Surface Duration of Pump Test (minimum 4 hours): 4 hours Phoney Type (Circle one Pumping Rate: Other (specify): Date Pump Test (minimum 4 hours): 4 hours Phoney Type (Circle one Pump Test (minimum 4 hours): 4 hours Phoney Type (Circle one Pump Test (minimum 4 hours): 4 hours Phoney Type (Circle one Pump Test (minimum 4 hours): 4 hours Phoney Type (Circle one Pump Ptest (minimum 4 hours): 4 hours Phoney Type (Circle one Pump Ptest (minimum 4 hours): 4 hours Phoney Type (Circle one Pump Ptest (minimum 4 hours): 4 hours Phoney Type (Circle one Pump Ptest (minimum 4 hours): 4 hours Phoney Type (Circle one Pump Ptest (minimum 4 hours): 4 hours Phoney Type (Circle one Pump Ptest (minimum 4 hours): 4 hours Phoney Type (Circle one Pump Ptest (minimum 4 hours): 4 hours Phoney Type (Circle one Pump Ptest (minimum 4 hours): 4 hours Phoney Type (Circle one Pump Ptest (minimum 4 hours): 4 hours Phoney Type (Circle one Pump Ptest (minimum 4 hours): 4 hours Phoney Type (Circle one Pump Ptest (minimum 4 hours): 4 hours Phoney Type (Circle one Pump Ptest (minimum 4 hours): 5 feet after 1 // phours of pumping Phoney Type (Circle one Pump Ptest (minimum 4 hours): 4 hours Phoney Type (Circle one Pump Ptest (minimum 4 hours): 4 hours Phoney Type (Circle one Pump Ptest (minimum 4 hours): 4 hours 5 feet after 1 // phours of pumping	Date completed.	` ,		Elevation:			
Well Owner Information Well Location		ì	1				
Owner Name: Mell Owner Information Owner Name: Mell Owner Information Mailing Address: DOS West Board A Mailing Address: DOS West Board A Method of Lat/Long (check one): Conventional Survey USGS quad	This part of the report must be completed	by a licensed water well c	contractor or a licensed pump in	staller. A copy of Part 1 of the			
Downer Name: Milhael Curdence Mailing Address: 206 West Board In Method of Lat/Long (check one): Conventional Survey USGS quad Hand-held GPS Survey-grade GPS USG pund Hand-held GPS Survey-grade GPS USG pund Hand-held GPS Survey-grade GPS USG pund Hand-held GPS Survey-grade GPS	report must be attached and both parts filed with the Department at the above address within 30 days of well completion.						
USGS quad	\	_		_			
Telephone No. () State Zip Code Telephone No. () Distance Direction Nearest Town Smiles S 1 of Distance Direction Nearest Town Smiles S 2 of Distance Direction Nearest Town Indicate Smiles S 2 of Distance Prover Type Circle one Diesel Engine Gasoline Engine Natural Cas Tractor PTO Windmill Other (specify): Setting Depth: S 7 feet Setting Depth: S 7 feet Number of Stages: 9 Method of Measuring Water Level Circle one Air Line Electric Measuring Water Level Circle one	Mailing Address: 206 Wast	Barto Dr	Method of Lat/Long (check one): Conventional Survey,				
Telephone No. (USGS quad , Hand-held GPS , Survey-grade GPS				
Telephone No. (Chicksan (City State	U 3661 Zip Code	•				
Pump Type Circle one Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Centrifugal Rotary Flowing Well Windmill Other (specify): Horse Power Rating of Motor: Date Pump Installed: 19 Gallons Per Minute Pump Test Data Date Well Tested: Static Water Level (A): Static Water Level (B): Yest Below Land Surface Pumping Water Level (B): Test Pumping Rate: Test Pumping Test (minimum 4 hours): Horse Power Rating of Motor: Setting Depth: S 7 Feet Reted Of Measuring Water Level Circle one Air Line Method of Measuring Water Level Circle one Air Line Diesel Engine Gasoline Engine Natural Gas Horse Power Rating of Motor: Setting Depth: S 7 Feet Circle one Air Line Circle one Air Line Diesel Engine Natural Gas Natural Gas Pand Tractor PTO Setting Depth: S 7 Feet Feet Number of Stages: Other (specify): Diesel Engine Gasoline Engine Natural Gas Natural Gas Natural Gas Natural Gas Pand Tractor PTO Setting Depth: S 7 Feet Feet Number of Stages: Other (specify): Steel Tape Other (specify): Well yielded S O GPM with a drawdown of 25 Feet after Natural Gas Pand Tractor PTO Setting Proto Mitter Setti		•	Diblance = ====				
Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Centrifugal Rotary Flowing Well Windmill Other (specify): Horse Power Rating of Motor: Setting Depth: Setting Depth: Setting D	Telephone No. ()			agrich			
Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Centrifugal Rotary Flowing Well Windmill Other (specify): Horse Power Rating of Motor: Setting Depth: Setting Depth: Setting D							
Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify):							
Centrifugal Rotary Flowing Well Other (specify):	Air Lift Jet	Submersible	Diesel Engine Gasoline	e Engine Natural Gas			
Other (specify):	Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO			
Date Pump Installed:	Centrifugal Rotary	Flowing Well	Windmill Other (s	specify):			
Pump Test Data Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: Static Water Level (A): 20 Feet Below Land Surface Pumping Water Level (B): 45 Feet Below Land Surface Drawdown [(B) - (A)]: 25 Feet Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Duration of Pump Test (minimum 4 hours): 4 hours Method of Measuring Water Level Circle one Air Line) Electric Measuring Line Steel Tape Other (specify): For flowing well, measured shut in head:feet Well yielded 30 GPM with a drawdown of Duration of Pump Test (minimum 4 hours): 4 hours THEREBY CERTIFY that the above statements are true to the best of my knowledge. Michael R Frafogle 0408 Mathod of Measuring Water Level Circle one Air Line) Electric Measuring Line Steel Tape Other (specify): For flowing well, measured shut in head:feet Test Pumping Rate: 30 GPM with a drawdown of Duration of Pump Test (minimum 4 hours): 4 hours Michael R Frafogle 0408 Michael R Frafogle 0408	1 - 7		Horse Power Rating of Motor:				
Pump Test Data Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: Static Water Level (A): 20 Feet Below Land Surface Pumping Water Level (B): 45 Feet Below Land Surface Drawdown [(B) - (A)]: 25 Feet Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Duration of Pump Test (minimum 4 hours): 4 hours Method of Measuring Water Level Circle one Air Line) Electric Measuring Line Steel Tape Other (specify): For flowing well, measured shut in head:feet Well yielded 30 GPM with a drawdown of Duration of Pump Test (minimum 4 hours): 4 hours THEREBY CERTIFY that the above statements are true to the best of my knowledge. Michael R Frafogle 0408 Mathod of Measuring Water Level Circle one Air Line) Electric Measuring Line Steel Tape Other (specify): For flowing well, measured shut in head:feet Test Pumping Rate: 30 GPM with a drawdown of Duration of Pump Test (minimum 4 hours): 4 hours Michael R Frafogle 0408 Michael R Frafogle 0408	Date Pump Installed: /2-29-08		Setting Depth: 87 feet				
Date Well Tested: Static Water Level (A): 20 Feet Below Land Surface Pumping Water Level (B): 45 Feet Below Land Surface Drawdown [(B) - (A)]: 25 Feet Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Duration of Pump Test (minimum 4 hours): 4 hours Therefore The Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Duration of Pump Test (minimum 4 hours): 4 hours Therefore The Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Duration of Pump Test (minimum 4 hours): 4 hours Therefore The Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Thours of pumping Therefore The Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Thours of pumping Therefore The Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Test Pumping Rate: 30 Gallons Per Minute Thours of pumping Therefore The Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Thours of pumping Therefore The Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Thours of pumping Therefore The Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Thours of pumping Therefore The Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Test Pumping Rate: 30 Gallons Per Minute Therefore The Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Thours of pumping Therefore The Below Land Surface The Below Land Surface Test Pumping Rate: 30 Gallons Per Minute The Below Land Surface Test Pumping Rate: 30 Gallons Per Minute The Below Land Surface The Below			Number of Stages:				
Date Well Tested: Static Water Level (A): 20 Feet Below Land Surface Pumping Water Level (B): 45 Feet Below Land Surface Drawdown [(B) - (A)]: 25 Feet Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Duration of Pump Test (minimum 4 hours): 4 hours Therefore The Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Duration of Pump Test (minimum 4 hours): 4 hours Therefore The Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Duration of Pump Test (minimum 4 hours): 4 hours Therefore The Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Thours of pumping Therefore The Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Thours of pumping Therefore The Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Test Pumping Rate: 30 Gallons Per Minute Thours of pumping Therefore The Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Thours of pumping Therefore The Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Thours of pumping Therefore The Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Thours of pumping Therefore The Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Test Pumping Rate: 30 Gallons Per Minute Therefore The Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Thours of pumping Therefore The Below Land Surface The Below Land Surface Test Pumping Rate: 30 Gallons Per Minute The Below Land Surface Test Pumping Rate: 30 Gallons Per Minute The Below Land Surface The Below			27-4-2-625-	wing Water I avel			
Static Water Level (A): 20 Feet Below Land Surface Pumping Water Level (B): 45 Feet Below Land Surface Drawdown [(B) - (A)]: 25 Feet Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Duration of Pump Test (minimum 4 hours): 4 hours Electric Measuring Line Steel Tape Other (specify):	Pump Test Data			-			
Static Water Level (A): 20 Feet Below Land Surface Pumping Water Level (B): 45 Feet Below Land Surface Drawdown [(B) - (A)]: 25 Feet Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Duration of Pump Test (minimum 4 hours): 4 hours Michael R Fratogle 0408 Other (specify):	Date Well Tested:						
Pumping Water Level (B): 45 Feet Below Land Surface Drawdown [(B) - (A)]: 25 Feet Below Land Surface Test Pumping Rate: 30 Gallons Per Minute Well yielded 30 GPM with a drawdown of Duration of Pump Test (minimum 4 hours): 4 hours 1 HEREBY CERTIFY that the above statements are true to the best of my knowledge. Michael R Fratogle 0408 Michael R Fratogle 0408 Michael R Fratogle 0408	Static Water Level (A): 20 Feet Below Land Surface			-			
Test Pumping Rate: 30 Gallons Per Minute Well yielded 30 GPM with a drawdown of Duration of Pump Test (minimum 4 hours): 4 hours feet after 1// hours of pumping I HEREBY CERTIFY that the above statements are true to the best of my knowledge. Michael R Frafogle 0408 Michael Royal Poylong.	Pumping Water Level (B): 45 Feet Below Land Surface		Other (specify):				
Duration of Pump Test (minimum 4 hours): 4 hours 25 feet after 1 // hours of pumping I HEREBY CERTIFY that the above statements are true to the best of my knowledge. Michael R Fryfogle 0408 Michael Rotyfogl	Drawdown [(B) – (A)]: 25 Feet Below Land Surface		_				
1 HEREBY CERTIFY that the above statements are true to the best of my knowledge. Michael R Fryfogle 0408 Michael R Fryfogle 0408	Test Pumping Rate:	Gallons Per Minute	Well yielded 30	_GPM_with a drawdown of			
Michael RFrytogle 0408 Michael Korytogle	Duration of Pump Test (minimum 4 hours):	hours	25 feet after_	/ hours of pumping			
Michael RFrytogle 0408 Michael Korytogle							
111/1401119996							
	11/1/40/17/19/07/2		Signature of Pump Ins	stalled			

RECEIVED

Form: OLWR-SWR-1B

JAN 27 2009

BY: OLWR