· · · · · · · · · · · · · · · · · · ·	State W	ell Report				
County: Leorge		Priller's Log	For Office Use Only:			
		nt of Environmental Quality	Aquifer:			
Permit #:		nd Water Resources Box 2307	Well #: M- 190			
Driller: Mike I Wade		n, MS 39225	L. S. Elevation:			
Date drilling completed: 3.2-09		961- 5210 1- 5228 (fax)				
			E-log #:			
State Law requires that this repor Department at the above address						
Information on Well C			orehole Location			
(Landowner if borehole is not fo	or a water well)	71.47.190	N 25 390m			
Owner Name Bell Rock	e	Latitude: 50 1777	Longitude 88 25 390 L			
Mailing Address: 120	corner Rd	Method of Lat/Long (circle or	ne): Conventional Survey,			
Maning Address	20.20	USGS quad, Hand-held	GPS, Survey-grade GPS			
A 1.0. 1	1- 39×52	SE 1/4 NW 1/4 Sec /8	Twn 35 Rng PYW			
City Stat	ze Zip Code	Distance Direction	Nearest Town			
Telephone No. ()_		Distance Direction 5 / Miles 5	of agricols			
	Well / Bore					
Date drilling started: 3-2-69 Date dri	lling completed: 3 · 2 ·	Hole depth://0	Hole diameter: 4/2			
Location of the source of any surface water used for drilling:						
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):						
Purpose of borehole (check one): Water W	ell Geotechnical/Geol	ogical Investigation Ground	Source Heat Pump			
Seismic Survey Other (describe) If drilling is not related to water well construction, skip the remainder of this block						
		n, sup the remainaer of this bu	JCR .			
Purpose of Well (check one): Home 1 Industrial Public Supply Irrigation Fish Culture Other:						
If a flowing well, method of flow regulation: Valve Other (describe)						
Static Water Level:						
Method of Measurement (circle one) steel tape electric tape other:						
Well depth: 1/0 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix						
Casing length: 100 feet Casing diameter: 7 inches Type of casing: PVC & O						
Screen length: 10 feet Screen diameter: 2 inches Type of screen: Pucusepul						
Screen slot size: 8 inches Setting depth: From 100 feet to 110 feet						
Type of completion (circle all applicable): Gavel packed Underreamed Telescoped Open hole Natural Development						

Other (describe):

Top of lap pipe or reduction in casing:

Form: OLWR-SWR-1A (04/08)

feet. If telescoped or more than one screen, describe on next page

RECEIVED

MAR 2 5 2009

BY: OLWR

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground Level

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
Clas	6	3
para	2	16
Clan	16	26
eand	26	42
Clay	42	43
land	43	90
Cley	90	21
eand	91	110
	·	

If more than one screen, show location of each on sketch

ketch the	aid in	layout a locating orth arro	the we	ude th	ne followin any roads,	g: 1) the we power lines	ell location; 2 s, or other iter	any perman ms that may a	id in locating	on the property that may the property and the well;
	4) a 110	nui airo	w.						agrici	Can .
							-		·	
										6/2
										1 James
								dam	mer Chapelle	A Store
					1		greater	1		
andowner	Name: _	Bi	//		Rous	rela	, the same of the	.]		

Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

BY: OLWR

STATE WELL REPORT

County: _ Permit #:

Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources

	For Office Use Only:
Aquit	fer:
Well	#: M - 190
Eleva	ition:

Date completed: 3-3-09 Copy information from block on Part 1 Jac (60)	P.O. Box 2309 ckson, MS 39225 (601)961-5210 D1)961-5228 (fax) Well #:			
Well Owner Information	Well Location			
Owner Name: Bill Rower Mailing Address: 120 Spoorer Rd	Latitude: 30 - 47 - 190 Longitude: 38 & 25 - 390 W Method of Lat/Long (check one): Conventional Survey,			
ducedal M5 39452 City State Zip Code	USGS quad, Hand-held GPS, Survey-grade GPS			
Telephone No. ()	51/2 Miles Z of agricola			
Pump Type Circle one	Power Type Circle one			
Air Lift Submersible	Diesel Engine Gasoline Engine Natural Gas			
Bucket Piston Turbine	Electric Motor Hand Tractor PTO			
Centrifugal Rotary Flowing Well	Windmill Other (specify):			
Other (specify):	Horse Power Rating of Motor:			
Date Pump Installed: 3-3-09	Setting Depth: 75 feet			
Rated Pump Capacity: Gallons Per Minute	Number of Stages:			
Pump Test Data Date Well Tested:	Method of Measuring Water Level Circle one			
Static Water Level (A): 40 Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape			
Pumping Water Level (B): _5_O_Feet Below Land Surface	Other (specify):			
Drawdown [(B) – (A)]:/ OFeet Below Land Surface	For flowing well, measured shut in head:feet			
Test Pumping Rate: Gallons Per Minute	Well yielded GPM with a drawdown of			
Duration of Pump Test (minimum 4 hours):hours	10 feet after 1/2 hours of pumping			
I HEREBY CERTIFY that the above statements are true to the be				
Michael Rtrufogle 048	Il lichael Kotrifosh			

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer | RECEIVED |
Eom: OLWR-SWR-1B (04/08)

MAR 2 5 2009

BY: OLWR