

STATE WELL REPORT

Part 1

Driller's Log

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309
(601)961-5210
(601)360-0535 (fax)

For Office Use Only:

Well #: M 233
Aquifer:
E-Log #:

County: George
Permit #:
Driller: Michael S. Harvard
Date drilling completed: 2-24-2017

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

Well Owner Information (Landowner if borehole is not for a water well)
Owner Name: Eubanks Produce
Mailing Address: 331 Produce Rd
Lucedale MS 39452
Telephone No. (601) 947-9661
Well or Borehole Location
Latitude: 30°49'13.47"N Longitude: 88°30'49.96"W
Method of Lat/Long (check one): Conventional Survey
USGS quad, Hand-held GPS, Survey-grade GPS
NE 1/4 NE 1/4, Sec 6 T3S R5W
1 Miles NE of Agricola
(Distance) (Direction) (Nearest Town)

Well / Borehole Data
Date drilling started: 2-20-2017 Date drilling completed: 2-24-2017 Hole depth: 280' Hole diameter: 11"
Location of the source of any surface water used for drilling:
Method of dosing and volume of Chlorine used in drilling and development:
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:
Name of organization running log(s):
Purpose of borehole (circle one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump
Seismic Survey Other (describe)
If drilling is not related to water well construction, skip the remainder of this block
Purpose of Well (circle all applicable): Home Industrial Public Supply Irrigation Fish Culture
Other (describe):
If a flowing well, method of flow regulation: Valve Other (describe)
Static Water Level: 110' feet (above or below land surface) Date measured: 2-26-2017
Method of measurement (circle one): steel tape Electric tape Air line Other (describe)
Well depth: 280' Well grouted to a depth of: 25' feet Type of grout (circle one): Neat Cement Bentonite Mix
Casing length: 260' feet Casing diameter: 6" inches Type of casing: PVC 540 BE
Screen length: 20' feet Screen diameter: 6" inches Type of screen: PVC WOP
Screen slot size: .014 inches Setting depth: From 260' feet to 280' feet
Type of completion (circle all applicable): Gravel packed Underreamed Open hole Natural Development
Other (describe):
Top of lap pipe or reduction in casing: feet
If telescoped or more than one screen, describe on next page

RECEIVED
MAR 20 2017
BY OLWR



# STATE WELL REPORT

## Part 2

**Pump Installer's Completion Report**  
 Mississippi Department of Environmental Quality  
 Office of Land and Water Resources  
 P.O. Box 2309  
 Jackson, MS 39225-2309  
 (601) 961-5210  
 (601) 360-0535 (fax)

County: George  
 Permit #: \_\_\_\_\_  
 Driller: Michael S. Howard  
 Date completed: 3-14-2017  
Copy information from block on Part 1

**For Office Use Only:**

Well #: M233  
 Aquifer: \_\_\_\_\_

*This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.*

Well Owner Information	Well Location
Owner Name: <u>Eubanks Produce</u>	Latitude: <u>30°49'17.99"N</u> Longitude: <u>88°30'47.96"W</u>
Mailing Address: <u>331 Produce Road</u>	Method of Lat/Long (check one): <input type="checkbox"/> Conventional Survey _____
	USGS quad _____, Hand-held GPS _____, Survey-grade GPS _____
<u>Lucedale</u> MS <u>39452</u>	<u>NE 1/4 NE 1/4 Sec 6 T T35 R R5W</u>
City State Zip Code	<u>1</u> Miles <u>NE</u> of <u>Apicola</u>
Telephone No. (601) <u>947-9661</u>	(Distance) (Direction) (Nearest Town)

**Pump Type (circle one)**

Submersible  Turbine  Air Lift  Centrifugal  Flowing Well  Jet  Piston  Rotary  Other (describe): \_\_\_\_\_

Date Pump Installed: 3-14-2017 Rated Pump Capacity: 320 Gallons Per Minute

Is This Pump (circle one):  New  Repaired  Replacement

**Power Type (circle one)**

Electric  Diesel  Gasoline  Natural Gas  Tractor PTO  Windmill  Other (describe): \_\_\_\_\_

Horse Power Rating of Motor: 30 Setting Depth: 231 feet Number of Stages: 5

**Pump Test Data for Non-Flowing Well**

Date Well Tested: 2-26-2017 Duration of Pump Test (minimum 4 hours): 4.5 hours

Static Water Level (A): 110' Feet Below Land Surface Pumping Water Level (B): 180' Feet Below Land Surface

Drawdown [(B) - (A)]: 70' Feet Below Land Surface Test Pumping Rate: 316' Gallons Per Minute

Method of measurement (circle one):  Steel tape  Electric tape  Air line  Other (describe): \_\_\_\_\_

**Pump Test Data for Flowing Well**

Measured shut in head: \_\_\_\_\_ feet.

Well yielded \_\_\_\_\_ GPM with a drawdown of \_\_\_\_\_ feet after \_\_\_\_\_ hours of pumping.

**Meter Installation**

Meter Manufacturer: \_\_\_\_\_ Meter Serial Number: \_\_\_\_\_

Meter Model Number/Name: \_\_\_\_\_ Type of Meter: \_\_\_\_\_

Totalizer Register Unit and Multiplier Factor (AF X: 001, gal X: 1000, etc): \_\_\_\_\_

Installation Date: \_\_\_\_\_ Meter installed by: \_\_\_\_\_

Is This Meter (circle one):  New  Repaired  Replacement

RECEIVED  
MAR 20 2017  
BY OLW

*Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards. For agricultural wells, a list of approved meters is on the MDEQ website.*

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Michael S. Howard 0-673 3-23-2017 \_\_\_\_\_  
 Print Name of Pump Installer and License No. (if applicable) Date Signature of Pump Installer