4	- State We	ell Report	
C		-	For Office Use Only:
County: Greene	Part 1 Mississippi Department of Environmental Quality		Aquifer:
Permit #:		d Water Resources	
Driller: MSH	P.O. Bo	the second	Well #: <u>B-14</u>
	Jackson, MS	39289-0631	L. S. Elevation:
Date drilling completed: <u>7-14-06</u>	(601)96	51-5210	
	(601)354-	6938 (fax)	E-log #:
State Law requires that this rep 30 days of completion of drilling		riller in detail and filed w	ith the Department within
30 days of completion of drilling of the well. Well Owner Information		Well	Location
Owner Name C. W. Mccurley		Latitude: 31 ° 24 696	" Longitude: <u>88°43 298</u> "
Mailing Address: 540 M + M Rd		92 Method of Lat/Long (circle or	e): Conventional Survey,
		USGS quad, Hand-held	GPS, Survey-grade GPS
p. 11	2010	1/41/4 Sec_ 8	Twn SN Rng 7W
Richton M City Sta	$\frac{5}{\text{ate}} = \frac{399\%}{2\text{ip}} Code$	Distance Direction	Nearest Town
		5 Miles NE	of Sandhill
[elephone No. (60) 989 - 230)		
	Well Da	ta	
Purpose of Well (circle one) Home Inc	dustrial Public Supply	Irrigation Fish Culture	Other:
Date well drilling started: <u><u></u><u><u></u><u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u></u></u></u>	Date we	ll drilling completed:	
f flowing, method of flow regulation: Va	lve Other (des	cribe)	
Static Water Level: 115 feet a	bove or below (circle one) lan	d surface Date measured:_	7-17-06
Method of Measurement (circle one)	teel tape electric tape	air line other:	
Hole depth: 162 Well de	pth: 162	Well grouted to a depth of	15_feet
Type of grout (circle one): Cement	Bentonite Mix		
Casing length: 147 feet Casi	ng diameter:	inches Type of casing:	SYO PUC
	. 1		, GIZ PUC
Screen slot size: <u>1012</u> inches	Setting depth: From	147feet to 163	feet
Type of completion (circle all applicable):	Gravel packed Underrea	amed Telescoped Open	hole Natural Development
	Other (describe):		
Fop of lap pipe or reduction in casing:	feet. If teles	coped or more than one scre	en, describe on back of page
		States and the states of the s	
logs run (circle all applicable): No log run	n Electric Gamma Ray	Density Sonic Neutron	Other:
Fop of lap pipe or reduction in casing: Logs run (circle all applicable): <u>No log run</u> Name of organization running log(s): I certify that the well was drilled, constru-	m Electric Gamma Ray	Density Sonic Neutron	Other:
logs run (circle all applicable): No log run	m Electric Gamma Ray	Density Sonic Neutron	Other:
Logs run (circle all applicable): No log run Name of organization running log(s): certify that the well was drilled, constr	m Electric Gamma Ray	Density Sonic Neutron	Other:

SEP 0 1 2006 BY: OLWR



If well telescopes please sketch below and show depths.

Ground Level

Description of Formations Encountered	From	То
	0	5
Topsand	5	12
Said	12	35
Class	35	55
Savo	55	62
Clays	67	141
Sing fine, - med	141	146
Sand med	146	165
	1	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction.

C.W. Mccurlec Signature of Water Well Contractor

RECEIVED

SEP 0 ; 2006 BY: OLWA

STAT	E WELL REPORT
Permit #: Mississippi De Office of Driller: Michael S. Havaid Ja Date completed: <u>N-17-04</u>	Part 2 Installer's Completion Report epartment of Environmental Quality of Land and Water Resources P.O. Box 10631 uckson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax) Elevation:
installation of pump.	r in detail and filed with the Department within 30 days of the
Well Owner Information	Well Location
Owner Name: C. W. Mccurley	Latitude: $\underline{W31^{\circ}24.696}$ Longitude: $\underline{W88^{\circ}43}$, $\underline{79}$
Mailing Address: 540 M& M RA	Method of Lat/Long (circle one): Conventional Survey,
	USGS quad, Hand-tread GPS, Survey-grade GPS
Richtan MS 39404	
Richton MS 39496 City State Zip Code	
10 22 0	Distance Direction Nearest Town
Telephone No. (601)989 - 2307	<u><u>S</u>Miles <u>NE</u> of Sand Hill</u>
Pump Type Circle one	Power Type
	Circle one
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas
Bucket Piston Turbine	Electric Motor Hand Tractor PTO
Centrifugal Rotary Flowing Well	Windmill Other (specify):
Other (specify):	Horse Power Rating of Motor: 3
Date Pump Installed:の	Setting Depth: / 45 feet
Rated Pump Capacity: 35 Gallons Per Minu	ute Number of Stages: 10
Pump Test Data	Method of Measuring Water Level
Date Well Tested:6C	Circle one
Static Water Level (A): 115 Feet Below Land Surf	Air Line Electric Measuring Line Steel Tape
Pumping Water Level (B): 153 Feet Below Land Surfa	Other (specify):
	ace
Drawdown [(B) – (A)]: 55 Feet Below Land Surfa	ace For flowing well, measured shut in head:feet
Drawdown [(B) – (A)]: <u>35</u> Feet Below Land Surfa Test Pumping Rate: <u>35</u> Gallons Per Minu	ace For flowing well, measured shut in head:feet ute Well yielded5GPM with a drawdown of
Drawdown [(B) – (A)]: <u>35</u> Feet Below Land Surfa Test Pumping Rate: <u>35</u> Gallons Per Minu	ace For flowing well, measured shut in head:feetfeetfeetfeet
Test Pumping Rate: <u>35</u> Gallons Per Minu Duration of Pump Test (minimum 4 hours): <u>5</u> hou	ace For flowing well, measured shut in head:feet ute Well yielded5GPM with a drawdown of urs5feet afterhours of pumping
Drawdown [(B) – (A)]: <u>35</u> Feet Below Land Surfa Test Pumping Rate: <u>35</u> Gallons Per Minu	ace For flowing well, measured shut in head:feet ute Well yielded5GPM with a drawdown of urs5feet afterhours of pumping ne best of my knowledge.

SEP 0 1 2006 BY: OLWR