

MISSISSIPPI DEPARTMENT OF NATURAL RESOURCES
Bureau of Land and Water Resources

COUNTY WELL LOCATED O'GREEN	
WELL NUMBER K 200#	CODED
DATE WELL COMPLETED 3-11-88	

408

PERMIT NUMBER Fryfoogle's
NAME OF DRILLING FIRM Water Well Serv
Lucedale, MS

P.O. Box 10631
Jackson, Mississippi 39209
WATER WELL DRILLERS LOG

NAME & MAILING ADDRESS OF LANDOWNER HERBERT E. Breland		
RT 1, Box 145-D		
Leakesville, MS		
WELL LOCATION: SEC Brookley 36 S	TOWNSHIP T 3 N	RANGE R 7 E
DISTANCE 4	DIRECTION N. West	NEAREST TOWN of Leakesville
OTHER LANDMARK on nearly to Leakesville Ref. Chicken Farm		
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc.		

PUMP DATA		
PUMP TYPE (Circle One): Submersible Turbine, Jet, Flowing Well, Other (Describe) _____		
POWER TYPE (Circle One): Electric Tractor, Diesel, Gasoline, Butane, Other (Describe) _____		
Pump Capacity (GPM) 20	No. of Stages 12	Setting Depth 80' FT.
PUMP TEST		
Well yielded 30 GPM with a drawdown of 10 ft. after 12 hours of pumping		

WELL DATA		
Well Depth 104	Casing Diameter (In.) 4"	Casing Length (Ft.) 94
Type of Casing PVC	Hole Depth 104	Depth to Static Water Level 60'
TYPE OF COMPLETION: (Circle One or More): Gravel Packed Underreamed, Telescoped, Natural Development, Open Hole, Other (Describe) _____		
Top of Lap Pipe or Reduction in Casing FEET IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE		

LOG DATA	
TYPE OF LOG RUN (Circle One): Electric , Gamma Ray, Density, Sonic, Neutron, Other (Describe) _____	
Name of Organization Running Log	

SCREEN DATA		
Diameter - Inches 4"	Length - Feet 10	Slot Size - Inches #12
Screen Type PVC	Depth to Bottom - Feet 104	

GEOLOGIC DATA (Office Use Only)			
Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test
Driller's Remarks			

RECEIVED

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO	FORMATIONS (Continued)	FROM	TO
Top Soil	0	5	JUN 20 1988 Department of Natural Resources Bureau of Land & Water Resources		
Sand	5	15			
Clay	15	30			
Sand	30	50			
Clay	50	70			
Sand	70	90			
Sand	90	110			

IF MORE SPACE IS NEEDED, USE BACK