

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

Office of Land and Water Resources

P. O. Box 10631
Jackson, MS 39289-0631
WATER WELL DRILLERS LOG

COUNTY WELL LOCATED	
WELL NUMBER <i>Green</i>	CODED
PERMIT NUMBER <i>0408</i>	
NAME OF DRILLING FIRM <i>Fryfogle Well Serv</i>	
DATE WELL COMPLETED <i>9-94</i>	

NAME OF DRILLING FIRM <i>Fryfogle Well Serv</i>	
ADDRESS <i>PO Box 3 Lumbard MS 39452</i>	

NAME & MAILING ADDRESS OF LANDOWNER <i>Beau Strickland</i>			
<i>Star Rt Box 28</i>			
<i>Neely MS 39461</i>			
WELL LOCATION	SEC	TOWNSHIP	RANGE
<i>Neely</i>	<i>CW 7</i>	<i>R 7</i>	<i>E 3</i>
DISTANCE	DIRECTION	NEAREST TOWN	
<i>20</i>	<i>North</i>	<i>Leaksville</i>	
OTHER LANDMARK <i>S.W. of Overly Benjamin Rd</i>			
WELL PURPOSE <i>Home Irrigation</i>			

PUMP DATA		
PUMP TYPE (Circle One): Submersible, Turbine, <input checked="" type="radio"/> Flowing Well, Other (Describe)		
POWER TYPE (Circle One): <input checked="" type="radio"/> Electric, Tractor, Diesel, Gasoline, Butane, Other (Describe) H/P <i>1</i>		
Pump Capacity (GPM) <i>10</i>	No of Stages <i>2</i>	Setting Depth <i>80</i> FT.
PUMP TEST		
Well yielded <i>10</i> GPM with a drawdown of <i>10</i> ft. after <i>1</i> hours of pumping		

WELL DATA		
Well Depth <i>127</i>	Casing Diameter (In.) <i>2"</i>	Casing Length (Ft.) <i>117</i>
Type of Casing <i>PVC</i>	Hole Depth <i>127</i>	Depth to Static Water Level <i>90'</i>
TYPE OF COMPLETION: (Circle One or More): Gravel Packed, Underreamed, Telescoped, Natural Development, Open Hole, Other (Describe) <i>air lift</i>		
WELL GROUTED TO A DEPTH OF <i>20</i> FEET Type Grout (circle one): Cement, Bentonite, or Mix		

LOG DATA	
TYPE OF LOG RUN (Circle One): No Log Run, Electric, Gamma Ray, Density, Sonic, Neutron, Other (Describe)	
Name of Organization Running Log	

GEOLOGIC DATA (Office Use Only)			
Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test

SCREEN DATA		
Diameter - Inches <i>2"</i>	Length - Feet <i>10'</i>	Slot Size - Inches <i>#8</i>
Screen Type <i>Johnson Wrapped</i>	Depth to Bottom - Feet <i>127</i>	

Driller's Remarks	
Top of Lap Pipe or Reduction in Casing	
FEET	IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO
<i>top soil</i>	<i>0</i>	<i>5</i>
<i>clay</i>	<i>5</i>	<i>20</i>
<i>stripes sand & clay</i>	<i>20</i>	<i>40</i>
<i>" "</i>	<i>40</i>	<i>60</i>
<i>clay to sand</i>	<i>60</i>	<i>100</i>
<i>" "</i>	<i>100</i>	<i>120</i>
<i>sand</i>	<i>120</i>	<i>127</i>

FORMATIONS (Continued)	FROM	TO
RECEIVED		
NOV 07 1994		
Dept. of Environmental Quality Office of Land & Water Resources		
IF MORE SPACE IS NEEDED, USE BACK		