Stat	e Well Report				
<i>'</i>	1 – Driller's Log	For Office Use Only:			
Mississippi Depa	rtment of Environmental Quality	Aquifer:			
	and and Water Resources	Well #: \(\lambda - 32 \)			
	P.O. Box 2307 ckson, MS 39225				
	(601)961- 5210	L. S. Elevation:			
(60	01)961- 5228 (fax)	E-log #:			
State Law requires that this report be prepared by the license holder responsible for the work and filed with the					
Department at the above address within 30 days of					
Information on Well Owner (Landowner if borehole is not for a water well)		rehole Location			
Owner Name Dovald world	Latitude 98 °43 696	" Longitude: 31 <u>69</u> ,376,			
Mailing Address: 288 Breeland Rd	Method of Lat/Long (circle on				
		GPS, Survey-grade GPS			
reely no 3955	S MW 1/1E 1/4 Sec_8	$\frac{1}{2}$ Twn $\frac{2}{2}$ $\frac{1}{2}$ Rng $\frac{7}{2}$			
City 0 State Zip Code	Distance Direction	Nearest Town			
Telephone No. (601) 525 - 3809	2 Miles East	of Melle, MS			
Total Marian Control ()					
	Borehole Data				
Date drilling started: 7-30-08 Date drilling completed: 7	-30-98 Hole depth: 310	Hole diameter:			
Location of the source of any surface water used for drilling: _	Asule as	1 11.			
Location of the source of any surface water used for drilling: _ Method of dosing and volume of Chlorine used in drilling and	development: 2000 West	es topl delow			
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:					
Purpose of borehole (check one): Water Well Geotechnical	/Geological Investigation Ground	Source Heat Pump			
Seismic Survey Other (de					
If drilling is not related to water well const	ruction, skip the remainder of this blo	ock			
Purpose of Well (check one): Home Industrial Public S	Supply Irrigation Fish Culture	Other:			
If a flowing well, method of flow regulation: Valve	Other (describe)	2 2 20			
Static Water Level:feet above of below (circle	one) land surface Date measured:_	1-30-08			
Method of Measurement (circle one) steel tape electric tape air line other:					
Well depth: 3/0 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix					
Casing length: 300 feet Casing diameter: 2 inches Type of casing: 5th 40 Plaster					
Screen length: 10 feet Screen diameter: 2 inches Type of screen: 50 80					
Screen slot size: 10 inches Setting depth: F	rom 6 feet to 2	feet feet			
Type of completion (circle all applicable):					
Other (describe):					
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page					
Form: OLWR-SWR-1A (04/08)					

RECEIVED

AUG 2 0 2008

BY: OLWR

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground Level.....

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
, 1		
white Fand		100
CHILL KINES		90
4		
CARAM AVAL	(10)	170
g well com	70_	120
0 0/		
Gren Saml	120	/30
green clay		
		T
Cantaclan	172	700
Greenday	1.20	900
per gravel	280	310
pa gum	000	10,0
	<u> </u>	1
	<u> </u>	1
	ļ	
	l	
	İ	
	ļ	+
		ļ
	<u> </u>	1 :

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the w aid in locating the well; 3) any roads, power line 4) a north arrow.	ell location; 2) any permanent stru s, or other items that may aid in lo	ctures on the property that may cating the property and the well;
nely [Breland ld
		-)
	(51
W	78	E
Landowner Name: Double Moor	ly	Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

RECEIVED

AUG 2 0 2008

BY: OLWR

STATE WELL REPORT					
Owner Name: Owner Information	Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601)961-5210 (601)961-5228 (fax) ted by a licensed water well contractor or a licensed pump is filed with the Department at the above address within 30 d mation Well Models Latitude: 88-43-686		For Office Use Only: Aquifer: Well #:		
Reeley wo State Telephone No. 601) 5 25 - 3	Zip Code Distance Direction		Nearest Town		
Pump Type Circle one		•	wer Type ircle one		
Air Lift Jet	Submersible	Diesel Engine Gasolin	ne Engine Natural Gas		
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO		
Centrifugal Rotary	Flowing Well		(specify):		
Other (specify):	Other (specify):		Let feet		
Date Pump Installed: 7-36-	<u> </u>	Setting Depth: 80	File Class feet		
Rated Pump Capacity:	_Gallons Per Minute	Number of Stages:	2		
Pumping Water Level (B):Feet	Below Land Surface	Air Line Electric Mea			
Drawdown [(B) – (A)]:Feet		1	hut in head:feet		
Test Pumping Rate: Duration of Pump Test (minimum 4 hours)		11 on 110.000	GPM with a drawdown of hours of pumping		
I HEREBY CERTIFY that the above statements are true to the best of my knowledge. Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer					

Form: OLWR-SWR-1B (04/08)

RECEIVED

AUG 2 0 2008

BY: OLWR