/A .	State W	For Office Use Only:	
County: <u>Preerl</u>	Part 1 – I	Aquifer:	
Permit #: 6 - 780	Mississippi Department of Environmental Quality Office of Land and Water Resources		11/02
Driller: Joel Pier		Box 2307	Well #:
- •	Jackson, MS 39225 (601)961- 5210		L. S. Elevation:
Date drilling completed: 10 - 28 - 08		1- 5228 (fax)	r.1#.
	, ,		E-log #:
State Law requires that this repor	t be prepared by the lice	ense holder responsible for t	he work and filed with the
Department at the above address Information on Well (rehole Location
(Landowner if borehole is not fo			
Owner Name P. I. Walte		Latitude: 31 ° 00 678	" Longitude <u>88 ° 32 '263</u> "
Owner Name 1. + . Wall	<u> </u>	Method of Lat/Long (circle or	. 10
Mailing Address: 2100 Hey 63	North		
6		USGS quad, Hand-held	GPS Survey-grade GPS .
- , , , ,		NE ME 1/4 Sec 36	Twn W Rng 500
Caskalle on	39561		6W
City Sta	te Zip Code	Distance Direction Miles	Nearest Town
Telephone No. (601) 766-4000			01
	Well / Bore	hole Data	
Date drilling started: 10 -28 -08 Date dr	illing completed: 10 -28-	. 08 Hole depth: 90	Hole diameter: 2
·			
Location of the source of any surface water Method of dosing and volume of Chlorine	er used for drilling:	sula, us	# 10/1
Method of dosing and volume of Chlorin	used in drilling and devel	opment: 2000 Com	1904 646
Logs run (circle all applicable) No log ru	Electric Gamma Ray	Density Sonic Neutron	Other:
Name of organization running log(s):			
Purpose of borehole (check one): Water W	ell Geotechnical/Geol	ogical Investigation Ground	Source Heat Pump
:			• ——
Seismic Survey Other (describe)			
If drilling is not related to water well construction, skip the remainder of this block			
Purpose of Well (check one): Home VIndustrial Public Supply Irrigation Fish Culture Other:			
If a flowing well, method of flow regulation: Valve Other (describe)			
Static Water Level:feet above of below circle one) land surface Date measured:			
Method of Measurement (circle one) steel tape electric tape air line other:			
Well depth: 90 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix			
Casing length: 80 feet Casing diameter: 2 inches Type of casing: The 40 Plast			
Screen length: 10 feet Screen diameter: 2 inches Type of screen: 5th 40 Plaste			
Screen slot size: 10 inches Setting depth: From 0 feet to 90 feet			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):			

11

Top of lap pipe or reduction in casing:

State Well Report

Form: OLWR-SWR-1A (04/08)

feet. If telescoped or more than one screen, describe on next page

RECEIVED

NOV 2 4 2008

BY: OLWR

14/3

The	sketch	below	only	required	for	water wells

<u>Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations</u>

d for all TS 2

If well telescopes,	show	depths	on sketch.
Ground Level			

Description of Formations Encountered From (depth) To (depth)

Ground Level

July 2011

If more than one screen, show location of each on sketch

etch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well;
4) a north arrow.
TABOY WELL
undran digftel to
andowner Name: P. I. Watte / Hos north
7 1
Form: OLWR-SWR-1A (04)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

RECEIVED

NOV 2 4 2008

BY: OLWR

STATE WELL REPORT

Part 2

Pump Installer's Completion Report

Mississippi Department of Environmental Quality
Office of Land and Water Resources

Date completed: 10-28-08

1 11

P.O. Box 2309 Jackson, MS 39225 (601)961-5210 (601)961-5228 (fax)

For Office Use Only:			
Aquifer:	T82_		
Well #:	243		
Elevation:			

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.

Well Owner Information

Owner Name:

Well Owner Information

Owner Name:

Latitude: 31-00-698 Longitude: 98-32-263

Method of Lat/Long (check one): Conventional Survey

USGS quad

Hand-held GPS

Survey-grade GPS

Distance

Direction

Nearest Town

Miles

Note of Lunder, us

	Pump Type Circle one				Power Type Circle one	
Air Lift	Jet	Submersible	Di	esel Engine	Gasoline Engine	Natural Gas
Bucket	Piston	Turbine	E	ectric Motor	Hand	Tractor PTO
Centrifugal	Rotary	Flowing Well	w	indmill	Other (specify):	
Other (specify):			1	orse Power Rati	-	
Date Pump Installed: 10-28-08		,		70 Set level	feet	
Rated Pump Capac		Gallons Per Minute	N	umber of Stages	2	

Method of Measuring Water Level Pump Test Data Circle one Date Well Tested: 10 -28 - 08 Electric Measuring Line Steel Tape Air Line Static Water Level (A): _ Feet Below Land Surface Other (specify): Pumping Water Level (B): 70 Feet Below Land Surface For flowing well, measured shut in head: Drawdown [(B) - (A)]: Feet Below Land Surface GPM with a drawdown of Gallons Per Minute Test Pumping Rate: _ Duration of Pump Test (minimum 4 hours): 48 __hours of pumping

I HEREBY CERTIFY that the above statements are true to the best of	my knowledge.
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer
	Form: OLWR-SWR-1B (04/08) RECEIVED

NOV 2 4 2008

BY: OLWR