State Well Report			
County: <u>Then</u>	Part 1 – Driller's Log	For Office Use Only:	
3000	Mississippi Department of Environmental Quality	Aquifer:	
Permit #:	Office of Land and Water Resources	Well #: <u>U- 77</u>	
Driller: Mik & Wad	P.O. Box 10631	Well #: 4	
•	Jackson, MS 39289-0631	L. S. Elevation:	
Date drilling completed: 10.26.07	(601)961-5210		
	(601)354-6938 (fax)	E-log #:	

State Law requires that this report be prepared by the license holder responsible for the work and filed with the

Department at the above address within 30 days of comp	oletion of drilling of the well or borehole.	
Information on Well Owner	Well or Borehole Location	
(Landowner if borehole is not for a water well)	T ('. 1 0 ) 2 T'(	
Owner Name Herbert Bohaman	Latitude: "Longitude: "Longitu	
Mailing Address: 2159 Browntown Pd	Method of Lat/Long (circle one): Conventional Survey,	
Maning Address:	USGS quad, Hand-held GPS, Survey-grade GPS	
Leabeaville Ms 39451	¼¼ Sec/_Twn_T/N_Rng_R5W	
City State Zip Code	Distance Direction Nearest Town  S Miles 5 2 of Lea Best	
Telephone No. ()		
Well / Bore	hole Data	
Date drilling started: 10 26 7 Pate drilling completed: 10 26 3		
Location of the source of any surface water used for drilling:   Method of dosing and volume of Chlorine used in drilling and development.	opment:	
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):		
Purpose of borehole (check one): Water Well Geotechnical/Geold	ogical Investigation Ground Source Heat Pump	
Seismic Survey Other (describe)		
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:		
If a flowing well, method of flow regulation: Valve Other (describe)		
Static Water Level:		
Method of Measurement (circle one) steel tape electric tape air line other:		
Well depth: 72 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite (Mix)		
Casing length: 67 feet Casing diameter: 2 inches Type of casing: PVC 40		
Screen length: 5 feet Screen diameter: 2 inches Type of screen: PUCisrograf		
Screen slot size: 8 inches Setting depth: From 67 feet to 72 feet		
Type of completion (circle all applicable): Oravel packed Underreamed Telescoped Open hole Natural Development		
Other (describe):		
Top of lap pipe or reduction in casing:feet. <u>If tel</u>	escoped or more than one screen, describe on next page	

Form: OLWR-SWR-1A

## The sketch below only required for water wells

If well telescopes,	show	depths	on	sketch.
Ground Level.		7		

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	Γo (depth)
	Ground Level	
rand	0	3
Cler	3	51
rotal	51	72

If more than one screen, show location of each on sketch

Sketch the property lay aid in loc 4) a nort	cating the well; 3) any road:	ing: 1) the well location; 2) and s, power lines, or other items the	y permanent structures on the proper hat may aid in locating the prop	roperty that may erty and the well;
Landowner Name:	Leakesvith 635 Herbert B	Brushy creek Ree 594 63 Thammon	Brown Journ	KI

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Michael RF1 yFagle 0408

Print Name of Responsible Licensee and License No.

RECEIVED

NOV 27 2007

BY: OLWR

## STATE WELL REPORT

## Permit #: Driller: Copy information from block on Part 1

Duration of Pump Test (minimum 4 hours):

## Part 2

**Pump Installer's Completion Report** Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631

For Office Use Only:		
Aquifer:		
well #: 42 - 77		
Elevation:		

(601)961-5210 (601)354-6938 (fax) This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Latitude: Longitude: Method of Lat/Long (check one): Conventional Survey Mailing Address: USGS quad , Hand-held GPS) , Survey-grade GPS 1/4 Sec Direction Distance 8 <sub>Miles</sub> ₹ € Telephone No. ( Pump Type Power Type Circle one Circle one Gasoline Engine Natural Gas Air Lift Submersible Diesel Engine Bucket Piston Turbine Electric Motor\_ Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): \_ Horse Power Rating of Motor: Other (specify): \_ 10.26-07 Date Pump Installed: Setting Depth: 8.12 Rated Pump Capacity: Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: Electric Measuring Line Steel Tape Static Water Level (A): 58 Feet Below Land Surface Other (specify): Pumping Water Level (B): 43 Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface For flowing well, measured shut in head: feet Test Pumping Rate: Gallons Per Minute Well yielded GPM with a drawdown of ///\_hours of pumping

HEREBY CERTIFY that the above statements are true to the best of Michael RFrytag/20408	of my knowledge. Michael R Fryfol
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer
	Form: OLWR-SWR-1B

RECEIVED

NOV 27 2007

BY: OLW P