

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
Bureau of Land and Water Resources

P. O. Box 10631
Jackson, MS 39289-0631

COUNTY WELL LOCATED Montgomery		GRENADA
WELL NUMBER H144	CODED <input checked="" type="checkbox"/>	
PERMIT NUMBER 14157		
NAME OF DRILLING FIRM SunBelt Water Well Serv., Inc.		
DATE WELL COMPLETED 6-11-92		Holcomb, MS

WATER WELL DRILLERS LOG

NAME & MAILING ADDRESS OF LANDOWNER
Georgia-Pacific Corp.

Rt. 1 - Box 17

Duck Hill, MS 38925

WELL LOCATION: SEC 14 TOWNSHIP 21 RANGE N 5 E

DISTANCE 9 Miles South of Grenada

OTHER LANDMARK

WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc.
Industrial

PUMP DATA

PUMP TYPE (Circle One):
Submersible, Turbine, Jet, Flowing Well,
Other (Describe) _____

POWER TYPE (Circle One):
Electric, Tractor, Diesel, Gasoline, Butane,
Other (Describe) _____

Pump Capacity (GPM)	No. of Stages	Setting Depth
850	4	80' FT.

PUMP TEST

Well yielded 825 GPM with
a drawdown of 18' ft.
after 1 hours of pumping

WELL DATA

Well Depth 111'	Casing Diameter (in.) 12"	Casing Length (ft.) 91'
Type of Casing PVC	Hole Depth 111'	Depth to Static Water Level 25'

TYPE OF COMPLETION: (Circle One or More):
Gravel Packed, Underreamed, Telescoped,
Natural Development, Open Hole, Other
(Describe) Straight Well

Top of Lap Pipe or Reduction in Casing
none FEET

IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE

LOG DATA

TYPE OF LOG RUN (Circle One):
Electric, Gamma Ray, Density, Sonic, Neutron,
Other (Describe) _____

Name of Organization Running Log _____

SCREEN DATA

Diameter - Inches 12"	Length - Feet 20'	Slot Size - Inches .030
Screen Type PVC		Depth to Bottom - Feet 111'

GEOLOGIC DATA (Office Use Only)

Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test

Driller's Remarks
HER. DAN WALKER

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO	FORMATIONS (Continued)	FROM	TO
Clay	0	10			
Sand	10	60			
Clay	60	80			
Sand	80	120			

RECEIVED
JUN 24 1992

Dept. of Environmental Quality
Bureau of Land & Water Resources

IF MORE SPACE IS NEEDED, USE BACK