

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

Office of Land and Water Resources

P. O. Box 10631
Jackson, MS 39289-0631
WATER WELL DRILLERS LOG

COUNTY WELL LOCATED Hancock	
WELL NUMBER C 2108	COPIED
DATE WELL COMPLETED 11-16-94	

PERMIT NUMBER 0239
NAME OF DRILLING FIRM McGILL Pump & Well

NAME & MAILING ADDRESS OF LANDOWNER Pete Moran			
8714 Cuevas Town rd.			
Pass Christian Ms.			
WELL LOCATION	SEC	TOWNSHIP	RANGE
	26	6	N 15 W
DISTANCE	DIRECTION	NEAREST TOWN	
4	Miles NORTH	of Kila	
OTHER LANDMARK			
WELL PURPOSE <input checked="" type="radio"/> Home Irrigation, Municipal, Industrial, Fish Pond, etc.			

PUMP DATA		
PUMP TYPE (Circle One): Submersible, Turbine, <input checked="" type="radio"/> Jet Flowing Well, Other (Describe) _____		
POWER TYPE (Circle One): <input checked="" type="radio"/> Electric Tractor, Diesel, Gasoline, Butane, Other (Describe) _____ H/P 1		
Pump Capacity (GPM) 12	No. of Stages 2	Setting Depth 100' FT.
PUMP TEST		
Well yielded 12 GPM with a drawdown of 10 ft. after 1 hours of pumping		

WELL DATA		
Well Depth 430'	Casing Diameter (In.) 2"	Casing Length (Ft.) 420'
Type of Casing Pvc	Hole Depth 430'	Depth to Static Water Level 80'
TYPE OF COMPLETION: (Circle One or More): <input checked="" type="radio"/> Gravel Packed, <input type="radio"/> Underreamed, <input type="radio"/> Telescoped, <input checked="" type="radio"/> Natural Development, <input type="radio"/> Open Hole, <input type="radio"/> Other (Describe) _____		
WELL GROUTED TO A DEPTH OF 10 FEET Type Grout (circle one) <input checked="" type="radio"/> Cement, <input type="radio"/> Bentonite, or Mix		

LOG DATA	
TYPE OF LOG RUN (Circle One): Electric, Gamma Ray, Density, Sonic, Neutron, Other (Describe) _____ <input checked="" type="radio"/> No Log Run	
Name of Organization Running Log	

SCREEN DATA		
Diameter - inches 2"	Length - Feet 10'	Slot Size - inches .0006
Screen Type Pvc	Depth to Bottom - Feet 430'	

GEOLOGIC DATA (Office Use Only)			
Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test
Driller's Remarks			
Top of Lap Pipe or Reduction in Casing			
FEET		IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE	

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM		TO		FORMATIONS (Continued)	FROM		TO	
Mud	0	120			RECEIVED APR 10 1995 Dept. of Environmental Quality Office of Land & Water Resources				
Sand	120	160							
Mud	160	400							
Sand	400	430							

IF MORE SPACE IS NEEDED, USE BACK

