	State W	ell Report			
County: HANCOCK	Part 1 - <b>D</b>	For Office Use Only:			
	Mississippi Department of Environmental Quality		Aquifer:		
Permit #:	Office of Land and Water Resources		Well #: K-569		
Driller: NECAISE WELL	P.O. B	ox 10631	Well#:		
	Jackson, M	S 39289-0631	L. S. Elevation:		
Date drilling completed: 8-29-07	r	61-5210			
L	(601)354	-6938 (fax)	E-log #;		
State Law requires that this report Department at the above address	within 30 days of compl	nse holder responsible for t etion of drilling of the well	he work and filed with the or borehole.		
Information on Well (	Owner		rehole Location		
(Landowner if borehole is not fo		Tasimada. D. 1	22 T = 1 = 1 = 1 = 12		
Owner Name COOL Sul	goment		" Longitude: ""		
Mailing Address: 4047 %	Method of Lat/Long (circle or		ne): Conventional Survey,		
_	U	USGS quad, Hand-held	GPS, Survey-grade GPS		
Parist Lou	10 IMS	¼¼ Sec <u>(</u>	Twn 95 Rng H		
buy of acu		Distance Direction	of Laxiborul		
Telephone No. (2016) 467-526	30	Miles	of Zakloryou		
	Wall / Rorah	ole Date			
Well / Borehole Data  Date drilling started: 8-29-07 Date drilling completed: 8-29-07 Hole depth: D Hole diameter: 4					
Location of the source of any surface water used for drilling: HANCOCK COUNTY WATER - SOWER					
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:					
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump					
Seismic Survey Other (describe)					
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:					
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level: 12feet above of below (circle one) land surface Date measured: 2.39-07					
Method of Measurement (circle one)					
Well depth: Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix					
Casing length: 10 feet Casing diameter: 2 inches Type of casing: PVC					
Screen length: 10 feet Screen diameter: 2" inches Type of screen: PVC					
Screen slot size: 1006 inches Setting depth: From 10 feet to 170 feet					
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development					

Other (describe):

Top of lap pipe or reduction in casing: \_\_\_\_\_\_\_feet. If telescoped or more than one screen, describe on next page

BECEVE AND PROPERTY.

JAN 2 2 2008

BY: OLWR

The sketch	below o	only req	uired :	for n	vater	wells

f well	teles	copes.	show	denths	<i>on</i>	sketch.
Gro	ound	Level.		~		

## <u>Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations</u>

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
MUD	0	20
SANO	20	UD
BILIDY	100	90
3000	90	120
	1	100
**************************************	·	
	† · · · · · · · · · · · · · · · · · · ·	<del>                                     </del>
,		
	<del> </del>	
	<del> </del>	
	<b>-</b>	
		<del> </del>
	<b>†</b>	
	<del></del>	<del> </del>
	<del> </del>	
	<del> </del>	
	+	
	<del></del>	
	<del></del>	
	<del>                                     </del>	<del> </del>
	<del> </del>	-
	-	·
	1	i .

If more than one screen, show location of each on sketch

	N
	×
W	E

Form: OLWR-SWR-1A I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

Date

Signature of Licen RECEIVED

JAN 2 2 2008

BY: OLWR

## STATE WELL REPORT

## Pennit #:

## Part 2

**Pump Installer's Completion Report** Mississippi Department of Environmental Quality Office of Land and Water Resources

For Office Use Only:			
Aquifer:			
Well #: <u>K - 569</u> Elevation:			

P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Latitude: \_ Longitude:\_ Mailing Address: Method of Lat Long (check one): Conventional Survey\_ USGS quad\_\_\_\_, Hand-held\_GPS\_ Survey-grade GPS\_ Distance Direction Nearest Town Pump Type Power Type Circle one Circle one Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Electric Motor Bucket Piston Turbine Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): \_ Other (specify): Horse Power Rating of Motor: Date Pump Installed: Setting Depth: Rated Pump Capacity: Gallons Per Minute Number of Stages: **Pump Test Data** Method of Measuring Water Level Circle one Date Well Tested: \_ Air Line Electric Measuring Line (Steel Tape) Static Water Level (A): \_\_\_\_\_Feet Below Land Surface Other (specify): \_ Pumping Water Level (B): \_\_\_\_\_Feet Below Land Surface Drawdown [(B) - (A)]: \_\_\_\_\_Feet Below Land Surface For flowing well, measured shut in head: \_\_\_ Test Pumping Rate: Gallons Per Minute Well yielded \_\_\_\_\_ GPM with a drawdown of Duration of Pump Test (minimum 4 hours): \_\_\_\_\_hours \_\_\_feet after \_\_\_\_hours of pumping

IHEREBY CERTIFY that the above statements are true to the	e best of my knowledge.
KUPERT NECAKE 0-660	Chit
Print Name of Pump Installer and License No. (if applicable)	
	TEMIL OLWR-SWR-1B

JAN 2 2 2008

BY: OLWR