
State W	ell Report			
	Driller's Log	For Office Use Only:		
Mississippi Departmen	Mississippi Department of Environmental Quality			
	Office of Land and Water Resources P.O. Box 10631			
Jackson, N	Jackson, MS 39289-0631			
Date drilling completed: <u>11507</u> (601) (601)35	(601)961-5210 (601)354-6938 (fax)			
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.				
Information on Well Owner (Landowner if borehole is not for a water well)	Well or Bo	orehole Location		
Owner Name 20 Letat Ou Aumintin	Latitude:°'	_" Longitude:°"		
	Method of Lat/Long (circle or	ne): Conventional Survey,		
Mailing Address: (187 1). Grimada	USGS quad, Hand-held	GPS, Survey-grade GPS		
The OI for ima	1/4 1/4 Sec (4	Twn 95 Rng 14N		
City State Zip Code				
44.7 01.00	Miles	of Lakeshore		
Weil / Borehole Data				
Date drilling started: $\frac{9 - 13 \cdot 07}{13 \cdot 07}$ Date drilling completed: $\frac{9 - 13 \cdot 07}{13 \cdot 07}$				
Location of the source of any surface water used for drilling: <u>Dom COCK</u> <u>COUNTY WON HOL</u> <u>a</u> <u>Source</u> Method of dosing and volume of Chlorine used in drilling and development:				
Logs run (circle all applicable). No log run Electric Gamma Ray Density Sonic Neutron Other:				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe) If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level:				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 130 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 120 feet Casing diameter: 2 inches Type of casing: PVC				
Screen length: <u>10</u> feet Screen diameter: <u>2</u> inches Type of screen: <u>PVC</u>				
Screen slot size: <u>·OCL</u> inches Setting depth: From <u>130</u> feet to <u>130</u> feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:feet. If te	elescoped or more than one scre	een, describe on next page		
RECEIVED				
JAN 2 2 2008				

• • •

BY: OLWR

K516

## The sketch below only required for water wells



Ground Level

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
Mup.	0	1 Z D
SKNA	20	60
BCLAY	60	100
SAND	100	130
_ · · · ·		
		_
	-	
	1	

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location: 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.

Walstat De Aumity Landowner Name:

Form: OLWR-SWR-1A

Signature of License

JAN 2 2 2008

BY: OLWR

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

5-1-40

Print Name of Responsible Licensee and License No.

Date

STATE WELL REPORT		
Permit #:	nt the above address within 30 days of well completion. Well Location	
City State Zip Code Telephone No. ()	Distance Direction Nearest Town <u>Distance Direction Nearest Town</u> <u>Niles N</u> of <u>Lakeshore</u>	
Pump Type Circle one	Power Type Circle onc	
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston Turbine	Electric Motor Hand Tractor PTO	
Centrifugal Rotary Flowing Well	Windmill Other (spccify):	
Other (specify):	Horse Power Rating of Motor:	
Date Pump Installed: 09-25-07	Setting Depth: 40 feet	
Rated Pump Capacity: Gallons Per Minute	Number of Stages:	
Pump Test Data Method of Measuring Water Level		
Date Well Tested:	Circle one	
Static Water Level (A):Feet Below Land Surface	Air Line  Electric Measuring Linc  Steel Tape    Other (specify):	
Pumping Water Level (B):Feet Below Land Surface		
Drawdown [(B) - (A)]:Fcet Below Land Surface	For flowing well, measured shut in head:feet	
Test Pumping Rate:Gallons Per Minute	Gallons Per Minute Well yielded GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping	
IHEREBY CERTIFY that the above statements are true to the best of my knowledge.      KUBENT NECASE    O-(6/60)    FECEIVED      Print Name of Pump Installer and License No. (if applicable)    Signature of Pump Installer		

BY: OLWR