	7 State W	ell Report	
County: HANCOCK	Part 1 - Driller's Log		For Office Use Only:
,		Mississippi Department of Environmental Quality	
Permit #:		Office of Land and Water Resources	
i	1	Box 10631	Well #: K - 592
Driller: NECAISE WELL		1S 39289-0631	L. S. Elevation:
Date drilling completed: 10.2-07		961-5210	L. S. Elevation:
Date driving completed.		4-6938 (fax)	E-log #:
] (001)33	4-0/30 (Iax)	2-108
State Law requires that this repo Department at the above addres.			
Information on Well			rehole Location
(Landowner if borehole is not)	for a water well)		
Owner Name Street Class	L Buildes	Latitude:°'	" Longitude:"
Mailing Address: (0039 W)	^	Method of Lat/Long (circle or	ne): Conventional Survey,
		USGS quad, Hand-held	GPS, Survey-grade GPS
Paris SI Par	UD,4M5	¼¼ Sec	Twn 95 Rng 14
Contra ord	ate Zip Code		
•		Distance Direction Miles	Nearest Town
Telephone No. (<u>339</u> 513 - 16	<u>00</u>	Miles	or Auctur Da
	*		
,	Well / Bore		
Date drilling started: 10307 Date d	rilling completed: 10:2-0	$\frac{07}{130}$ Hole depth: $\frac{130}{130}$	Hole diameter:
Location of the source of any surface wat	ter used for drilling:	ANCOCIL COUNT	4 CANTADO SOLLER
Method of dosing and volume of Chlorir	ne used in drilling and devel	opment:	- OHITE SEW
Logs run (circle all applicable) No log run Name of organization running log(s):	Electric Gamma Ray	Density Sonic Neutron	Other:
Purpose of borchole (check one): Water W	Vell Geotechnical/Geol	ogical Investigation Ground	Source Heat Pump
Seismic	SurveyOther (describe)	
If drilling is not related	d to water well construction	n, skip the remainder of this blo	ock
Purpose of Well (check one): Home	Industrial Public Supply	Irrigation Fish Culture	Other:
If a flowing well, method of flow regulation	on: ValveO	ther (describe)	
Static Water Level: 12 feet a	bove of below)(circle one) l	and surface Date measured:_	10-2-07
Method of Measurement (circle one)	teel tape electric tape	air line other:	

Well depth: 180 Well grouted to a depth of 16 feet

_inches

Casing diameter:

Screen diameter:

Type of completion (circle all applicable): Gravel packed Underreamed Telescoped

Setting depth: From

Other (describe):

Casing length: 120

Screen slot size: _______

Top of lap pipe or reduction in casing: _

Screen length:

Form: OLWR-SWR-1A

_feet

Natural Development

Type of grout (circle one): Neat Cernent Bentonite Mix

Open hole

Type of casing:

feet. If telescoped or more than one screen, describe on next page

inches

RECEIVED

JAN 2 2 2008

BY: OLWP

Description of formations encountered must be pro wells and boreholes, unless specifically exempted by regulations

If well telescopes.	show denths	on s	ketch.
Ground Level.			

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
MUQ	0	20
sanD.	20	117
B CIAY	40	100
SAND	100	130
		ļ
	 	
	†	
	 	
		
		
	<u> </u>	
	ļ	
	<u> </u>	<u>L</u>

If more than one screen, show location of each on sketch

W		
uders	5	
1	iders	1ders

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

Signature of Licensee

JAN 2 2 2008 BY: OLWR

STATE WELL REPORT Part 2

County: ## COCK

Permit #: _____

Driller: NECAST WELL

Date completed: 1-17-08

Capy information from black on Part I

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631

For Office Use Only:

Aquifer:

Well #: 4592

Elevation:

Date completed: 1-17-08	· ·	1\$ 39289-0631 Well #:	1210	
Copy information from block on Part I	• •	4-6938 (fax) Elevation:		
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.				
Well Owner Information Owner Name: 20039 W. Clay St. Bay St. Xaya, M.S. City State Zip Code Telephone No. (239, 513 - 1600)				
Pump Type Circle one		Power Type Circle one		
Air Lift Jet	Submersible	Diesel Engine Gasoline Engine	Natural Gas	
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO	
Centrifugal Rotary	Flowing Well	Windmill Other (specify):		
Other (specify):		Horse Power Rating of Motor:		
Date Pump Installed: 1-17-08		Setting Depth: 40	feet	
Rated Pump Capacity:	Gallons Per Minute	Number of Stages:		
Pump Test Data Method of Measuring Water Lovel				
Date Well Tested:		Method of Measuring Water L Circle one	evei	
Static Water Level (A):Feet		Air Line Electric Measuring Line	Steel Tape	
Pumping Water Level (B):Feet B		Other (specify):		
Drawdown [(B) - (A)]:Feet 1	Below Land Surface	For flowing well, measured shut in head:	feet	
Test Pumping Rate:	Gallons Per Minute	Well yieldedGPM with a dr	awdown of	
Duration of Pump Test (minimum 4 hours):	hours	feet afterhou	ırs of pumping	

HEREBY CERTIFY that the above statements are true to the best of my knowledge.

KUPUNT NECAST 0-(960

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer BFCF

Form: OLWR-SWR-1B JAN 2 2 2008

BY: OLWP