County: HANCOCK		
Permit #:		
Driller: NECAISE WELL		
Date drilling completed: 4-5-07		

## State Well Report

Part 1 - Driller's Log

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210

(601)354-6938 (fax)

For Office Use Only:				
Aquifer:				
Well #: K-6/2				
L. S. Elevation:				
E-log #:				

State Law requires that this report be prepared by the license holder responsible for the work and filed with the

Department at the above address within 30 days of completion of drilling of the well or borehole.				
Information on Well Owner	Well or Borehole Location			
(Landowner if borehole is not for a water well)	Latitude:°' Longitude:°'"			
Owner Name TIDL TUDAM GILLOMENT	Longitude			
1, 82111 200001	Method of Lat/Long (circle one): Conventional Survey,			
Mailing Address: 400744.	USGS quad, Hand-held GPS, Survey-grade GPS			
Bay Stadio 4715				
City State Zip Code	Distance Direction Nearest Town  Miles Of Caklohou			
Telephone No. (33), 549-77/8	Miles/Vof&AK_10/1000_			
Weil / Boreh	role Data			
Date drilling started: 11-5-07 Date drilling completed:	_ ((			
Location of the source of any surface water used for drilling:	and cocil country where south			
Method of dosing and volume of Chlorine used in drilling and develo	opment:			
Logs run (circle all applicable): No log run Electric Gamma Ray Name of organization running log(s):	Density Sonic Neutron Other:			
Purpose of harshala (abasis ana), Water Wall 1	dedition dust to the			
Purpose of borehole (check one): Water Well Geotechnical Geolo	gical Investigation Ground Source Heat Pump			
Seismic Survey Other (describe)				
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): Home / Industrial Public Supply	Irrigation Fish Culture Other:			
If a flowing well, method of flow regulation: ValveOt	her (describe)			
Static Water Level: 12feet above of below (circle one) land surface Date measured: 11-5-07				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: D Well grouted to a depth of feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 10 feet Casing diameter: Z inches Type of casing: PVC				
Screen length: 10 feet Screen diameter: 2" inches Type of screen: PVC				
Screen slot size: 1006 inches Setting depth: From 110 feet to 120 feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:feet. If tele	escoped or more than one screen, describe on next page			

Form: OLWR-SWR-1A

RECEIVED

JAN 2 2 2008

BY: OLWR

## The sketch below only required for water wells

If well telescopes, show depths on sketch.
Ground Level

Description of formations encountered must be provided for wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
MUD	0	20
sanD.	20	100
BCIAY	40	90
SAND	40	120
		1
		ļ
		ļ
		ļ
***************************************		
No. 18. Alexander de la companya de		
		<b> </b> -i
	ļ	
	<u> </u>	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.				
N	1			
W	E			
5				
O = O = O = I				
Landowner Name: College Struam Guulopmont				
	Form: OLWR-SWR-1A			

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

JAN 2 2 2008

BY: OLWR

## STATE WELL REPORT

## Part 2 Pump Installer's Comp

Permit #: Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631

For Office Use Only:			
Aquifer:			
Well #: 1612			
Elevation:			

Date completed: (601)961-5210 (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location \_Latitude:\_\_\_ \_\_\_\_\_ Longitude:\_ Mailing Address: Method of Lat/Long (check one): Conventional Survey\_ USGS quad\_\_\_\_\_, Hand-held GPS\_\_\_\_, Survey-grade, GPS\_ Distance Direction Nearest Town Telephone No. ( Pump Type Power Type Circle one Circle one Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): Other (specify): Horse Power Rating of Motor: \_ Date Pump Installed: Setting Depth: Rated Pump Capacity: \_\_ Gallons Per Minute Number of Stages: **Pump Test Data** Method of Measuring Water Level Circle one Date Well Tested: \_\_ Air Line Electric Measuring Line Steel Tape Static Water Level (A): \_\_\_\_\_Feet Below Land Surface Other (specify): Pumping Water Level (B): \_\_\_\_\_Feet Below Land Surface Drawdown [(B) - (A)]: \_\_\_\_\_Feet Below Land Surface For flowing well, measured shut in head: \_\_\_\_\_feet Test Pumping Rate: \_\_\_\_Gallons Per Minute Well yielded \_\_\_\_ \_\_\_\_\_GPM with a drawdown of Duration of Pump Test (minimum 4 hours): \_\_\_\_\_hours \_\_\_\_\_feet after \_\_\_\_\_hours of pumping

IHEREBY CERTIFY that the above statements are true to the best of	- Visouladae	
1 / 0 .	my knowledge.	
KOKENT NECAKE 0-660	fally !	PECEIVED
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	TILOLIVIL
		Form: OLWR-SWR215008
		JAN 2 2 2000

BY: OLWR