County: HANCOCK	Part 1 – D	Oriller's Log	151 51110 555 512,1		
		t of Environmental Quality	Aquifer:		
Permit #:	•	nd Water Resources	Well #: K-6/8		
Driller: NECAISE WELL	•	3ox 10631	Well #		
1110 00		IS 39289-0631	L. S. Elevation:		
Date drilling completed: 1173-07	1 ,	961-5210			
	(601)354	4-6938 (fax)	E-log #:		
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.					
Information on Well			rehole Location		
(Landowner if borehole is not f	or a water well)				
Owner Name Gull Coast C	uotom Olma	Latitude:°'	" Longitude:°'"		
Mailing Address:	St 59-A	Method of Lat/Long (circle or	e): Conventional Survey,		
		•	GPS, Survey-grade GPS		
Brust Lou	in UMS	¼¼ Sec	Twn_ 18 Rng_ 19		
City Sta	te Zip Code	Distance Direction	Nearest Town		
Telephone No. ( <u>828</u> ) <u>2,55-76</u> 2	City State Zip Code Distance Direction Nearest Town  Telephone No. (208) 255-7626  Telephone No. (208) 255-7626				
	Well / Bore	hole Data			
Date drilling started: 11-12-07 Date dr			Hole diameter:		
Location of the source of any surface water used for drilling: HANCOCK COUNTY WATER Solver Method of dosing and volume of Chlorine used in drilling and development:					
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:					
Purpose of borehole (check one): Water Well Geotechnical Geological Investigation Ground Source Heat Pump					
Seismic Survey Other (describe)  If drilling is not related to water well construction, skip the remainder of this block					
,					
Purpose of Well (check one): Home / Industrial Public Supply Irrigation Fish Culture Other:					
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level: 17 feet above of below (circle one) land surface Date measured: 11-13, -07					
Method of Measurement (circle one) steel tape electric tape air line other:					
Well depth: 100 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix					
Casing length: 10 feet Casing diameter: 2 inches Type of casing: PVC					
Screen length: 10 feet Screen diameter: 2" inches Type of screen: PVC					
Screen slot size: 1006 inches Setting depth: From 10 feet to 20 feet					
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development					

Other (describe): \_

**State Well Report** 

Top of lap pipe or reduction in casing:

feet. If telescoped or more than one screen, describe on next page

FOREIGNESWR-1A

JAN 2 2 2008

BY: OLWR

The sketch	below only	required for	water wells
4 / 1 4 (1114 4 4 4 4 7 7			

## If well telescopes, show depths on sketch.

Ground Level\_

## Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
M.U.D.	0	20
SAND.	20	UD
B. CLAY	40	90
SAWO	90	120
	<u> </u>	
		1

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.
$\mathcal{N}$
W/ E
5
Landowner Name: Cruy Cract Cutom Almo

Form: OLWR-SWR-1A I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Signature of Licental BY: OLW R Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if

Print Name of Responsible Licensee and License No.

Date

## STATE WELL REPORT

## Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631

_	For Office Use Only:		
	Aquifer:		
	well #:		
	Elevation:		

Date completed: (601)961-5210 (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Owner Name: Latitude: \_\_ Longitude:\_ Mailing Address: Method of Lat/Long (check one): Conventional Survey\_ USGS quad\_\_\_\_\_, Hand-held GPS\_\_\_\_, Survey-grade GPS\_\_\_\_ 1/4 Sec\_ Distance Direction Nearest Town Telephone No. Pump Type **Power Type** Circle one Circle one Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): \_ Other (specify): Horse Power Rating of Motor: Date Pump Installed: Setting Depth: Rated Pump Capacity: Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: \_\_\_ Air Line Electric Measuring Line Steel Tape Static Water Level (A): \_\_\_\_\_ Feet Below Land Surface Other (specify): Pumping Water Level (B): \_\_\_\_\_Feet Below Land Surface Drawdown [(B) - (A)]: \_\_\_\_\_\_Feet Below Land Surface For flowing well, measured shut in head: Test Pumping Rate: \_\_\_\_ \_\_\_\_Gallons Per Minute Well yielded \_\_\_\_\_GPM with a drawdown of Duration of Pump Test (minimum 4 hours): \_\_\_\_\_hours \_\_\_\_\_feet after \_\_\_\_\_hours of pumping

		(50)
LHEREBY CERTIFY that the above statements are true to the best of		RECEIVED 2008
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	JAN
		Form: OLW C-WENE