_	State W	ell Report			
County: HAWCOCK		For Office Use Only:			
County: TYTE OCC C P	Part 1 – Driller's Log Mississippi Department of Environmental Quality		Aquifer:		
Permit #:	Office of Land and Water Resources				
Driller: Ne Court C CELL		Box 10631	Well =: 1 - 600		
Driller: [15 556 75 5-5-5		IS 39289-0631	L. S. Elevation:		
Date drilling completed: 11-14-07		961-5210	U. O. List advisio		
	· · ·	4-6938 (fax)	E-log =:		
State Law requires that this report Department at the above address	t be prepared by the lice	ا ense holder responsible for t	the work and filed with the		
Information on Well O)wner		rehole Location		
(Landowner if borehole is not fo	r a water well)				
Owner Name Straw	Millelamore	Latitude:°	"Longitude: "		
Mailing Address: 4032 E. Y	Midwey St	Method of Lat-Long (circle on	e): Conventional Survey,		
	USGS quad. Hand-held				
10 - (19	. \ > - 0	la la sec LO			
Bayet do		i	_		
City State	any code	Distance Direction	of Kakishou		
Telephone No. (<u>039)</u> 5 49 77/	8	Miles	of AUKLOPULL		
	Well / Bore	hole Date			
Date drilling started: 11-14-07 Date dril	Ning completed: 11-14-	07 Hole depth: 110			
Location of the source of any surface water Method of dosing and volume of Chlorine	r used for drilling:	ANCOCK CONTO			
Logs run (circle all applicable): No log run Name of organization running log(s):	Electric Gamma Ray	Density Sonic Neutron (Other:		
Purpose of borehole (check one): Water Well Geotechnical Geological Investigation Ground Source Heat Pump					
Seismic Survey Other (describe)					
If drilling is not related to water well construction, skip the remainder of this block					
Purpose of Well (check one): Home Inc	dustrialPublic Supply_	Irrigation Fish Culture _			
If a flowing well, method of flow regulation	: ValveOt	her (describe)			
Static Water Level: 12 feet above of below (circle one) land surface Date measured: 11-14-07					
Method of Measurement (circle one) steel tape electric tape air line other:					
Well depth: 10 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix					
Casing length: 100 feet Casing diameter:inches Type of easing:					
Screen length: 16 feet Screen diameter: 2 inches Type of screen: PVC					
Screen slot size: : CCC inches Setting depth: From 100 feet to 110 feet					
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development					
Other (describe):					

Top of lap pipe or reduction in casing: ______feet. If telescoped or more than one screen, describe on next page

RECEIVED!

JAN 2 2 2008

BY: OLWR


_:							
The	sketch	below	only	reauirea	for	water	wells

If well telescopes, show depths on sketch. Ground LevelDescription of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	1
Mul)_	0	30
SAND.	20	40
BCIAY	40	90
SAND	90	110
	<u> </u>	
	 	ļ
		
		ļ
		ļ
		1
		 -

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location: 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.



Form: OLWR-SWR-1A

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

RECEIVED

JAN 2 2 2008

BY: OLWE

STATE WELL REPORT

County: THINCOCH Permit #: Driller: NECHIST WELL

Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources

For Office Use Only:	
Aquifer:	
Vell #:	
levation:	

Date completed: 12-14-07	Jackson, N	1S 39289-0631 961-5210	,	Well #:	4621
Copy information from block on Part I		4-6938 (fax)	1	Elevation:	
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.				of Part 1 of the	
Owner Name: Well Owner Information Owner Name: CULY Strum Gully Mailing Address: LODD & MOUNTS.		Well Location Latitude: Longitude:			
City State Telephone No. 339 5149-7719	Distance Direction Nearest Town Miles of Hakeohork				
Pump Type Circle one			Power Circle		
Air Lift Jet	Submersible	Diesel Engine	Gasoline E	ngine	Natural Gas
Bucket Piston	Turbine	Electric Motor	Hand		Tractor PTO
Centrifugal Rotary	Flowing Well	Windmill	Other (spec	zify):	
Other (specify):	7	Horse Power Rating	í	•	
1.6	Gallons Per Minute	Setting Depth: Number of Stages:	• .		
Pump Test Data		Metho	od of Measur Circle		Level
Date Well Tested:Feet B Static Water Level (A):Feet B Pumping Water Level (B):Feet B	elow Land Surface	Air Line Election Country (specify):	rtric Measurin	ng Line	Steel Tape
Drawdown [(B) - (A)]:Feet Below Land Surface		For flowing well, measured shut in head:feet			
		Well yieldedGPM_with a drawdown of			
Duration of Pump Test (minimum 4 hours):	hours	fee			i
LHEREBY CERTIFY that the above statemen	nts are true to the best of	my knowledge.			

Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer

JAN 2 2 2008

BY: OLWR