, , ,	State Well Report		For Office Use Only:
County: HANCOCK	Part 1 - Driller's Log		•
Permit #:	Mississippi Department of Environmental Quality		Aquifer:
	T.	and Water Resources	Well#: K-626
Driller: Necrotise WELL		30x 10631 1S 39289-0631	L. S. Elevation:
Date drilling completed: 11-19-07		961-5210	L. S. Elevation:
		4-6938 (fax)	E-log #:
State Law requires that this report Department at the above address	within 30 days of comp	letion of drilling of the well	the work and filed with the or borehole.
Information on Well (		Well or Bo	rehole Location
(Landowner if borehole is not fo	A	Latitude:	" Longitude: ""
Owner Name Ottot Clas	2 YOULUNEY C		
Mailing Address: 6069 W.	Berton	Method of Lat/Long (circle or	e): Conventional Survey,
		USGS quad. Hand-held	GPS, Survey-grade GPS
1 / CL V	1000	14 14 Sec (0	
youy St du	W, 41/5		
City () Sta	ie Zip Code	Distance Direction  Miles	Nearest Town
Telephone No. ( <u>237)</u> 5/3-1(00)	2	willes	of Nexturious
	Well / Bore	hole Date	
11-19.07			-1
Date drilling started: 11-19-07 Date dri			
Location of the source of any surface water used for drilling: HANCOCK COUNTY (SATE) SEWER Method of dosing and volume of Chlorine used in drilling and development:			
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:			
Purpose of borehole (check one): Water Well Geotechnical Geological Investigation Ground Source Heat Pump			
Seismic Survey Other (describe)			
If drilling is not related to water well construction, skip the remainder of this block			
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:			
If a flowing well, method of flow regulation: Valve Other (describe)			
Static Water Level: 12 feet above of below (circle one) land surface Date measured: 11-19-07			
Method of Measurement (circle one) steel tape electric tape air line other:			
Well depth: Well grouted to a depth of the feet Type of grout (circle one): Neat Cement Bentonite Mix			
Casing length: 100 feet Casing diameter: 2 inches Type of casing: PVC			
Screen length: 10 feet Screen diameter: 2" inches Type of screen: PVC			
Screen slot size: *COC inches Setting depth: From feet to feet			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
	Other (describe);		

feet. If telescoped or more than one screen, describe on next page

Top of lap pipe or reduction in casing: \_

State Well Report

RECEIVED

JAN 2 2 2008

BY: OLWR

## The sketch below only required for water wells

If well telescopes.	show	depths	on sk	etch.
Ground Level				

## Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
MUD.	()	26)
SAND,	30	100
BCIAY	UD	100
SAND	90	110
<u> </u>		
		j

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location: 2) any aid in locating the well; 3) any roads, power lines, or other items if 4) a north arrow.	y permanent structures on the property that may nat may aid in locating the property and the well,
	N
W	E
	S
Landowner Name: Frat Class Bulding	

Form: OLWR-SWR-1A I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

RECEIVED JAN 2 2 2008 BY: OLWR

## STATE WELL REPORT

## Part 2

County: HTTWCOC Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631

For Office Use Only:		
Aquifer:		
Well#:	1626	
Elevation:		

Date completed: (601)961-5210 (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Latitude:\_\_ \_\_\_\_\_Longitude:\_ Mailing Address: Method of Lat Long (check one): Conventional Survey\_\_\_\_\_, USGS quad\_\_\_\_\_. Hand-held GPS\_\_\_\_, Survey-grade GPS\_\_\_\_ Distance Direction Telephone No. (<u>239</u>) 5/3-1400 Pump Type Power Type Circle one Circle one Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): Other (specify): \_ Horse Power Rating of Motor: Date Pump Installed: \_\_ Setting Depth: \_ Rated Pump Capacity: Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: Air Line Electric Measuring Line Steel Tape Static Water Level (A): \_\_\_\_\_Feet Below Land Surface Other (specify): \_\_ Pumping Water Level (B): \_\_\_\_\_Feet Below Land Surface Drawdown [(B) - (A)]: \_\_\_\_\_Feet Below Land Surface For flowing well, measured shut in head: \_\_\_\_\_\_feet \_\_\_\_Gallons Per Minute Test Pumping Rate: Well yielded \_\_\_\_\_GPM with a drawdown of Duration of Pump Test (minimum 4 hours): \_\_\_\_\_hours \_\_\_\_\_feet after \_\_\_\_\_hours of pumping

IHEREBY CERTIFY that the above statements are true to the best	of my knowledge.	
KUBERT NECAKE 0660	" Ke het A	DECEIVED
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	HEULI
		Form: OLIVIP, SWA 20118