| State Well Report For Office Use Only: | | | | | |
|--|------------------------------|---------------------------|--|--|--|
| County: HANCOCK Part 1 - | | | | | |
| Mississippi Departme | ent of Environmental Quality | Aquifer: | | | |
| 1 | and Water Resources | Well#: K-628 | | | |
| Drillar MCCMUR LACOS | Box 10631 | | | | |
| Jackson, | MS 39289-0631 | L. S. Elevation: | | | |
| Date drilling completed: 11 CAS O1 (601) | 1)961-5210 54-6938 (fax) | E-log #: | | | |
| (601)2 | 54-0250 (1ux) | | | | |
| State Law requires that this report be prepared by the l Department at the above address within 30 days of con- | | | | | |
| Information on Well Owner | Well or Bo | orehole Location | | | |
| (Landowner if borehole is not for a water well) | Latitude: 0 | " Longitude:°' | | | |
| Owner Name Strot Class Yourdes | Latitude | Longitude. | | | |
| Mailing Address: U092W. Crumada Method of Lat Long (circle on | | ne): Conventional Survey, | | | |
| | 1 | GPS, Survey-grade GPS | | | |
| Brust Louge MS - 14 Sec 4 | | 75 Rng / 1 | | | |
| | | Nearest Town | | | |
| City State Zip Code Distance Direction Nearest Town Telephone No. (239) 513-1600 Distance Direction Nearest Town Miles N of Zakiorous | | | | | |
| Well / Bo | rehole Data | • | | | |
| Date drilling started: 1807 Date drilling completed: 11-39 | 307 Hole depth: 110 | Hole diameter: | | | |
| Location of the source of any surface water used for drilling: HANCOCK COUNTY WATER SOUR | | | | | |
| Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: | | | | | |
| Purpose of borehole (check one): Water Well Geotechnical Geological Investigation Ground Source Heat Pump | | | | | |
| Seismic Survey Other (describe) | | | | | |
| If drilling is not related to water well construction, skip the remainder of this block | | | | | |
| Purpose of Well (check one): Home / Industrial Public Supply Irrigation Fish Culture Other: | | | | | |
| If a flowing well, method of flow regulation: Valve Other (describe) | | | | | |
| Static Water Level: 12 feet above of below (circle one) land surface Date measured: 11-28-07 | | | | | |
| Method of Measurement (circle one) | | | | | |
| Well depth: Well grouted to a depth of feet Type of grout (circle one): Neat Cement Bentonite Mix | | | | | |
| Casing length: 100 feet Casing diameter: Z inches Type of casing: PVC | | | | | |
| Screen length: 10 feet Screen diameter: Z' inches Type of screen: PVC | | | | | |
| Screen slot size: 100 inches Setting depth: From 100 feet to 110 feet | | | | | |
| Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development | | | | | |

Other (describe): ___

Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page

PEC PRINCIPAL

JAN 2 2 2008

BY: OLWR

The sketch below only required for water wells

If well telescopes, show depths on sketch. Ground Level

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

| Description of Formations Encountered | From (depth) | To (depth) |
|---------------------------------------|--------------|------------|
| | Ground Level | |
| MUD | 0 | 20 |
| 590P1 | 30 | 107 |
| B.CIAY | UD | 93 |
| SAND | 90 | 110 |
| | | |
| | | |
| | | |
| | | |
| | <u> </u> | <u> </u> |
| | <u> </u> | <u> </u> |
| | | <u> </u> |
| | | } |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

If more than one screen, show location of each on sketch

| Sketch the property layout and include the following: 1) the well location: 2) any aid in locating the well; 3) any roads, power lines, or other items the 4) a north arrow. | y permanent structures on the property that may nat may aid in locating the property and the well; |
|--|--|
| | 5 |
| Landowner Name: Glass Building | |

Form: OLWR-SWR-1A I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

RECEIVED

JAN 2 2 2008

BY: OLWA

STATE WELL REPORT

Permit #: Date completed:

Copy information from block on Part 1

Part 2

Pump Installer's Completion Report

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210

(601)354-6938 (fax)

For Office Use Only: Aquifer: Well #: Elevation:

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the

| report must be attached and both parts filed with the Department at the above address within 30 days of well completion. | | | | | pletion. |
|--|-------------------------|---------------|--|-----------------------------|----------------------|
| Well Owner Information | | Well Location | | | |
| Owner Name | <u> </u> | 2 Builders | Latitude: | Longitude: | |
| Mailing Addr | ess: <u>(1092 W</u> | Granada | Method of Lat/Lo | ong (check one): Convention | nal Survey, |
| | Bay St a | Cuo M5 | USGS quad | . Hand-held GPS, Surve | ey-grade GPS R/L_ |
| Telephone No. (<u>339) 5/3 - 1400</u> | | | Distance Direction Nearest Town ——————————————————————————————————— | | |
| | Pump Type Circle one | | | Power Type Circle one | |
| Air Lift | Jet | Submersible | Diesel Engine | Gasoline Engine | Natural Cas |

| Pump Type Circle one | | Power Type Circle one | | | |
|----------------------|--------------|-----------------------|--------------------|------------------|-------------|
| Air Lift | Jet | Submersible | Diesel Engine | Gasoline Engine | Natural Gas |
| Bucket | Piston | Turbine | Electric Motor | Hand | Tractor PTO |
| Centrifugal | Rotary | Flowing Well | Windmill | Other (specify): | |
| Other (specify): | | | Horse Power Rating | g of Motor: | |
| Date Pump Installed: | 1-17-0 |) 원 | Setting Depth: | 40' | feet |
| Rated Pump Capacity | n <u> 10</u> | Gallons Per Minute | Number of Stages: | | |

| Pump Test Data | Method of Measuring Water Level | | |
|---|--|--|--|
| Date Well Tested: | Circle one | | |
| Static Water Level (A):Feet Below Land Surface | Air Line Electric Measuring Line Steel Tape | | |
| Pumping Water Level (B):Feet Below Land Surface | Other (specify): | | |
| Drawdown [(B) - (A)]:Feet Below Land Surface | For flowing well, measured shut in head:feet | | |
| Test Pumping Rate:Gallons Per Minute | Well yieldedGPM with a drawdown of | | |
| Duration of Pump Test (minimum 4 hours):hours | feet afterhours of pumping | | |

| | I HEREBY CERTIFY that the above statements are true to the bes | t of my knowledge. | |
|---|--|-----------------------------|-------------------|
| - | KUBERT NECAKE 0-660 | Count 1 | |
| | Print Name of Pump Installer and License No. (if applicable) | Signature of Pump Installer | RECEIVED |
| | | | Form: OLWR-SWR-1B |
| | | | JAN 2 2 2008 |

BY: OLWR