State V	Vell Report	
	Driller's Log	For Office Use Only:
Mississippi Departme	ent of Environmental Quality	Aquifer:
	and Water Resources	Well #: K- 636
1	Box 10631	Well #: 11 - 6 36
1 lackson	MS 39289-0631	L. S. Elevation:
Date drilling completed: <u>12-7-07</u> (60)	1)961-5210	
(601)3	54-6938 (fax)	E-log #:
State Law requires that this report be prepared by the li Department at the above address within 30 days of con	cense holder responsible for to spletion of drilling of the well	the work and filed with the or borehole.
Information on Well Owner	Well or Bo	rehole Location
(Landowner if borehole is not for a water well)	I saise day 0	
Owner Naine COCIOIA CHOMOS		" Longitude:°"
Mailing Address: 6266 W. Granda	Method of Lat-Long (circle or	•
	1	GPS, Survey-grade GPS
Bry St Louis UMS	¼¼ Sec <u>6</u>	Twn 95 Rng 4
City State Zip Code	Distance Direction	Neapest Town
City ( State Zib-Code Distance Direction Nearest Town  Telephone No. (33) 490-1737  Telephone No. (33) 490-1737		of Falishou
Well / Rox	ehole Data	
Date drilling started: 12-7-07 Date drilling completed: 12-7		Hole diameter:
Location of the source of any surface water used for drilling: HANCOCK COUNTY (NATE) 2 - SEWER Method of dosing and volume of Chlorine used in drilling and development:		
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:		
Purpose of borehole (check one): Water Well Geotechnical Geological Investigation Ground Source Heat Pump		
Seismic Survey Other (describe)  If drilling is not related to water_well construction, skip the remainder of this block		
Purpose of Well (check one): Home Industrial Public Suppl		
If a flowing well, method of flow regulation: Valve Other (describe)		
Static Water Level: 12 feet above of below (circle one) land surface Date measured: 12-7-07		
Method of Measurement (circle one)   steel tape   electric tape   air line   other:		
Well depth: 110 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix		
Casing length: 100 feet Casing diameter: Z inches Type of casing: PVC		
Screen length: 10 feet Screen diameter: 2 inches Type of screen: PVC		
Screen slot size: _:COC _inches Setting depth: FromOOfeet to feet		
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development		
Other (describe):		

Top of lap pipe or reduction in casing: \_\_\_\_\_\_feet. If telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A
RECEIVED
JAN 2 2 2008
BY: OLWR

The sketch below only required for water wells

If well telescopes, show depths on sketch.

	CONCIN MON	
Ground	Level	

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
MUD	D	30
-3an0	30	100
BCIAY	100	90
SANO	90	110
	<u> </u>	
	L	
		<u> </u>
	1	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location aid in locating the well: 3) any roads, power lines, or other 4) a north arrow.	on: 2) any permanent structures on the property that may ritems that may aid in locating the property and the well;
	N N N N N N N N N N N N N N N N N N N
W	E
	5
Landowner Name: Doubla Olomos	

Form: OLWR-SWR-1A I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

JAN 2 2 2008 BY: OLWP:

## STATE WELL REPORT

## Pennit #: \_

## Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources

For Office Use Only:		
Aquifer:		
Well #:	1636	
Elevation: _		

Driller: NECHIST WELL	P.O.	Box 10631	
Date completed: 01-08-08	. (601	MS 39289-0631 Well =: 100 0	
Copy information from block on Part I	(601)3:	54-6938 (fax) Elevation:	
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.			
Well Owner Infor	mation	Well Location	
Owner Name: COCLOIA	Momos	Latitude:Longitude:	
Mailing Address 6266 W. Cramada		Method of Lat/Long (check one): Conventional Survey,	
City State Zip Code  331  Telephone No. (1986) 620-1737		USGS quad, Hand-held GPS, Survey-grade GPS	
Pump Type			
Circle one		Power Type Circle one	
Air Lift Jet	Submersible	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston	Turbine	Electric Motor Hand Tractor PTO	
Centrifugal Rotary	Flowing Well	Windmill Other (specify):	
Other (specify):		Horse Power Rating of Motor:	
Date Pump Installed: 01-08-08		Setting Depth:	
Rated Pump Capacity:	Rated Pump Capacity: Gallons Per Minute Number of Stages:		
Pump Test Dat	a	Method of Measuring Water Level	
Date Well Tested:		Circle one	
Static Water Level (A):Feet Below Land Surface		Air Line Electric Measuring Line Steel Tape	
Pumping Water Level (B):Feet Below Land Surface		Other (specify):	
Drawdown [(B) - (A)]:Feet Below Land Surface F		For flowing well, measured shut in head:feet	
		Well yieldedGPM with a drawdown of	
		feet afterhours of pumping	
IHEREBY CERTIFY that the above state	ements are true to the best of	my knowledge.	

IHEREBY CERTIFY that the above statements are true to the best of	of anti-translation	
REPERT NECAGE 0660	Miny Knowledge	
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	RECEIVED
		Form: OLYVE SWE 108

BY: OLWR