	State W	ell Report	<del> </del>	
UNALCACY	Part 1 – Driller's Log		For Office Use Only:	
County: HANCOCK		t of Environmental Quality	Aquifer:	
Permit #:			Addres.	
	Office of Land and Water Resources P.O. Box 10631		Well #: 1090	
Driller: NECAISE WELL		IS 39289-0631		
Date drilling completed: 18-13-07		961-5210	L. S. Elevation:	
Date drilling completed: 1501	, ,	4-6938 (fax)	E-log #:	
	(001)33	4-0936 (Iax)	L-log +.	
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.				
Information on Well (			orehole Location	
(Landowner if borehole is not fe	or a water well)			
1 0 40 1 - 1 do	Odana)	Latitude:°'	_" Longitude:°"	
Owner Name Our Layle	- 10 - 1	Method of Lat/Long (circle or	ne): Conventional Survey,	
Mailing Address: <u>ADE 43</u>	e.Madison	USGS quad, Hand-held	GPS, Survey-grade GPS	
^		1.0	9- 141	
Day No Louis	15 YM5	¼¼ Sec(Q	Twn S Rng /4	
City	te Zip Code	Distance Direction	Negrect Town	
\ \L	•	Miles	Nearest Town of XAKONOM	
Telephone No. 2008 255-03	216			
Well / Borehole Data				
Date drilling started: 12-13-07 Date drilling completed: 12-13-07 Hole depth: 120 Hole diameter:				
Location of the source of any surface water used for drilling: HANCOCK COUNTY WATER - South				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:  Name of organization running log(s):				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe)				
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 12 feet above of below (circle one) land surface Date measured: 12-13-07				
Method of Measurement (circle one)				
Well depth: 100 Well grouted to a depth of 16 feet Type of grout (circle one): Neat Cernent Bentonite Mix				
Casing length: 10 feet Casing diameter: 2 inches Type of casing: PVC				
Screen length: 10 feet Screen diameter: 2" inches Type of screen: PVC				
Screen slot size: 1006 inches Setting depth: From 110 feet to 120 feet				

Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development

Top of lap pipe or reduction in casing: \_\_\_\_\_\_feet. If telescoped or more than one screen, describe on next page

Other (describe): \_



## The sketch below only required for water wells

If well telescopes, show depths on sketch. Ground LevelDescription of formations encountered must be wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
muD	0	70
SAND	20	60
B CLAY	60	100
(1042)	100	120
		ļ

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any paid in locating the well; 3) any roads, power lines, or other items that 4) a north arrow.	permanent structures on the property that may t may aid in locating the property and the well;
W	V *
	5
Landowner Name: Carcebayle 'Almo	Form: OI W/P SW/P 1

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

JAN 2 2 2008 BY: OLWR

## STATE WELL REPORT

## Part 2

(601)354-6938 (fax)

County: Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources Driller: NECAL P.O. Box 10631 Jackson, MS 39289-0631 Date completed: \_Z (601)961-5210

Copy information from block on Part 1

Drawdown [(B) - (A)]: \_\_\_\_\_Feet Below Land Surface

Test Pumping Rate: Gallons Per Minute

Duration of Pump Test (minimum 4 hours): \_\_\_\_\_hours

For Office Use Only:		
Aquifer:		
Well #: <b>K-646</b> Elevation:		

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Latitude: \_ Longitude:\_ Mailing Address: Method of Lat/Long (check one): Conventional Survey\_\_\_\_, USGS quad\_\_\_\_\_, Hand-held GPS\_\_\_\_, Survey-grade GPS\_ 1/4 Sec Distance Direction Pump Type Power Type Circle one Circle one Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): Other (specify): \_ Horse Power Rating of Motor: Date Pump Installed: Setting Depth: Rated Pump Capacity: Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: \_\_\_ Air Line Electric Measuring Line Steel Tape Static Water Level (A): \_\_\_\_\_Feet Below Land Surface Other (specify): \_\_\_ Pumping Water Level (B): \_\_\_\_\_Feet Below Land Surface

LHEREBY CERTIFY that the above statements are true to the	best of my knowledge.
KUBERT NECKYE 0-660	Colut
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer

For flowing well, measured shut in head:

Well yielded \_\_\_\_\_GPM with a drawdown of

\_\_\_\_feet after \_\_\_\_\_hours of pumping

Form: OLWR-SWR-1B