State Well Report					
County: HANCOCK	Part 1 – Driller's Log		For Office Use Only:		
	Mississippi Department of Environmental Quality		Aquifer:		
Permit #:	Office of Land and Water Resources		Well #: K-651		
Driller: NECAISE WELL	•	30x 10631			
Date drilling completed: 12-18-07	1	IS 39289-0631 961-5210	L. S. Elevation:		
Date drilling completed:	, ,		E-log #:		
(601)354-6938 (fax) E-log #:					
State Law requires that this report be prepared by the license holder responsible for the work and filed with the					
Department at the above address Information on Well 6			or borehole. rehole Location		
(Landowner if borehole is not f		Well of Do	renoie Location		
Owner Name Coloon Ol		Latitude:'	" Longitude:"		
	1	Method of Lat/Long (circle or	ne): Conventional Survey,		
Mailing Address @ 158 Gruton	montesing	L'SCS and Hand held	GPS, Survey-grade GPS		
			$\Delta^{-}$ )		
BALLY LOUID MS - 4 Sec G Twn 45 Rng/			Twn		
City State Zip Code Distance Direction Negrest, Town			Nearest Town		
City State Zip Code Distance Direction Nearest Town  Telephone No. 678, 614-4895  Telephone No. 678, 614-4895					
Telephone No. (018) (177892					
	Well / Bore	hole Data			
Date drilling started: 12-18-07 Date drilling completed: 12-18-07 Hole depth: 110 Hole diameter:					
Location of the source of any surface water used for drilling: HANCOCK COUNTY WATER - Sower Method of dosing and volume of Chlorine used in drilling and development:					
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):					
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump					
Seismic SurveyOther (describe)					
Purpose of Well (check one): Home / Industrial Public Supply Irrigation Fish Culture Other:					
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level: 12 feet above of below (circle one) land surface Date measured: 19-18-07					
Method of Measurement (circle one) steel tape electric tape air line other:					
Well depth: 10 Well grouted to a depth of 16 feet Type of grout (circle one): Neat Cement Bentonite (Mix)					
Casing length: 100 feet Casing diameter: Z' inches Type of casing: PVC					
Screen length: IT feet Screen diameter: Z' inches Type of screen: PVC					

Setting depth: From\_

Other (describe): \_

Type of completion (circle all applicable): Gravel packed Underreamed Telescoped

Screen slot size: 1006

Top of lap pipe or reduction in casing:

Form: OLWR-SWR-1A

feet

Natural Development

Open hole

feet. If telescoped or more than one screen, describe on next page

JAN 2 2 2008 BY: OLWR

The sketch below only required for water wel	The sketch	below	only	required	for	water	well
--	------------	-------	------	----------	-----	-------	------

If well telescopes, show depths on sketch. Ground Level-

## Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered		To (depth)
	Ground Level	
MUD SAND	10	20
SAND	20	40
B-CAY	40	90
SAND	90	110
		<u> </u>
<u> </u>		
	<u> </u>	
	<u> </u>	
		<u> </u>

If more than one screen, show location of each on sketch

4) a north arrow.	Λ	*
	W	E
		5
andowner Name: Colom Old	mus	

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

RECEIVED
JAN 2 2 2008

BY: OLWR

## STATE WELL REPORT

Permit #:

Part 2 Pump Installer's Completion Report

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631

For Office Use Only:
Aquifer:
Well #: KUSI Elevation:

Driller: NEC Date completed: (601)961-5210 (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Momes Latitude:\_\_\_ \_\_\_\_\_Longitude:\_\_\_\_ Method of Lat/Long (check one): Conventional Survey\_\_\_\_, USGS quad\_\_\_\_, Hand-held GPS\_\_\_\_, Survey-grade GPS\_\_\_\_ Distance Direction Telephone No. (678 614-4892 Pump Type Power Type Circle one Circle one Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): \_\_\_ Other (specify): \_ Horse Power Rating of Motor: Date Pump Installed: \_\_\_\_ Setting Depth: feet Rated Pump Capacity: \_\_\_\_ Gallons Per Minute Number of Stages: \_ Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: \_\_\_\_ Air Line Electric Measuring Line Steel Tape Static Water Level (A): \_\_\_\_\_Feet Below Land Surface Other (specify): \_ Pumping Water Level (B): \_\_\_\_\_Feet Below Land Surface Drawdown [(B) - (A)]: \_\_\_\_\_\_Feet Below Land Surface For flowing well, measured shut in head: \_\_\_\_ Test Pumping Rate: Gallons Per Minute Well yielded \_\_\_\_\_ GPM with a drawdown of Duration of Pump Test (minimum 4 hours): \_\_\_\_\_ hours \_\_\_\_\_feet after \_\_\_\_\_hours of pumping

LHEREBY CERTIFY that the above statements are true to the best of	my knowledge.	RECEIVED
KOBERT NECAKE 0-660	Colut	TAN 2 2 2000
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	JAN 2 2 2008
		Form OLWP-SWP-1B

BA. OTMB