	State W	ell Report			
County: HANCOCK	Part 1 - Driller's Log		For Office Use Only:		
	Mississippi Department of Environmental Quality Aquifer:				
Permit #:	Office of Land a	nd Water Resources	Well #: K-691		
Driller: NECHTIGE WELL		Box 10631	Well #: 11 Got		
	1	IS 39289-0631	L. S. Elevation:		
Date drilling completed: 2-18-08	, , ,	961-5210			
	[601)35	4-6938 (fax)	E-log #:		
State Law requires that this report Department at the above address					
Information on Well (	Owner		rehole Location		
(Landowner if borehole is not fo	or a water well)				
Owner Name Duman (	Domeo	Latitude:°	" Longitude:'"		
Mailing Address: 4095 &. (	Lamar	Method of Lat-Long (circle or	e): Conventional Survey,		
	C		GPS, Survey-grade GPS		
Paris of Millo MS _ 1/2 Sec_U		_Twn_95 Rug 14			
City	te Zin Code	Distance Direction	Neafast Town		
, ,	2.0000	Miles Miles	of Nearost Toyon		
Telephone No. (228) 831-8066	<u> </u>				
	Wall / Page	hala Data			
Well / Borehole Data  Date drilling started: 2-1808 Date drilling completed: 2-1808 Hole depth: 100 Hole diameter:					
Location of the source of any surface water used for drilling: HANCOCK COUNTY (NATER) SELECTION Method of dosing and volume of Chlorine used in drilling and development:					
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:  Name of organization running log(s):					
REOD					
Purpose of borchole (check one): Water Well Geotechnical Geological Investigation Ground Source Heat Pump					
Seismic Survey Other (describe) MAR 0 3 2008					
If drilling is not related to water well construction, skip the remainder of this block					
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:					
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level: 12 feet above of below (circle one) land surface Date measured: 2-18-08					
Method of Measurement (circle one) steel tape electric tape air line other:					
Well depth: Well grouted to a depth of feet Type of grout (circle one): Neat Cement Bentonite (Mix)					
Casing length: 40 feet Casing diameter: 2 inches Type of casing: PVC					
Screen length: It feet Screen diameter: Z inches Type of screen: PVC					

Setting depth: From

Other (describe): \_\_\_\_

feet. If telescoped or more than one screen, describe on next page

Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole

Screen slot size: <u>(CCC</u> inches

Top of lap pipe or reduction in casing: \_\_\_

Form: OLWR-SWR-1A

Natural Development

## The sketch below only required for water wells

If well telescopes, show denths on sketch.

Ground Level

## Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
mud	0	30
SAND.	20	50
B. CIAY	50	80
SAND	80	100
		1
		ļ
		İ.
		1
		!
		ļ

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well locating the well; 3) any roads, power lines, or of	ation: 2) any permanent structures on the property that may ther items that may aid in locating the property and the well:
4) a north arrow.	and property and the first
	RECEIVED  MAR 0 3 2008  BY: OLWR
	\$\frac{1}{2}
Landowner Name: <u>Fulman Momoo</u>	/

Form: OLWR-SWR-1A
I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the
Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

KCBERT NECKYS - 6-460 2-18-08

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

## STATE WELL REPORT Part 2

## County: HANCOCIL Permit #: Driller: NECHISE WILL Date completed: Z-25-08

Pump Installer's Completion Report

Ississippi Department of Environmental Oua

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson. MS 39289-0631
(601)961-5210

For Office Use Only:		
Aquifer:		
Weil #: <b>K-69/</b> Elevation:		

(601)961-5210 (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Latitude: \_ Longitude:\_\_ Method of Lat Long (check one): Conventional Survey..... USGS quad\_\_\_\_\_, Hand-held GPS\_\_ Survey-grade, GPS\_\_\_ Distance Direction Nearest Town Telephone No. (228) 83/-8046 Pump Type Power Type Circle one Circle one Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): Other (specify): \_ Horse Power Rating of Motor: Date Pump Installed: Setting Depth: Rated Pump Capacity: \_ Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: Air Line Steel Tape Electric Measuring Line Static Water Level (A): \_\_\_\_\_Feet Below Land Surface Other (specify): \_ Pumping Water Level (B): \_\_\_\_\_Feet Below Land Surface Drawdown [(B) - (A)]: \_\_\_\_\_Feet Below Land Surface For flowing well, measured shut in head: Test Pumping Rate: Gallons Per Minute Well yielded \_\_\_\_\_ GPM with a drawdown of Duration of Pump Test (minimum 4 hours): \_\_\_\_\_hours \_\_\_\_feet after \_\_\_\_\_hours of pumping

I HERERY CERTIFY that the above statements	cara trua to the bart of	met lendred adam		
LHEREBY CERTIFY that the above statements are true to the best of my knowledge.				
The Color of the same is the same in the s		/   [-	λ	
KUTENT NECAKE A-	dalah			
The Total Moon of	COCC	La trol		
Print Name of Pump Installer and License No. (	(Carrellantite)		7 h	
Truit traine of Fump histalier and License No. (	(ii applicable)	Signature	of Pump Installer	

Form: OLWR-SWR-1B