Hastoney	1	ell Report Priller's Log	For Office Use O
County: HANCOCK		of Environmental Quality	Aquifer:
Permit #:	Office of Land ar	nd Water Resources	Well #: 1 - 6
Driller: NECHTIGE WELL		lox 10631	
Date drilling completed: 2-20-08	• • • • • • • • • • • • • • • • • • •	IS 39289-0631 961-5210	L. S. Elevation:
Date driving completed.		4-6938 (fax)	E-log #:
State Law requires that this repo Department at the above addres			
Information on Well	Owner		rehole Location
(Landowner if borehole is not	for a water well	Latitude: <u>30 • 17 • 45</u>	" Langibuda: 89 . 26
Owner Name	winimot	•	-
Mailing Address: 6274 11) 00	+ Bonton	Method of Lat/Long (circle or	e): Conventional Survey
waiting Address: CO/	m tande	USGS quad. Hand-held	GPS, Survey-grade GPS
O- OIV	(hac	NW 14 NW sec 6	À."
DUNCH MO	ua 4115	1N VN /4 / 1N 74 Sec VO	i wii s Ring_
City S	tate Zip Code	Distance DirectionMiles	Nearest Town
Telephone No. 239, 549-7	718	Miles	01
	Well / Borel	hala Data	
2.20.00		ī	-M.
Date drilling started: <u>2)-20-08</u> Date of	drilling completed.	Hole depth: 100	Hole diameter:
Location of the source of any surface wa Method of dosing and volume of Chlori	nter used for drilling:	opment:	५ (अगस्य) ५
Logs run (circle all applicable): No log r Name of organization running log(s):	un Electric Gamma Ray	Density Sonic Neutron	Other:
Purpose of borehole (check one): Water	Well Geotechnical Geolo	ogical Investigation Ground	Source Heat Pump
Seismid	: Survey Other (describe)		MAn
Seismic If drilling is not relate	SurveyOther (describe) ed to water well construction		MAR DI
Seismic If drilling is not relate Purpose of Well (check one): Home	Survey_Other (describe) ed to water well construction Industrial_Public Supply		Other:
Method of dosing and volume of Chlori Logs run (circle all applicable): No log r Name of organization running log(s): Purpose of borchole (check one): Water Seismic If drilling is not relate Purpose of Well (check one): Home		-	Other:
If a flowing well, method of flow regulat	ion: Valve Ot	ther (describe)	
If a flowing well, method of flow regulat	ion: Valve Ot	-	
If a flowing well, method of flow regulat Static Water Level: 12 feet	ion: ValveOt	ther (describe)and surface Date measured:_	
If a flowing well, method of flow regulat Static Water Level: 12 feet (Method of Measurement (circle one)	above of below (circle one) lasteel tape electric tape	and surface Date measured:air line other:	<u> </u>
If a flowing well, method of flow regulat Static Water Level: 12 feet a Method of Measurement (circle one) Well depth: 100 Well grouted to a control of the following state of the flow of	steel tape electric tape	and surface Date measured:air line other: of grout (circle one): Neat Cem	2-00-08 ent Bentonite (Mix)
If a flowing well, method of flow regulat Static Water Level: 12 feet of Method of Measurement (circle one) Well dcpth: 10 Well grouted to a Casing length: 10 feet Cas	ion: ValveOt above of below; (circle one) la steel tape electric tape depth of 16 feet Type sing diameter:	ther (describe) and surface Date measured: air line other: of grout (circle one): Neat Cem _inches Type of casing:	2-00-08 ent Bentonite (Mix)
If a flowing well, method of flow regulat Static Water Level: 12 feet of Method of Measurement (circle one) (Well depth: 10 Well grouted to a Casing length: 10 feet Cas Screen length: 15 feet Screen	steel tape electric tape electric tape electric tape ling diameter:	air line other: of grout (circle one): Neat Ceminches Type of casing:inches Type of screen:	2-00-08 ent Bentonite (Mix)
Static Water Level: 1Z feet : Method of Measurement (circle one) Well depth: 100 Well grouted to a company feet Casing length: 110 feet Screen length: 150 feet Screen slot size: 100 inches	steel tape electric tape electric tape electric tape sing diameter:	air line other: of grout (circle one): Neat Ceminches Type of casing:inches Type of screen:feet to	2-00-08 ent Bentonite (Mix)
If a flowing well, method of flow regulat Static Water Level: 12 feet of Method of Measurement (circle one) (Well depth: 100 Well grouted to a Casing length: 100 feet Casing length: 100 feet Screen length: 100 feet Screen	steel tape electric tape electric tape electric tape sing diameter:	air line other: of grout (circle one): Neat Ceminches Type of casing:inches Type of screen:feet to	ent Bentonite (Mix) PVC PVC

Form: OLWR-SWR-1A

The	sketch	helow	only	require	d for	water	wells

If well telescopes, show denths on sketch. Ground Level.

<u>Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations</u>

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
MUD	0	20
SAND.	20	WO
B CIAY	40	90
SAND	90	120
· :		1
		ļ
	ļ	ļ!
		<u> </u>
		-
	<u> </u>	
	 	ļi
		
	<u> </u>	<u> </u>
		į
	 	<u> </u>
		
	 	
	<u> </u>	ļ
	<u> </u>	
	į.	[[

If more than one screen, show location of each on sketch

-	Sketch the property layout and include the following: 1) the well location: 2) any permanent structures on the property that may aid in locating the well: 3) any roads, power lines, or other items that may aid in locating the property and the well: 4) a north arrow.
the state of the same of	f
the state of the s	BY: OLWA
And the same of th	Landowner Name: Blue Oak Construction

Form: OLWR-SWR-1A
I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the
Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No. Date Signature of Licensee