	State W	ell Report			
County: HANCOCK	Part 1 – Driller's Log		For Office Use Only:		
County: Trivec	Mississippi Department of Environmental Quality		Aquifer:		
Permit #:		nd Water Resources	Well #: K-703		
Driller: NECOTIGE WELL	1	30x 10631	Well#:		
	Jackson, N	IS 39289-0631	L. S. Elevation:		
Date drilling completed: 3.2.08	(601)	961-5210			
	(601)35	4-6938 (fax)	E-log #:		
State Law requires that this repo	State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.				
Information on Well		Well or Bo	rehole Location		
(Landowner if borehole is not f					
Owner Name 6 Luc Oak ('enstruction	Latitude:	" Longitude:,""		
Mailing Address: WOO SON	Method of Lat-Long (circle one): Conventional Survey,				
Walling Addless. W. C. C.			GPS, Survey-grade GPS		
Day DI V	· (bac	14 14 Sec Le	Twn Q5 Rng H		
	ua UMS	1			
City Sta		Distance Direction Miles	Nearest Town		
Telephone No. (239) 549-7718	3		01		
		hala Data			
Well / Borehole Data Date drilling started 3 2 08 Date drilling completed 3 2 08 Hole depth: 110 Hole diameter:					
Location of the source of any surface water used for drilling: Hancock county white Sewick Method of dosing and volume of Chlorine used in drilling and development:					
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:					
Purpose of borehole (check one): Water Well Geotechnical Geological Investigation Ground Source Heat Pump					
Seismic Survey Other (describe)					
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other: MAR 0 5 2008					
If a flowing well, method of flow regulation: Valve Other (describe) Other (describe)					
Static Water Level: 12 feet above of below (circle one) land surface Date measured: 3-3-88 OLWB					
Method of Measurement (circle one) steel tape electric tape air line other:					
Well depth: Well grouted to a depth of feet Type of grout (circle one): Neat Cement Bentonite Mix					
Casing length: 100 feet Casing diameter:inches Type of casing:					
Screen length: 10 feet Screen diameter: 2 inches Type of screen: PVC					
Screen slot size: 100 inches Setting depth: From 100 feet to 110 feet					

Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development

Top of lap pipe or reduction in casing: ______feet. If telescoped or more than one screen, describe on next page

Other (describe):

Form: OLWR-SWR-1A

The	skeich	below	only	required	l for	water	wells
		V	W 7 ** *			1111	

If well telescopes, show depths on sketch.
Ground Level.

<u>Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations</u>

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
Mun	0	20
SAND.	20	MD
B. CIAV	100	90
SAND	190	110
	l	
		11.
:		

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location: 2) any permanent structures on aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the 4) a north arrow.	the property that may property and the well;
	RECEIVED
	RECEIVED MAR 0 5 2008 BY: OLWR
★	
Landowner Name: Blee Oak Construction	TO THE COURSE OF

Form: OLWR-SWR-1A I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

KOBERT NECKYS - C-460 3-2-08

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

STATE WELL REPORT

Part 2 Pump Installer's Completion Report

Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 10631

For Office Use Only:		
Aquifer:		
Well =: K-703		
Elevation:		

Date completed: 4508	1	MS 39289-0631 Weil #:		
Copy information from block on Part	(601)2)961-5210 54-6938 (fax) Elevation:		
	·	<u> </u>		
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.				
Well Owner In	nformation .	Well Location		
Owner Name: Holl Col	5 Construction	Latitude:Longitude:		
Mailing Address: (1)	Scotl S.	Method of Lat Long (check one): Conventional Survey,		
Telephone No. 289, 549-778		USGS quad, Hand-held GPS, Survey-grade GPS		
Pump Type Power Type				
Circle	one	Circle one		
Air Lift Jet	Submersible	Diesel Engine Gasoline Engine Natural Gas		
Bucket Piston	Turbine	Electric Motor Hand Tractor PTO		
Centrifugal Rotary	Flowing Well	Windmill Other (specify):		
Other (specify):		Horse Power Rating of Motor:		
Date Pump Installed: 4-3-08		Setting Depth: 40 feet		
Rated Pump Capacity: Gallons Per Minute		Number of Stages:		
Pump Tes	VALUE VA			
		Method of Measuring Water Level Circle one		
Date Well Tested:Feet Below Land Surface		Air Line Electric Measuring Line Steel Tape Other (specify):		
Pumping Water Level (B):Feet Below Land Surface				
Drawdown [(B) - (A)]:Feet Below Land Surface		For flowing well, measured shut in head:feet		
Test Pumping Rate:Gallons Per Minute		Well yieldedGPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):hours		feet afterhours of pumping		
HEREBY CERTIFY that the above statements are true to the best of my knowledge. REPORT ACCEPTANCE O (G/C) Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer				

Signature of Pump Installer Form: OLWR-SWR-1B

RECEIVED

APR 18 2008

BY: OLWR