County: HANCOCK
Pennit #:
Driller: NCCALISE WELL
Date drilling completed: 3-12-08

State Well Report

Part 1 - Driller's Log

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601)961-5210

(601)354-6938 (fax)

For Office Use Only:		
Aquifer:	712	
E-log =:		

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department, at the above address within 30 days of completion of drilling of the well or horehole.

Department at the above address within 30 days of comp	letion of arilling of the well or borehole.			
Information on Well Owner	Well or Borehole Location			
(Landowner if borehole is not for a water well), Owner Name DOLLIG A: PARTICLES	Latitude:°" Longitude:°"			
Mailing Address: 4302 W. Dento	Method of Lat/Long (circle one): Conventional Survey,			
, G , p , t ,	USGS quad. Hand-held GPS, Survey-grade GPS			
Paul St. days, CMS	$\frac{1}{2}$ 4 Sec $\frac{\sqrt{2}}{2}$ Twn $\frac{\sqrt{2}}{2}$ Rng $\frac{\sqrt{4}}{2}$			
City State Zip Code	Distance Direction Nearest Town Miles of Wallow U			
Telephone No. 504, 359-27/3				
Well / Bore				
Date drilling started: 3/10-08 Date drilling completed: 3-10-0	8 Hole depth: 10 Hole diameter:			
Location of the source of any surface water used for drilling:	ANCOCK COUNTY CONTERS SOUR			
Logs run (circle all applicable): No log run Electric Gamma Ray Name of organization running log(s):	Density Sonic Neutron Other:			
Purpose of borchole (check one): Water Well Geotechnical Geole	ogical Investigation Ground Source Heat Pump			
Seismic Survey Other (describe)			
If drilling is not related to water well construction				
Purpose of Well (check one): Home V Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 12 feet above of below (circle one) land surface Date measured: 3-12-08				
Method of Measurement (circle one) steel tape electric tape	air line other:			
Well depth: 110 Well grouted to a depth of 1c feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: DD feet Casing diameter: Z inches Type of casing: PVC				
Screen length: 10 feet Screen diameter: 2 inches Type of screen: PVC				
Screen slot size:inches	100 feet to 110 feet			
Type of completion (circle all applicable): Gravel packed Under	reamed Telescoped Open hole Natural Development			
Other (describe):				
Top of lap pipe or reduction in casing:feet. If tel	escoped or more than one screen, describe on next page			

Form: OLWR-SWR-1A

MAR 2 0 2008 BY: OLWR

K-712

The	sketch	below	only r	equirea	for	water	wells

If well telescopes, show depths on sketch.
Ground Level

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
MUD_	0	20
SANU.	a 0	100
BLIAN	6 00	90
SAND	90	110
	<u> </u>	
	<u> </u>	
		<u> </u>
		i

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location: 2): aid in locating the well: 3) any roads, power lines, or other items 4) a north arrow.	any permanent structures on the property that may s that may aid in locating the property and the well;
	*
Landowner Name: Moulle A. Moortino	

Form: OLWR-SWR-1A
I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the
Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

RECEIVED

MAR 2 0 2008

BY: OLWR

STATE WELL REPORT

Date completed: 3

Copy information from block on Part 1

Other (specify):

Date Pump Installed:

Rated Pump Capacity:

Part 2 Pump Installer's Completion Report

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210

(601)354-6938 (fax)

For Office Use Only:		
Aquifer:		
Well #: X - 712 Elevation:		

Horse Power Rating of Motor:

Setting Depth:

Number of Stages:

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the

report must be attached and both parts filed with the Department at the above address within 30 days of well completion.					upletion.	
Well Owner Information			Well Location			
Owner Name: 4				Latitude:Longitude:		
Mailing Address: 4202 (U). Duotto			Method of Lat-Long (check one): Conventional Survey,			
			USGS quad . I	Hand-held GPS Surv	ev-grade GPS	
$\overline{\Omega}$	L2	July 1ms			14	
٢	my CT	Admin H	¼!	Sec_U_T_	R	
C	City () Sta	te Zip Code	D'arrange D	r		
		770		irection Nearest T	own	
Telephone No. 504, 259-2713			Viles (1) of Old	KIOMORU I	
receptione to.				······································		
	Pump Type			Power Type		
	Circle one			Circle one		
Air Lift	Jet	Submersible	Diesel Engine	Gasoline Engine	Natural Gas	
Bucket	Piston	Turbine	Electric Motor	Hand	Tractor PTO	
Centrifugal	Rotary	Flowing Well	Windmill	Other (specify):		

	<u> </u>		
Pump Test Data	Method of Measuring Water Level		
Date Well Tested:	Circle one		
Static Water Level (A):Feet Below Land Surface	Air Line Electric Measuring Linc Steel Tape Other (specify):		
Pumping Water Level (B):Feet Below Land Surface			
Drawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet		
Test Pumping Rate:Gallons Per Minute	Well yieldedGPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping		

_Gallons Per Minute

LHEREBY CERTIFY that the above statements are true to the	best of my knowledge.
KUPERT NECALY 0660	Ke het A
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer

Form: OLWR-SWR-1B

RECEIVED MAR 2 0 2008

BY: OLWR