MI STIVE TECHE	State W	en Report	For Office Use Only:
County: HANCOCK		riller's Log	To other car only.
	Mississippi Departmen	t of Environmental Quality	Aquifer:
Pennit #:		nd Water Resources	Well #: K-715
Driller: NCCOTTSE WELL		Sox 10631	ı ı
Date drilling completed: 3-13-08		IS 39289-0631 961-5210	L. S. Elevation:
Date drilling completed:	` ′	4-6938 (fax)	E-log #:
	(001)52-	(10)30 (10.11)	
State Law requires that this repor	t be prepared by the lice	ense holder responsible for t	he work and filed with the
Department at the above address	within 30 days of comp	letion of drilling of the well	or borehole.
Information on Well (		Well or Bo	rehole Location
(Landowner if borehole is not for	Proportio	Latitude: 30 • 17 • 40	" Longitude: <u>89 ° 26 ° 20 "</u>
	Method of Lat-Long (circle one): Conventional Survey,		ne): Conventional Survey,
Mailing Address: <u>(DAOU (1)</u>	· LEDUCIO	· ·	GPS, Survey-grade GPS
must of	aug MS	NW 15 NW Sec 6	
City	Zin Code	Distance Direction	Nearest Town of XO K I O O C L
Telephone No. 504, 259-2	113	Miles 4	of XOKIOHOCL
7. ~	Well / Bore		, ii
Date drilling started 4-13-08 Date dr	• •		
Location of the source of any surface water used for drilling: HANCOCK COUNTY CONTROL SOURCE			
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:  Name of organization running log(s):			
Purpose of borehole (check one): Water Well Geotechnical Geological Investigation Ground Source Heat Pump			
Seismic	SurveyOther (describe	1	a de la companya de l
If drilling is not related	to water well construction	n, skip the remainder of this bl	ock
Purpose of Well (check one): Home			
If a flowing well, method of flow regulation			
Static Water Level: 1Z feet al	bove of below (circle one)	and surface Date measured:	3-13-08
Method of Measurement (circle one)   Steel tape   electric tape   air line   other:			
Well depth: 10 Well grouted to a do	epth of <u>IC</u> feet Type	of grout (circle one): Neat Cen	nent Bentonite (Mix)
Casing length: 100 feet Casing diameter:			
Screen length: 10 feet Screen diameter: 2 inches Type of screen: PVC			
Screen slot size: 100 inches Setting depth: From 100 feet to 110 feet			
Type of completion (circle all applicable):	Gravel packed Under	reamed Telescoped Open	hole Natural Development
	Other (describe):		
Top of lap pipe or reduction in casing:	feet. <i>If te</i>	lescoped or more than one scre	en, describe on next page
			Form: OLWR-SWR-1A

**RECEIVED** 

MAR 2 0 2008

BY: OLWR

L-715

## The sketch below only required for water wells

ľ	well	teles	copes.	show	denths	on	sketch	
	Gr	ound	Level.		_			

## Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
muD_	6	20
SAND,	An	40
6 C144	40	90
SHND	90	110
	<u> </u>	
		L

If more than one screen, show location of each on sketch

S	ketch the property layout and include the following: 1) the well location: 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.
er english a cash and company	
L	andowner Name: Double A. Proportico

Form: OLWR-SWR-1A

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

Signature of Licensee

**RECEIVED** 

MAR 2 0 2008

BY: OLWR