State Well Report	
County: Hancock Part 1 - Driller's Log	For Office Use Only:
Mississippi Department of Environmental Quality	Aquifer:
Permit #: Driller: Garny Lente  Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631  Jackson, MS 39289-0631	
P.O. Box 10631	Well #: K-762
Jackson, MS 39289-0631	L. S. Elevation:
Date drilling completed: 3-19-08 (601)961-5210	2. J. Biovation.
(601)354-6938 (fax)	E-log #:
State Law requires that this report be prepared by the license holder responsible for a Department at the above address within 30 days of completion of drilling of the well	he work and filed with the
Information on Well Owner Well or Bo	rehole Location
(Landowner if borehole is not for a water well)	4 ADD 9/ 5/50
Owner Name Osceola Southern Head Latitude: 300 16 18	Longitude <u>089 26 550</u> e): Conventional Survey,
Method of Lat/Long (circle or	e): Conventional Survey
Malling Address: 10 111 N Back 336	
USGS quad. Hand-held	GPS, Survey-grade GPS
Bay St, Louis MS 39520 City State Zip Code Distance Direction	Twn 95 Rng 14
City State Zip Code Distance Direction	Nearest Town
City State Zip Code Distance Direction  Miles W	of Wavedand
Well / Borchole Data	
Date drilling started: 3-19-08 ate drilling completed: 3-19-08 Hole depth: 170	Hole diameter: 5.5
Location of the source of any surface water used for drilling:  Method of dosing and volume of Chlorine used in drilling and development:	ity water
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Name of organization running log(s):	Other:
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground	Source Heat Pump
	Some Hear Linip
Seismic Survey Other (describe)	
If drilling is not related to water well construction, skip the remainder of this blo	ck
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture _	Other:
If a flowing well, method of flow regulation: ValveOther (describe)	
Static Water Level:feet above or below (circle one) land surface	3-19-08
Well depth: 163 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Ceme	1
Casing length: 143 feet Casing diameter: 2 inches Type of casing:	
Screen length: 20 feet Screen diameter: 2 inches Type of screen:	PVC
Screen slot size: 6 inches Setting depth: From 143 feet to 16	3 feet

Type of completion (circle all applicable): Gravel packed Underreamed Telescoped

Top of lap pipe or reduction in casing:

Other (describe):

Form: OLWR-SWR-1A

Open hole Natural Development

feet. If telescoped or more than one screen, describe on next page

**RECEIVED** 

MAR 3 1 2008

BY: OLWR

K-762

Sand Clay Wood 7  Sand Fine 30	depth)
Glay Ground Level  Sand Clay Wood  Sand Fine 30 6	2
Sand Clay Wood 7 3	30
Sand Fine 30 6	
and fine 30 6	
C/411	
	5
Sand Fire Clay 95 1	50
Sand Fine 130 1	60
	70

If more than one screen, show location of each on sketch

The sketch below only required for water wells

Sketch the property layout and include the following: 1) the well location; 2) any permanent struaid in locating the well; 3) any roads, power lines, or other items that may aid in locating the well; 3) any roads, power lines, or other items that may aid in location; 2) any permanent struck aid in location; 3) any roads, power lines, or other items that may aid in location; 4) a north arrow.	octures on the property that may ocating the property and the well;
6023/25 TV Issaguena St	
	Hancock
Landowner Name: Oscalola Boorthern Homes	
	Farmi OLIMP OME

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

**RECEIVED** 

MAR 3 1 2008

BY: OLWR

## STATE WELL REPORT

## County: Hancoc K Part 2 For Office Use Only: **Pump Installer's Completion Report** Permit #: Mississippi Department of Environmental Quality Aquifer: Driller: Garry Centz Office of Land and Water Resources P.O. Box 10631 Date completed: 3-19-08 Jackson, MS 39289-0631 (601)961-5210 Copy information from block on Part 1 (601)354-6938 (fax) This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Location Owner Name: Osceola Southern Homes Latitude: 30 16 284 Longitude: 089 26 550 Mailing Address: 10411 Road 55C Method of Lat/Long (check one): Conventional Survey\_\_\_\_ USGS quad , Hand-held GPS . Survey-grade GPS Bay St. Lovis MS 39520 City State Zip Code Distance Direction Nearest Town Telephone No. (616) 690 -4457 **Pump Type** Power Type Circle one Circle one Air Lift Jet ) Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Electric Motor Hand **Tractor PTO** Centrifugal Rotary Flowing Well Windmill Other (specify): Other (specify): \_\_\_ Horse Power Rating of Motor: Date Pump Installed: 2-25-08 Setting Depth: Rated Pump Capacity: 12 Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Level Date Well Tested: 3-25-08 Circle one Air Line Static Water Level (A): \_\_\_\_\_\_ Feet Below Land Surface Electric Measuring Line Steel Tape Pumping Water Level (B): 25 Feet Below Land Surface Other (specify): Drawdown [(B) - (A)]: \_\_\_\_\_Feet Below Land Surface For flowing well, measured shut in head: \_\_\_\_\_feet Well yielded \_\_\_\_\_GPM with a drawdown of Duration of Pump Test (minimum 4 hours): \_\_\_\_\_hours feet after \_\_hours of pumping I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Signature of Pump Installer

Form: OLWR RECEIVED

MAR 3 1 2008

BY: OLWR