State W	All Donort			
1 1	State Well Report Part 1 – Driller's Log			
Mississinni Denartmen	it of Environmental Quality	Aguifer:		
	Office of Land and Water Resources P.O. Poy. 10621 Well #: K- 764			
Dringe: (14 -16) /C U-C U-	P.O. Box 10631 Well #: 1-169			
Jackson, N	1S 39289-0631	L. S. Elevation:		
	(601)961-5210 (601)354-6938 (fax)			
(601)354-6938 (fax) E-log =:				
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.				
Information on Well Owner	Owner Well or Borehole Location			
(Landowner if borehole is not for a water well)	Lorinda:	"Tanainda. 9 '		
Owner Name Stram Quellemont Latitude: "Longitude: "				
Mailing Address: 1006 W. Chickmill	Method of Lat Long (circle one): Conventional Survey,			
The state of the s	USGS quad. Hand-held	GPS, Survey-grade GPS		
Bu 181 Paris 1000	14 Sec	Two Or Rng Ha		
Day St Javie M/S				
City State Zip Code	Distance Direction	of Hakishou		
Telcphone No. (35) 549- 77/8	ivines	or carry or osc		
Well / Bore	hole Data			
Date drilling started: 3-14-08 Date drilling completed: 3-14-08 Hole depth: 10 Hole diameter:				
Location of the source of any surface water used for drilling: HANCOCK COUNTY (MITTIE - SOWER				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:				
Purpose of borehole (check one): Water Well Geotechnical Geological Investigation Ground Source Heat Pump				
Seismic SurveyOther (describe)				
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 12feet above of below (circle one) land surface Date measured: 3 14-08				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: Well grouted to a depth of 1c feet Type of grout (circle one): Neat Cement Bentonite (Mix)				
Casing length: 100 feet Casing diameter: 2 inches Type of casing: PVC				
Screen length: II foot Screen diameter: Z' inches Type of correct PVC				

100

feet. If telescoped or more than one screen, describe on next page

Setting depth: From

Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole

Other (describe):

__inches

Screen slot size: 100

Top of lap pipe or reduction in casing:

Form: OLWR-SWR-1A

Natural Development

RECEIVED

APR 0 3 2008

BY: OLWR

APR 0 3 2008

BY: OLWR

From (depth) To (depth)
Ground Level

<u>Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations</u>

Description of Formations Encountered

aum

	B.CIAY SANO	90	110
If more than one screen, show location of each on sketch			
Sketch the property layout and include the following: 1) the we aid in locating the well: 3) any roads, power lines 4) a north arrow.	s, or other items that may aid in locating the pro	property that may operty and the well	
•			
	X		
Landowner Name: July Stream Qu	wlopmed		Mar nay Mangapagana
certify that the well/borehole was drilled, constructed, and o	completed in accordance with all applicable	Form: OLWR requirements of t	he
SCRUZT NECKYC - C-460 3-		ii appiicable, and	o state
Data Viene EB	Date Signature of Licens	ee	
		REC	FIVE

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground Level

STATE WELL REPORT

Pennit #: Driller: NECHE

Print Name of Pump Installer and License No. (if applicable)

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 10631

For Office Use Only: Aquifer: K-11-U

Date completed: 3-18-08		MS 39289-0631 Weil =: 4 / 4 / 4 / 4 / 4 / 4 / 4 / 4 / 4 / 4	
Copy information from block on Part 1	· ·	4-6938 (fax) Elevation:	
This part of the report must be completed	by a licensed water well :	contractor or a licensed pump installer. A copy of Part 1 of the	
report must be attached and both parts file	report must be attached and both parts filed with the Department at the above address within 30 days of well completion.		
Well Owner Informat	<i>[</i>]	Well Location	
Owner Name: On U.S. Striam!	moone	Catitude:Longitude:	
Mailing Address: 4006 W. Chicknow		Method of Lat Long (check one): Conventional Survey	
Bay St. Jane MS City State Zip Code		USGS quad Hand-held GPS Survey-grade GPS	
Telephone No. <u>239</u> , <u>549 - 77</u>	18	Distance Direction Nearest Town Miles 4 of Houthout	
Pump Type Circle one	**************************************	Power Type Circle one	
Air Lift Jet	Submersible	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston	Turbine	Electric Motor Hand Tractor PTO	
Centrifugal Rotary	Flowing Well	Windmill Other (specify):	
Other (specify):		Horse Power Rating of Motor:	
Date Pump Installed: 3-18-08		Setting Depth: 40 feet	
Rated Pump Capacity:	Gallons Per Minute	Number of Stages:	
Pump Test Data		Method of Measuring Water Level	
Date Well Tested:		Circle one	
Static Water Level (A):Feet Below Land Surface		Air Line Electric Measuring Line Steel Tape	
Pumping Water Level (B):Feet Below Land Surface		Other (specify):	
Drawdown {(B) - (A)}:Feet Below Land Surface		For flowing well, measured shut in head:feet	
Test Pumping Rate:Gallons Per Minute		Well yieldedGPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):	hours	feet afterhours of pumping	
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.			

Signature of Pump Installer

APR 0 3 2008

BY: OLWR