	State Well Report	E Office Use Only
County: HAncock	Part 1 – Driller's Log	For Office Use Only:
County: <u>HANCOC</u>	Mississippi Department of Environmental Quality	Aquifer:
Permit #:	Office of Land and Water Resources	Well #: K- 884
Driller: 0-785	P.O. Box 10631	well #:
	Jackson, MS 39289-0631	L. S. Elevation:
Date drilling completed: 2-19-09	(601)961-5210	
	(601)354-6938 (fax)	E-log #:

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

Depuriment ut the ubove unuress within 50 ungs of comp					
Information on Well Owner	Well or Borehole Location				
(Landowner if borehole is not for a water well)	Latitude: 70 ° 16 '632" Longitude: 89 ° 26 '628"				
Owner Name Waterford Construction	<b>36</b> Method of Lat/Long (circle one): Conventional Survey,				
Mailing Address: <b>7011</b>					
W. MArion	USGS quad: Hand-held GPS, Survey-grade GPS				
Bay St. Low'r Ms. 39520 City State Zip Code					
·	Distance Direction Nearest Town Miles of				
Telephone No. ()					
Well / Bore	hole Data				
Date drilling started: $2-19$ Date drilling completed: $2-1$	Hole depth: <u>170</u> Hole diameter: <u>5</u>				
Location of the source of any surface water used for drilling:					
Logs run (circle all applicable): No log run blectric Gamma Ray Density Sonic Neutron Other:					
Purpose of borehole (check one): Water WellGeotechnical/Geological InvestigationGround Source Heat Pump					
Seismic Survey Other (describe) If drilling is not related to water well construction, skip the remainder of this block					
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:					
If a flowing well, method of flow regulation: Valve O	ther (describe)				
Static Water Level:feet above & below & circle one) land surface Date measured:					
Method of Measurement (circle one) steel tape electric tape air line other:					
Well depth: <u>170</u> Well grouted to a depth of <u>10</u> feet Type of grout (circle one): Neat Cement Bentonite Mix					
Casing length: <u>160</u> feet Casing diameter: <u>2</u>	_inches Type of casing:				
Screen length:					
Screen slot size:inches Setting depth: From					
Type of completion (circle all applicable): Gravel packed Under	reamed Telescoped Open hole Natural Development				
Other (describe):					
Top of lap pipe or reduction in casing:feet. If ten					
	Form: OLWR-SWR-1A				

RECEIVED MAY 1 3 2009 BY: OLWR

884


The sketch below only required for water wells

If well telescopes, show depths on sketch. Ground Level

## Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clay	Ground Level	15
Sand	15	60
Clay	6.0	110
Sand	110	130
Clay	130	155
Sand	155	170
		1

If more than one screen, show location of each on sketch



Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and s MAY 13 20

Malvin Wagnon 0-785 2-19-09 Print Name of Responsible Licensee and License No. Date

Signature of Licensee

Ma

County: <u>Hancock</u> Permit #: Driller: Date completed: <u>4-21-09</u> <u>Copy information from block on Part 1</u> This part of the report must be completed report must be attached and both parts fil	Pump Installer Mississippi Departme Office of Land P.O. Jackson, (60 (601)3 by a licensed water well	Part 2 "'s Completion Report ent of Environmental Quality and Water Resources Box 10631 MS 39289-0631 1)961-5210 54-6938 (fax) I contractor or a licensed pump of the abuve address within 20	For Office Use Only: Aquifer: Well #: K- 889 Elevation: installer. A copy of Part I of the down of well completion
Well Owner Information Owner Name: Waterford (0) Mailing Address: 7011	nstruction	We Latitude: 30° /6, 632'	Longitude: <u>19</u> <u>26, 628</u>
W Marior Bay St. Louis MS. City State	1	USGS quad, Hand-held 1/4 Sec Distance Direction	d GPS Survey-grade GPS T R
Pump Type Circle one			<b>ower Type</b> Circle one
Air Lift <u>Jet</u>	Submersible		ne Engine Natural Gas
Bucket Piston Centrifugal Rotary Other (specify): Date Pump Installed:			(specify):
Rated Pump Capacity:		Number of Stages:	
Pump Test Data         Date Well Tested:       4-21-09         Static Water Level (A):       15         Feet         Pumping Water Level (B):       70	Below Land Surface	C C	easuring Water Level Circle one asuring Line
Drawdown [(B) – (A)]:Feet Test Pumping Rate: Duration of Pump Test (minimum 4 hours)	Gallons Per Minute	For flowing well, measured s Well yieldedfeet after	hut in head:feei GPM with a drawdown of hours of pumping
I HEREBY CERTIFY that the above staten Ar Tuton TivEASH JR Print Name of Pump Installer and License 1		of my knowledge.	

4

States, S		-		-	-
R	V.	O	1	ΛI	
				V	