

4.0.100.01	State Well Report	For Office Use Only:
County: HANCOCK	Part 1 – Driller's Log Mississippi Department of Environmental Quality	Aquifer:
Permit #:	Office of Land and Water Resources	Well #: 🚯 M - 7
Driller: NECAISE WELL	P.O. Box 10631 Jackson, MS 39289-0631	L. S. Elevation:
Date drilling completed: <u>9-5-07</u>	(601)961-5210	L. S. Elevation:
	(601)354-6938 (fax)	E-log #:
	be prepared by the license holder responsible for t	
Department at the above address we Information on Well Ow	<i>vithin 30 days of completion of drilling of the well</i> wner Well or Bo	or borehole.
(Landowner if borehole is not for	I I attituda:	" Longitude:°'
Owner Name COLOT All	LUCIMONTS	•
Mailing Address: 6099 6.	Method of Lat/Long (circle or	ne): Conventional Survey,
-		GPS, Survey-grade GPS
Priva St Anii	10 MS 4 Sec 2	\leq Twn 9 Rng 15
City (State	Zip Code Distance Direction	Nearest Town
Telephone No. (328) 407-523:3		of <u>Lakiohu</u>
	•	
D-507-	Well / Borehole Data ling completed: $\frac{9-507}{100000000000000000000000000000000000$	7 "
Date drilling started: <u>Y JU</u> 'Date drill	ing completed: $\underline{9 \ JU1}$ Hole depth: $\underline{190}$	Hole diameter:
Location of the source of any surface water Method of dosing and volume of Chlorine u	used for drilling:	4 WATER - Sou
Logs run (circle all applicable): <u>No log run</u> Name of organization running log(s):	Electric Gamma Ray Density Sonic Neutron	Other:
	A	
Purpose of borehole (check one): Water Wel	Il Geotechnical/Geological Investigation Ground	Source Heat Pump
Seismic Su	urveyOther (<i>describe</i>)	•
Seismic Su If drilling is not related to	urveyOther (<i>describe</i>) o water well construction, skip the remainder of this blo	ock
Seismic Su If drilling is not related to	urveyOther (<i>describe</i>)	ock
Seismic Su If drilling is not related to Purpose of Well (check one): Home I Ind If a flowing well, method of flow regulation:	urveyOther (<i>describe</i>) owater well construction, skip the remainder of this blo dustrial Public Supply Irrigation Fish Culture : Valve Other (describe)	Other:
Seismic Su If drilling is not related to Purpose of Well (check one): Home I Ind If a flowing well, method of flow regulation:	urveyOther (<i>describe</i>) owater well construction, skip the remainder of this blo dustrial Public Supply Irrigation Fish Culture : Valve Other (describe)	Other:
Seismic Su If drilling is not related to Purpose of Well (check one): Home I ind If a flowing well, method of flow regulation: Static Water Level: 12 feet above	urveyOther (<i>describe</i>) o water well construction, skip the remainder of this block dustrialPublic SupplyIrrigationFish Culture to ValveOther (describe) ve or below)(circle one) land surfaceDate measured:	Other: Q-5-07
Seismic Su If drilling is not related to Purpose of Well (check one): Home I ind If a flowing well, method of flow regulation: Static Water Level: 12 feet above Method of Measurement (circle one) stee	urveyOther (<i>describe</i>) o water well construction, skip the remainder of this block dustrialPublic SupplyIrrigationFish Culture to ValveOther (describe) ve or below)(circle one) land surface Date measured: el tape electric tape air line other:	
Seismic Su If drilling is not related to Purpose of Well (check one): Home I ind If a flowing well, method of flow regulation: Static Water Level: 12 feet above Method of Measurement (circle one) stee Well depth: 100 Well grouted to a dept	urveyOther (<i>describe</i>) <u>o water well construction, skip the remainder of this blo</u> dustrialPublic SupplyIrrigationFish Culture to ValveOther (describe) ve o below)(circle one) land surface Date measured: el tape electric tape air line other: th offeet Type of grout (circle one): Neat Cem	ent Bentonite Mix
Seismic Su If drilling is not related to Purpose of Well (check one): Home I ind If a flowing well, method of flow regulation: Static Water Level: 12 feet above Method of Measurement (circle one) stee Well depth: 190 Well grouted to a dept Casing length: 180 feet Casing	urveyOther (<i>describe</i>) <u>o water well construction, skip the remainder of this blo</u> dustrialPublic SupplyIrrigationFish Culture to valveOther (describe) ve obelow)(circle one) land surface Date measured: el tape) electric tape air line other: th offeet Type of grout (circle one): Neat Cem diameter:inches Type of casing:	ent Bentonite Mix
Seismic Su If drilling is not related to Purpose of Well (check one): Home I Ind If a flowing well, method of flow regulation: Static Water Level: 12 feet above Method of Measurement (circle one) stee Well depth: 190 Well grouted to a dept Casing length: 180 feet Casing Screen length: 10 feet Screen	urveyOther (<i>describe</i>) <u>o water well construction, skip the remainder of this blo</u> dustrialPublic SupplyIrrigationFish Culture to ve or below(circle one) land surface Date measured: ve or below(circle one) land surface below(circle one) land surface el tapeelectric tapeair line th offeettype of grout (circle one): Neat Cem diameter:inchestype of casing: diameter:inchestype of screen:	ent Bentonite Mix
Seismic Su If drilling is not related to Purpose of Well (check one): Home I ind If a flowing well, method of flow regulation: Static Water Level: 12 feet above Method of Measurement (circle one) stee Well depth: 190 Well grouted to a dept Casing length: 180 feet Casing	urveyOther (<i>describe</i>) <u>o water well construction, skip the remainder of this blo</u> dustrialPublic SupplyIrrigationFish Culture to ve or below(circle one) land surface Date measured: ve or below(circle one) land surface below(circle one) land surface el tapeelectric tapeair line th offeettype of grout (circle one): Neat Cem diameter:inchestype of casing: diameter:inchestype of screen:	ent Bentonite Mix
Seismic Su If drilling is not related to Purpose of Well (check one): Home I Ind If a flowing well, method of flow regulation: Static Water Level: 12 feet above Method of Measurement (circle one) stee Well depth: 190 Well grouted to a dept Casing length: 180 feet Casing Screen length: 10 feet Screen	arveyOther (describe) <u>o water well construction, skip the remainder of this blo</u> dustrialPublic SupplyIrrigationFish Culture to valveOther (describe) ve or below)(circle one) land surface Date measured: below)(circle one) land surface Date measured: tape) electric tape air line other: th of $\frac{10}{10}$ feet Type of grout (circle one): Neat Cem diameter: $\frac{Z^{++}}{10}$ inches Type of casing: diameter: $\frac{Z^{++}}{10}$ inches Type of screen: Setting depth: From $\frac{180}{10}$ feet to	$\begin{array}{c} \hline \hline$
Seismic Su If drilling is not related to Purpose of Well (check one): Home I ind If a flowing well, method of flow regulation: Static Water Level: 12 feet above Method of Measurement (circle one) stee Well depth: 190 Well grouted to a dept Casing length: 180 feet Casing Screen length: 10 feet Screen Screen slot size:	urveyOther (<i>describe</i>) <u>o water well construction, skip the remainder of this blo</u> dustrialPublic SupplyIrrigationFish Culture to valveOther (describe) ve obelow)(circle one) land surface Date measured: el tape electric tape air line other: th of 10_feet Type of grout (circle one): Neat Cem diameter:inches Type of casing: diameter:inches Type of screen: Setting depth: From 180feet to Gravel packed Underreamed Telescoped Open	$\begin{array}{c} \hline \\ \hline $
Seismic Su If drilling is not related to Purpose of Well (check one): Home I ind If a flowing well, method of flow regulation: Static Water Level: 12 feet above Method of Measurement (circle one) stee Well depth: 190 Well grouted to a dept Casing length: 180 feet Casing Screen length: 10 feet Screen Screen slot size:	arveyOther (describe) a water well construction, skip the remainder of this black dustrialPublic SupplyIrrigationFish Culture two orbelow)(circle one) land surface Date measured: el tape electric tape air line other: th of 10_feet Type of grout (circle one): Neat Cem diameter: inches Type of casing: diameter: inches Type of screen: Setting depth: From feet to Gravel packed Underreamed Telescoped Open Other (describe):	$\begin{array}{c} \hline \hline$
Seismic Su If drilling is not related to Purpose of Well (check one): Home I ind If a flowing well, method of flow regulation: Static Water Level: 12 feet above Method of Measurement (circle one) stee Well depth: 90 Well grouted to a dept Casing length: 180 feet Casing Screen length: 10 feet Screen Screen slot size:	urveyOther (<i>describe</i>) <u>o water well construction, skip the remainder of this blo</u> dustrialPublic SupplyIrrigationFish Culture to valveOther (describe) ve obelow)(circle one) land surface Date measured: el tape electric tape air line other: th of 10_feet Type of grout (circle one): Neat Cem diameter:inches Type of casing: diameter:inches Type of screen: Setting depth: From 180feet to Gravel packed Underreamed Telescoped Open	$\frac{Q-5-07}{Q-5-07}$ ent Bentonite (Mix) PVC PVC O feet hole Natural Development $\frac{M}{M}$
Seismic Su If drilling is not related to Purpose of Well (check one): Home I ind If a flowing well, method of flow regulation: Static Water Level: 12 feet above Method of Measurement (circle one) stee Well depth: 190 Well grouted to a dept Casing length: 180 feet Casing Screen length: 10 feet Screen Screen slot size:	arveyOther (describe) a water well construction, skip the remainder of this black dustrialPublic SupplyIrrigationFish Culture two orbelow)(circle one) land surface Date measured: el tape electric tape air line other: th of 10_feet Type of grout (circle one): Neat Cem diameter: inches Type of casing: diameter: inches Type of screen: Setting depth: From feet to Gravel packed Underreamed Telescoped Open Other (describe):	$\begin{array}{c} \hline \hline$
Seismic Su If drilling is not related to Purpose of Well (check one): Home I ind If a flowing well, method of flow regulation: Static Water Level: 12 feet above Method of Measurement (circle one) stee Well depth: 90 Well grouted to a dept Casing length: 180 feet Casing Screen length: 10 feet Screen Screen slot size:	arveyOther (describe) a water well construction, skip the remainder of this bla dustrialPublic SupplyIrrigationFish Culture to valveOther (describe) ve or below)(circle one) land surface Date measured: below)(circle one) land surface Date measured: to the field feet Type of grout (circle one): Neat Ceme diameter:inches Type of casing: diameter:inches Type of screen: Setting depth: Fromfeet to Gravel packed Underreamed Telescoped Open Other (describe):	$\begin{array}{c} \hline \hline$

The sketch below only required for water wells



If more than one screen, show location of each on sketch



I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

Date

BY: OLWR

JAN 2 2 2008

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

From (depth)

Ground Level

To (depth)

STATE WELL REPORT			
Permit #: Primp Installer Primp Installer Mississippi Departme Office of Land Poiller:	Part 2 For Office Use Only: 's Completion Report Aquifer: nt of Environmental Quality Aquifer: Box 10631 Well #: 'YS 39289-0631 Vell #: '961-5210 Elevation:		
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.			
Well Owner Information Owner Name: <u>COACE</u> <u>HILLOMANE</u> Mailing Address: <u>COAP</u> <u>U.S.</u> <u>BALL</u> <u>State</u> <u>Zip Code</u> Telephone No. (208), <u>447-5383</u>	Well Location Well Location Latitude: Method of Lat: Long (check one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS ½ Sec T9R Distance Direction Nearest Town		
Pump Type Circle one	Power Type Circle one		
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas		
Bucket Piston Turbine	Electric Motor Hand Tractor PTO		
Centrifugal Rotary Flowing Well	Windmill Other (specify):		
Other (specify):	Horse Power Rating of Motor:		
Date Pump Installed:	Setting Depth: 40 feet		
Rated Pump Capacity:Gallons Per Minute	Number of Stages:		
Pump Test Data	Method of Measuring Water Level		
Date Well Tested:	Circle one		
Static Water Level (A):Feet Below Land Surface Pumping Water Level (B):Feet Below Land Surface	Air Line Electric Measuring Linc Steel Tape Other (specify):		
Drawdown [(B) – (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet		
Test Pumping Rate: Gallons Per Minute	Well yielded GPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping		
LHEREBY CERTIFY that the above statements are true to the best of my knowledge. KOPENT NECHCE 0-(660 Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer Form: OLWR-SWR-1B			
RECEIVED			
JAN 2 2 2008			

BY: OLWR

.

.