	State W	ell Report	
COUNTY: HANCOCK	Part 1 – Driller's Log		For Office Use Only:
i	Mississippi Department of Environmental Quality		Aquifer:
Permit #:	Office of Land a	nd Water Resources	Well #: <u>M - 79</u>
Driller: NECAISE WELL	•	30x 10631	
	1	IS 39289-0631	L. S. Elevation:
Date drilling completed: 11-6-97	, , ,	961-5210 4-6938 (fax)	E-log #:
] (001)33	4-0736 (lax)	£-10g #.
State Law requires that this report Department at the above address			
Information on Well (Owner		rehole Location
(Landowner if borehole is not f	or a water well)		
Owner Name Colom	mas	Latitude:	." Longitude:""
Method of Lat/Long (circle one): Conventional Survey,			ne): Conventional Survey,
	USGS quad, Hand-held GPS, Survey-grade GPS		
PALL OF ANIO MS 1/4 Sec 12 Twn 95 Rng 15 A			_ Twn_ 9 5 Rng 54
City State Zip Code Distance Direction Nearest Town			Nearest Town
2 Miles N of XONADOUND			of daksohore
Telephone No. (<u>338) 466-537</u>	<u>o. </u>		
	Well / Bore	hole Data	
Date drilling started: 11-10-07 Date drilling completed: 11-10-07 Hole depth: 120 Hole diameter:			
Location of the source of any surface water used for drilling: HANCOCK COUNTY WATER SOUR Method of dosing and volume of Chlorine used in drilling and development:			
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:			
Purpose of borehole (check one): Water Well Geotechnical Geological Investigation Ground Source Heat Pump			
Seismic SurveyOther (describe)			
If drilling is not related to water well construction, skip the remainder of this block			
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:			
If a flowing well, method of flow regulation: Valve Other (describe)			
Static Water Level: 12 feet above of below)(circle one) land surface Date measured: 11-6-07			
Method of Measurement (circle one) steel tape electric tape air line other:			
Well depth: Well grouted to a depth of feet Type of grout (circle one): Neat Cement Bentonite (Mix)			
Casing length: 10 feet Casing diameter: 2 inches Type of casing: PVC			
Screen length: 10 feet Screen diameter: 2" inches Type of screen: PVC			
Screen slot size: 1006 inches Setting depth: From 10 feet to 120 feet			

Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development

feet. If telescoped or more than one screen, describe on next page

Other (describe): _

Top of lap pipe or reduction in casing: _

Form: OLWR-SWR-1A RECEIVED JAN 2 2 2008

BY: OLWR

If well telescopes, show depths on sketch.
Ground Level

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
BIACKDIKT	Ground Level	10
li i i	10	(1 0
(SRAY SHAID)	210	3 0
11 11	30	BO
11 6.1	GBD.	HO
ll (1	. 4 0	60
u ()	50 ()	TO
BIUE MUD	100	80
11 1/	70	43 0
BILLEMUDESAND	90	IDO
COURSESAND	100	100
71 61	100	(D)
	@00	(30)
	i .	
**************************************		.1

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the waid in locating the well; 3) any roads, power line 4) a north arrow.	ell location; 2) any permanent stri s, or other items that may aid in lo	ocating the property and the well;
,	N	
	%	
(\mathcal{W}	E
	5	
Landowner Name: Colom Womb		
		Form: OLWR-SWR-1/

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

KOBERT NECKYS - 0-660 11-6-07

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee RECEIVED

JAN 4 2 2008

BY: OLWR

STATE WELL REPORT

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources

Pennit #:

Date completed:

Copy information from block on Part 1

P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)

For Office Use Only:	
Aquifer:	
Well #: <u>M 19</u> Elevation:	

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.

Well Owner Information

Well Location

Well Owner Information	Well Location	
Owner Name: Colom Colombo Mailing Address: 7039 L. Crom CH	Latitude:Longitude:, Method of Lat/Long (check one): Conventional Survey,	
Boy State Zip Code Telephone No. 288, 466-5272	USGS quad, Hand-hold GPS, Survey-grade GPS	

Pump Type Circle one		Power Type Circle one			
Air Lift	Jet	Submersible	Diesel Engine	Gasoline Engine	Natural Gas
Bucket	Piston	Turbine	Electric Motor	Hand	Tractor PTO
Centrifugal	Rotary	Flowing Well	Windmill	Other (specify):	· · · · · · · · · · · · · · · · · · ·
Other (specify):			Horse Power Rating	g of Motor:	
Date Pump Installed:	11-13-	-07	Setting Depth:	40'	feet
Rated Pump Capacit	y: <u> </u>	Gallons Per Minute	Number of Stages:	1	

Pump Test Data	Method of Measuring Water Level Circle one	
Date Well Tested:		
Static Water Level (A):Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify):	
Pumping Water Level (B):Feet Below Land Surface	Other (specify):	
Drawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet	
Test Pumping Rate:Gallons Per Minute	Well yieldedGPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping	

IHEREBY CERTIFY that the above statements are true to the	best of my knowledge.
KOBERT NECAKE 0-660	Colut
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer

RECEIVED

JAN 2 2 2008

BY: OLWR