	State W	ell Report	<u>,</u>			
County: HANCOCK	Part 1 – Driller's Log		For Office Use Only:			
County: THOCOC	Mississippi Department of Environmental Quality		Aguifer:			
Permit #:	Office of Land and Water Resources		11 - 01			
	P.O. Box 10631		Well #: M - 8)			
Driller: NECAISE WELL		1S 39289-0631	L. S. Elevation:			
Date drilling completed: 11-9-07	1	961-5210	C. S. Lievanni.			
	(601)354-6938 (fax)		E-log #:			
	, ,					
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.						
Information on Well (			rehole Location			
(Landowner if borehole is not f	_					
Owner Name DISTIMM	Annala mart	Latitude:	" Longitude: ""			
1 1	1 ) Mark and a CT and I amend a land a small Communication of Communicatio					
Mailing Address: 714 Oippo	USGS quad, Hand-held		GPS, Survey-grade GPS			
Par 11 Par 100 4 4 Sec 1		- Twn 95 Rng 154				
Dug Tabillo 41/5		Nearest Town				
City State Zip Code Distance Direction Nearest Town Telephone No. 29,549-7718  Telephone No. 29,549-7718						
Telephone No. ((1)) 177-111	<u>X</u>					
	Well / Bore	hole Data				
Date drilling started: 11-9-07 Date drilling completed: 11-9-07 Hole depth: 120 Hole diameter:						
Location of the source of any surface water used for drilling: HANCOCK COUNTY WATER - SOWER Method of dosing and volume of Chlorine used in drilling and development:						
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:						
Purpose of borehole (check one): Water W	ell Geotechnical/Geol	ogical Investigation Ground	Source Heat Pump			
Seismic Survey Other (describe)  If drilling is not related to water well construction, skip the remainder of this block						
Purpose of Well (check one): Home / Industrial Public Supply Irrigation Fish Culture Other:						
If a flowing well, method of flow regulation: Valve Other (describe)						
Static Water Level: 12 feet above of below (circle one) land surface Date measured: 17-9-07						
Method of Measurement (circle one)						
Well depth: 120 Well grouted to a depth of 16 feet Type of grout (circle one): Neat Cernent Bentonite Mix						
Casing length: 10 feet Casing diameter: 2 inches Type of casing: PVC						
Screen length: 10 feet Scre	en diameter: Z'	inches Type of screen:	PVC			
Screen slot size: 1006 inches	Setting depth: From	feet to 2	feet			

Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development

feet. If telescoped or more than one screen, describe on next page

Other (describe): \_\_\_

Top of lap pipe or reduction in casing: \_

Form: OLWR-SWR-1A

JAN 2 2 2008 BY: OLWR

## The sketch below only required for water wells

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
MUD	D	30
5AnD,	20	40
B. CIAY	40	40
SAND	40	130
	<b></b>	ļ
		<b> </b>
	<del> </del>	<del> </del>
	<u> </u>	<del> </del>
		<u> </u>
	<del>                                     </del>	<del> </del>
		<del> </del>
	<del> </del>	<del> </del>
		1
		<u> </u>
	<del> </del>	<b>†</b>

If more than one screen, show location of each on sketch

4) a north arrow.	N		
$\mathcal{M}$	×	E	
		5	
Landowner Name: Cuy Stroam Aud lo	pnent		

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee RECEIVED

JAN 2 2 2008

BY: OLWR

## STATE WELL REPORT

## Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631

For Office Use Only:
Aquifer:
Well #: M-81
Elevation:

(601)961-5210 (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Owner Nam Latitude: \_ Longitude:\_ Method of Lat/Long (check one): Conventional Survey\_ USGS quad\_\_\_\_, Hand-held GPS\_ Survey-grade GPS Distance Direction Nearest Town Telephone No. Pump Type Power Type Circle one Circle one Air Lift Submersible Diesel Engine Gasoline Engine Natural Gas Bucket -Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): Other (specify): Horse Power Rating of Motor: Z-28-07 Date Pump Installed: ( Setting Depth: Rated Pump Capacity: \_ Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: \_\_ Air Line Electric Measuring Line Steel Tape Static Water Level (A): Feet Below Land Surface Other (specify): Pumping Water Level (B): \_\_\_\_\_Feet Below Land Surface Drawdown [(B) - (A)]: \_\_\_\_\_Feet Below Land Surface For flowing well, measured shut in head: \_\_\_ Test Pumping Rate: \_\_ Gallons Per Minute Well yielded \_\_\_\_ \_\_\_\_\_GPM with a drawdown of Duration of Pump Test (minimum 4 hours): \_\_\_\_hours of pumping feet after \_\_\_\_

I HEREBY CERTIFY that the above statements are true to the best of my knowledge Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer

JAN 2 2 2008

BY: OI WR