	State W	ell Report	
County: Mancock	Part 1 – Driller's Log		For Office Use Only:
County: County:	Mississippi Department of Environmental Quality		Aguifer:
Permit #:	Office of Land and Water Resources		. 70 . ()/
		ox 10631	Well #: /// 9
Driller: Necoise Well Service		S 39289-0631	L. S. Elevation:
Date drilling completed: 1-15-08		961-5210	
Dute arming completed.		l-6938 (fax)	E-log #:
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.			
Information on Well (-	Well or Bo	rehole Location
(Landowner if borehole is not f	or a water well)		" Iinda. 0 ' "
Owner Name Grosman C	2domes	Latitude:	" Longitude:""
	Mailing Address: 7090 (U. Llouquura) Method of Lat/Long (circle o		ne): Conventional Survey,
Maining Address:	Cologon	USGS quad, Hand-held	GPS, Survey-grade GPS
A 01 V	1 m o	¼¼ Sec1 Z	Twn 95 Rng 15 L
bay St. agu	te Zip Code		İ
City (1 Sta	ie zrp Code	Distance Direction Miles	of LAVESHORE
Telephone No. (108) 831-80	le Co		
	Well / Bore	hole Data	
Date drilling started: 1-15-08 Date dr	illing completed 1-15-08	Hole depth: 105	Hole diameter: 4"
Location of the source of any surface water used for drilling: Wancout County Lattice Studio Method of dosing and volume of Chlorine used in drilling and development:			
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:			
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump			
Seismic Survey Other (describe)			
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:			
If a flowing well, method of flow regulation: Valve Other (describe)			
Static Water Level: 12 feet above or below (circle one) land surface Date measured: 1-15-08			
Method of Measurement (circle one) steel tape electric tape air line other:			
Well depth: 105 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix Casing length: 95 feet Casing diameter: 9 inches Type of casing: 9VC.			
10 County distinction.			
Screen length: 10 feet Screen diameter: 10 inches Type of screen: 10			
Screen slot size: 1006 inches Setting depth: From 95 feet to 105 feet			
Type of completion (circle all applicable) Gravel packed Underreamed Telescoped Open hole Natural Development			

Other (describe): __

feet. If telescoped or more than one screen, describe on next page

Top of lap pipe or reduction in casing: ___

Form: OLWR-SWR-1A

The sketch	helow only	required for	water wells
The oncien	OCION OILLY	I EQUITED TOT	muter wetts

If well telescopes,	show	depths	on	sketch.
Ground Level.				

-

<u>Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations</u>

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
MND	0	30
SAND	30	60
6 CLAY	100	90
Z HND	90	105
		
		
		
* · · · · · · · · · · · · · · · · · · ·		

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well;
4) a north arrow.
×
Landowner Name: Groman Colombo
Form: OLWR-SWR-1

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.

Robert Necoise 0-660 1719-0

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

FECTIVED:

FEB 13 238

BY OLWA

STATE WELL REPORT

County: UN MCOCK Permit #:

Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality

For Office Use Only:			
Aquifer:			
Well#: M - 9]			
Elevation:			

Driller Nernico	JPI TICS WELL BIVIES		and Water Resources		
		1	Box 10631	Well #: M - 9	
Date completed: - 18	<u>30-1</u>	ł	AS 39289-0631 961-5210	ποιιπ,	
Copy information from bl		. ,	4-6938 (fax)	Elevation:	
		hu a Hassass		wotallan A C D 1 C	
			contractor or a licensed pump in It the above address within 30 de	nstaller. A copy of Part 1 of the avs of well completion.	
	ll Owner Informa			l Location	
Owner Name: Ottoman Odonoo		Latitude:	Longitude:		
Mailing Address: 70	90 W. C	booquera	Method of Lat/Long (check one): Conventional Survey,		
			USGS quad . Hand-held	GPS, Survey-grade GPS	
Brust dours ms					
City	State	Zip Code	· ·	•	
		. 1	Distance Direction	Nearest Town	
Telephone No. (2018)_	831-801	No.	Miles Of	1 LAKESHOLE	
			<u> </u>		
	Pump Type		Pos	wer Type	
	Circle one			ircle one	
Air Lift	Jet	Submersible	Diesel Engine Gasolin	e Engine Natural Gas	
Bucket	Piston	Turbine	Electric Motor Hand	Tractor PTO	
Centrifugal	Rotary	Flowing Well		specify):	
Other (specify):			Horse Power Rating of Motor:		
Date Pump Installed: 1-18-08		Setting Depth: 30			
Rated Pump Capacity:Gallons Per Minute		Number of Stages:			
			Trumoor or Stages.		
	Dumm Tark Dak		3.6.15. 3.057		
Pump Test Data		1	asuring Water Level ircle one		
Date Well Tested:					
Static Water Level (A):Feet Below Land Surface		Air Line Electric Measure Other (specify):	suring Line Steel Tape		
Pumping Water Level (B):Feet Below Land Surface		Outer (specify).			
Drawdown [(B) – (A)]:Feet Below Land Surface		For flowing well, measured sh	ut in head:feet		
Test Pumping Rate:Gallons Per Minute		Well yieldedGPM with a drawdown of			
Duration of Pump Test (minimum 4 hours):hours		feet after	hours of pumping		
					

I HEREBY CERTIFY that the above statements are true to the best	of my knowledge.
Bobert Necaise, O-660	White
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer
	Form: Ol-MP-SIMP #12

PEB 13 2008