State W	'ell Report		
	Oriller's Log	E Use Only:	
Mississippi Departmen	t of Environmental Quality Aquifer:		
	Office of Land and Water Resources		
Drillar: 186 Cett 16 Unit 26	30X 10031	1	
7/15 00/1	IS 39289-0631 L. S. Elevation:		
(601)35	4-6938 (fax) E-log =:		
State Law requires that this report be prepared by the lic Department at the above address within 30 days of comp		ed with the	
Information on Well Owner	Well or Borehole Location		
(Landowner if borehole is not for a water well)	Latitude: 30 ° 16 '56 " Longitude: 89	1.26.50	
Owner Name 2011 Oak Construction	Method of Lat-Long (circle one): Conventional		
Mailing Address: 7044 W. Salan	USGS quad. Hand-held GPS, Survey-gra-	1	
A N 1	NE 14 NE 14 Sec 12 Twn 9	•	
Chy St your, MS			
City State Zip Code	Distance Direction Nearest Town	share!	
Telephone No. (201) 579-7718			
Well / Bore	hole Data		
Date drilling started: 33508 Date drilling completed: 335	Hole depth: 100 Hole diameter:	4"	
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and deve	ANCOCK COUNTY WATER	2 - Sewer	
Logs run (circle all applicable): No log run Electric Gamma Ray Name of organization running log(s):	Density Sonic Neutron Other:		
Purpose of borehole (check one): Water Well Geotechnical Geol	ogical Investigation Ground Source Heat Pum	ıp	
Seismic SurveyOther (describe			
If drilling is not related to water well construction			
Purpose of Well (check one): Home / Industrial Public Supply	Irrigation Fish Culture Other:		
If a flowing well, method of flow regulation: Valve	ther (describe)		
Static Water Level: 12 feet above of below (circle one) land surface Date measured: 3 3508			
Method of Measurement (circle one) (steel tape) electric tape		•	
Well depth: 100 Well grouted to a depth of 1c feet Type of grout (circle one): Neat Cement Bentonite Mix			
Casing length: 90 feet Casing diameter: Z inches Type of casing: PVC			
Screen length: 10 feet Screen diameter: 2"	inches Type of screen:	ì	
Screen slot size: 106 inches Setting depth: From_	90 feet to 100 feet		
Type of completion (circle all applicable): Gravel packed Under	reamed Telescoped Open hole Natural D	Development	
Other (describe):			
Top of lap pipe or reduction in casing:feet. If te	escoped or more than one screen, describe on ne	xt page	

RECEIVED

Form: OLWR-SWR-1A

APR 0 3 2008

BY: OLWR

From (depth) To (depth)

Ground Level

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered

				- 3000 C		88	7
						<u> </u>	10
							!
							
						-	
			 			i	
							
			<u></u>				
If more than one screen, setch the property layout and aid in locating the 4) a north arrow.	include the followers well; 3) any ro	owing: 1) the wel	l location: 2) any or other items th	permanent structures on at may aid in locating the	the property as	y that may nd the well:	
etch the property layout and aid in locating th	include the followers well; 3) any ro	owing: 1) the wel	I location: 2) any or other items th	permanent structures on at may aid in locating the	the property as	y that may nd the well:	

Date

Signature of Licensee

The sketch below only required for water wells

Print Name of Responsible Licensee and License No.

If well telescopes, show denths on sketch.

Ground Level_

APR 0 3 2008

BY: OLWR

STATE WELL REPORT

Part 2

County: HANCOCI

Pump Installer's Completion Report

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631

Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)

For Office Use Only:		
Aquifer:		
Well #: M-106		
Elevation:		

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.

Well Owner Information

Well Location

Owner Name: 4344 Construction	Latitude:Longitude:
Mailing Address: 1094 W. Grupn	Method of Lat Long (check one): Conventional Survey,
Day St Louis MS City State Zip Code	USGS quad, Hand-held GPS, Survey-grade GPS
Telephone No. <u>339</u> 549 - 7718	Distance Direction Nearest Town Miles of Aktoback

	Pump Typ Circle one			Power Type Circle one	
Air Lift	Jet	Submersible	Diesel Engine	Gasoline Engine	Natural Gas
Bucket	Piston	Turbine	Electric Motor	Hand	Tractor PTO
Centrifugal	Rotary	Flowing Well	Windmill	Other (specify):	
Other (specify):			Horse Power Rating	of Motor:	
Date Pump Installed:	4-39	-08	Setting Depth:	40'	feet
Rated Pump Capacity	10	Gallons Per Minute	Number of Stages:		

Pump Test Data	Method of Measuring Water Level		
Date Well Tested:	Circle one		
Static Water Level (A):Feet Below Land Surface	Air Line Electric Measuring Linc Steel Tape		
Pumping Water Level (B):Feet Below Land Surface	Other (specify):		
Drawdown {(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet		
Test Pumping Rate:Gallons Per Minute	Well yieldedGPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping		

I HEREBY CERTIFY that the above statements are tr	rue to the best of my knowledge.
KUPETET NECAKE 066	C Cold A
Print Name of Pump Installer and License No. (if appl	licable) Signature of Pump Installer

Form: OLWR-SWR-1B

RECEIVED

S008 80 NUL

BY: OLWR